









HAWAII COMMUNITY DEVELOPMENT AUTHORITY

KAKA'AKO COMMUNITY DEVELOPMENT DISTRICT TOD OVERLAY PLAN

DRAFT

May 20, 2013

Lee Sichter LLC







TABLE OF CONTENTS

1	INTRODUCTION	1-1
	Project Purpose Project Background/Context Kaka`ako's Diverse Neighborhoods TOD Overlay Plan Format	1-3 1-6
2	GUIDING PRINCIPLES.	2-1
	Kaka`ako Community Development District: A Sustainable Community	
3	LAND USE	
	Future Land Use: Creating Complete Connected Neighborhoods District Character: Encouraged Land Use Types Parking, Land Use, and Density Controls Achieving TOD: District Opportunities and Challenges TOD Catalysts and Joint Partnerships	. 3-5 . 3-8 3-10
4	URBAN DESIGN	4-1
	Urban Design Framework Building Elements: Street, Middle and Tower New Building Types Parks, Public Realm and Active Space	4-12 4-14
5	MOBILITY AND ACCESS	5-1
	How Transportation Supports the KCDD Vision. Current Transportation Systems and Use. Mobility and Access in Kaka`aka Today. Mobility and Access Strategies. Connectivity. Pedestrian Transit Circulation. Bicycle Auto	. 5-4 . 5-6 5-12 5-13 5-25 5-35 5-51
6	COMPLETE STREETS IN KAKA`AKO	
	Creating Multi-Purpose Streets Why Complete Streets For The KCDD? Integrating Land Use and Street Design Street Design Principles COMPLETE STREET TYPES Intersection Design Principles. Quality of Service Performance Standards Strategies and Tools to Implement Complete Streets and Intersections	. 6-3 . 6-8 . 6-9 6-14 6-17 6-22
7	HART STATIONS AND ACCESS.	7-1
	Integrating Rapid Transit in the Kaka`ako District Station Area Principles: Place, People, and Performance Access Demand. Overall Access Strategies Station-Specific Access Strategies and Actions Station Integration Opportunities Urban Design and TOD Impacts of Elevated Rail	7-1 . 7-3 . 7-4 . 7-9 7-19



DRAFT

8	PARKING & TRANSPORTATION DEMAND MANAGEMENT	8-
	Role of Parking	8-
	Parking Policies and Incentives	. 8-!
	Transportation Demand Management Programs	8-14

APPENDIX A: STRATEGIES & ACTIONS

APPENDIX B: RECOMMENDED RULE CHANGES

DRAFT

TABLE OF FIGURES

Figure 1-1	Elements of Transit-Oriented Development in KCDD	1-1
Figure 2-1	The 6 "Ds" of Transit-Oriented Neighborhood Design	2-3
Figure 3-1	TOD Overlay Area Eligible for Proposed Capacity Increases	3-3
Figure 3-2	Kaka`ako District Density	
Figure 3-3	Relationship of Parking Location and Building Form	. 3-8
Figure 3-4	Kaka`ako District Development Activity	
Figure 3-5	Property Consolidation.	
Figure 3-6	Land-to-Improvement Value	
Figure 3-7	TOD Selected Sites and Catalyst Properties	.3-17
Cianna a a	Marijarina Hajalata	
Figure 4-1	Maximum Heights	
Figure 4-2	Building Siting and View Preservation	
Figure 4-3	Proposed Build-Out under TOD Overlay Plan.	
Figure 4-4	Mauka Area Rules Build-Out	
Figure 4-5	Designated Mauka Makai View Corridors and Streetend Vistas	
Figure 4-6	Typological Block Development (120,000 SF consolidated lot)	
Figure 4-7	Street Elements	
Figure 4-8	Public Open Spaces in KCDD.	
Figure 4-9	Conceptual Plans for Mother Waldren Park	4-22
Figure 5-1	Modal Hierarchy	
Figure 5-2	Pedestrian Elements of a Complete Street	5-4
Figure 5-3	Pedestrian Volumes in the KCDD (2013 PM Peak Hours)	. 5-6
Figure 5-4	Transit Service and Average Daily Boardings in the KCDD (2013)	5-7
Figure 5-5	Bicycle Volumes in the KCDD (2013 PM Peak Hours)	. 5-9
Figure 5-6	Traffic Volumes in the KCDD (2013).	.5-10
Figure 5-7	Parking in the KCDD	. 5-11
Figure 5-8	Intersection Density in KCDD	.5-15
Figure 5-9	Current KCDD Street Grid and Potential Future Connections	.5-16
	Pedestrian Priority Streets in the KCDD	5-26
Figure 5-11	Transit Priority Streets	5-36
Figure 5-12	HART Rapid Transit Stations and Approximate Network Walk Times	5-37
	Local Circulator Options	
Figure 5-14	Roadway and Intersection Treatments for Transit Reliability	5-42
Figure 5-15	Cycling Priority Streets	5-53
	Potential Cycle Track on Halekauwila	
	Evaluation Criteria for Analyzing Bike Share Market Potential	
	Criteria for Siting Bike Share Stations	
Figure 5-19	Bike Share Propensity and Potential Generators	5-64
Figure 5-20	Street Priorities for Vehicular Travel	5-72
Figure 6-1	KCDD Modal Hierarchy	6-10
Figure 6-2	KCDD Complete Street Typology	
Figure 6-3	KCDD Street Type – Land Use Relationship	
	Common Intersection Elements	
	Common Intersection and Crossing Types	
Figure 6-6	Visibility Impacts of One-Way and Two-Way Roadway Operation	6-20
Figure 6-7	Range of Intersection Size in Kaka`ako	
	Different Approaches to Simplifying Complex Intersections	
5		-)



DRAFT

Figure 7-1	Station Access Principles and Objectives	.7-2
Figure 7-2	Station Access Principles at Civic Center Station	
Figure 7-3	HART Station Access Hierarchy	
Figure 7-4	Opening Day and 2035 Ridership at KCDD HART Stations	
Figure 7-5	Kaka`ako Station Access and Circulation	
Figure 7-6	Spatial Needs for Bike Share at Kaka`ako HART Station	
_	(Opening Year and 2035)	7-11
Figure 7-7	Sample Station Dimension for 11 Dock Bike Share Station	
Figure 7-8	Sample Double-Sided Bike Share Station	7-11
Figure 7-9	Civic Center Station Access and Circulation	7-13
Figure 7-10	Spatial Needs for Bike Share at Civic Center HART Station	
	(Opening Year and 2035)	7-15
	Connectivity Improvements for Downtown HART Station Area	
Figure 7-12	Kaka`ako Station at Ward Center	7-19
Figure 7-13	Civic Center Station Vision and Opportunities	7-21
Figure 7-14	Downtown Station at Aloha Tower Special District Vision and Opportunities	7-22
Figure 7-15	Alignment Design Opportunities	7-23
Figure 8-1	Existing Off-Street Parking Regulations	.8-1
Figure 8-2	On-Street Parking Regulations	
Figure 8-3		
Figure 8-4	Robotic vs. Conventional Parking Structures	
	TDM Strategies Menu	