

Sample Point ID	Date	Time	Temp. (°C)	DO (mg/L)	DO (% saturation)	Bathymetry (m)	Turbidity (NTU)	Enterococcus (MPN/100 ml)	Diesel (mg/L)	Gasoline (mg/L)	Leak Oil (mg/L)	Mnemon Oil (mg/L)	Mercury (µg/L)	Ammonia (mg/L)	TSS (mg/L)	AMP (µg/L)	Atrazine (µg/L)	Chlorpyrifos (µg/L)	Glyphosate (µg/L)	Metolachlor (µg/L)	Sediment % Solids	Sediment Ammonia (mg/kg)	Sediment Chlorpyrifos (µg/kg)	Sediment Glyphosate (µg/kg)	Sediment Metolachlor (µg/kg)
C1	8/14/2020	10:00	22.7	9.35	108.30	0.05	7.43	170	110	<0.08	<0.18	<0.08	<0.16	<0.10	<0.01	13.0	NA	NA	NA	NA	NA	NA	NA	NA	
C1	10/20/2021	9:30	19.2	9.01	98.2	0.02	8.90	510	280	<0.07	<0.33	<0.048	<0.16	<0.020	<0.0004	17.8	NA	NA	NA	NA	NA	NA	NA	NA	
C1	2/16/2021	10:00	20.4	8.81	102.40	0.02	7.23	<4000	36000	0.41	<0.18	<0.02	0.16	0.156	0.00175	2290	NA	NA	NA	NA	NA	NA	NA	NA	
C1	2/20/2021	10:00	20.7	7.98	69.90	0.02	7.40	1420	140	<0.08	<0.16	<0.08	<0.16	<0.050	0.00091	42.9	NA	NA	NA	NA	NA	NA	NA	NA	
U1-WW-7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
U1-WW-7	10/25/2021	10:00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
U1-WW-7	2/16/2021	10:00	20.8	6.35	77.80	0.05	6.99	2267 AU	<25000	<0.052	<0.16	<0.048	<0.16	0.083	0.00096	750	NA	NA	NA	NA	NA	NA	NA	NA	
U1-WW-7	2/20/2021	10:00	20.4	6.43	74.80	0.05	7.40	3299 AU	<25000	<0.052	<0.16	<0.048	<0.16	0.083	0.00091	121.0	NA	NA	NA	NA	NA	NA	NA	NA	
U1-WW-7	8/30/2021	10:00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
U1-WW-7	11/15/2021	9:15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
U1-WW-7	12/7/2021	9:15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
U1-WW-7	2/20/2021	10:00	20.5	6.35	77.80	0.05	6.99	2267 AU	<25000	<0.052	<0.16	<0.048	<0.16	0.083	0.00091	121.0	NA	NA	NA	NA	NA	NA	NA	NA	
U2-WW-5	9/14/2020	11:30	24.0	9.73	69.30	0.05	7.28	3.89	228	0.62	<0.18	0.39	<0.16	<0.10	0.00100	8.00	NA	NA	NA	NA	NA	NA	NA	NA	
U2-WW-5	10/25/2021	8:30	22.3	9.14	88.10	0.05	7.44	9.18	12000	0.76	<0.16	1.45	<0.16	0.038	0.00019	5.67	NA	NA	NA	NA	NA	NA	NA	NA	
U2-WW-5 WET	2/16/2021	10:00	20.6	6.88	86.70	0.04	6.22	<4000	69000	0.60	<0.18	1.02	<0.16	0.489	0.00020	2940	NA	NA	NA	NA	NA	NA	NA	NA	
U2-WW-5 WET	2/20/2021	10:00	20.5	6.35	77.80	0.05	6.99	2267 AU	<25000	<0.052	<0.16	<0.048	<0.16	0.083	0.00091	121.0	NA	NA	NA	NA	NA	NA	NA	NA	
U2-WW-5	8/30/2021	10:00	29.3	6.22	68.60	0.22	7.48	159	4100	<0.052	<0.16	<0.048	<0.16	<0.083	0.00022	40.7	NA	NA	NA	NA	NA	NA	NA	NA	
U2-WW-5	11/15/2021	9:45	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
U2-WW-5	12/7/2021	9:45	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
U2-WW-5	2/20/2021	10:00	20.6	6.35	77.80	0.05	6.99	2267 AU	<25000	<0.052	<0.16	<0.048	<0.16	0.083	0.00091	121.0	NA	NA	NA	NA	NA	NA	NA	NA	
U3-WW-4	9/14/2020	12:30	24.0	6.09	71.60	0.09	8.07	13.50	3055	<0.08	<0.16	<0.08	<0.16	<0.10	<0.001	14.0	NA	NA	NA	NA	NA	NA	NA	NA	
U3-WW-4	10/25/2021	8:30	21.4	9.79	105.90	0.07	7.78	23.20	1500	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	83.0	NA	NA	NA	NA	NA	NA	NA	NA	
U3-WW-4	2/16/2021	11:15	21.5	7.03	85.30	0.05	6.31	1160	690	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	83.0	NA	NA	NA	NA	NA	NA	NA	NA	
U3-WW-4	2/20/2021	10:00	20.5	6.35	77.80	0.05	6.99	2267 AU	<25000	<0.052	<0.16	<0.048	<0.16	0.083	0.00091	121.0	NA	NA	NA	NA	NA	NA	NA	NA	
U3-WW-4	8/30/2021	10:00	29.3	5.83	67.40	0.54	8.99	27.30	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	44.3	NA	NA	NA	NA	NA	NA	NA	NA	
U3-WW-4	9/30/2021	9:00	29.1	5.16	68.50	0.42	7.34	11.90	1900	<0.052	<0.16	<0.048	<0.16	<0.083	0.00009	20.0	NA	NA	NA	NA	NA	NA	NA	NA	
U3-WW-4	11/15/2021	9:45	NA	NA	NA	NA	NA	NA	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	83.0	NA	NA	NA	NA	NA	NA	NA	NA	
U3-WW-4	12/7/2021	9:45	NA	NA	NA	NA	NA	NA	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	83.0	NA	NA	NA	NA	NA	NA	NA	NA	
U3-WW-4	2/20/2021	10:00	20.5	6.35	77.80	0.05	6.99	2267 AU	<25000	<0.052	<0.16	<0.048	<0.16	0.083	0.00091	121.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	9/14/2020	11:30	24.0	6.09	71.60	0.09	8.07	13.50	3055	<0.08	<0.16	<0.08	<0.16	<0.10	<0.001	14.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	10/25/2021	8:30	21.4	9.79	105.90	0.07	7.78	23.20	1500	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	83.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	2/16/2021	10:00	20.6	6.35	77.80	0.05	6.99	2267 AU	<25000	<0.052	<0.16	<0.048	<0.16	0.083	0.00091	121.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	8/30/2021	10:00	29.3	5.83	67.40	0.54	8.99	27.30	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	44.3	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	11/15/2021	9:45	NA	NA	NA	NA	NA	NA	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	83.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	12/7/2021	9:45	NA	NA	NA	NA	NA	NA	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	83.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	2/20/2021	10:00	20.5	6.35	77.80	0.05	6.99	2267 AU	<25000	<0.052	<0.16	<0.048	<0.16	0.083	0.00091	121.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	8/30/2021	10:00	29.3	5.83	67.40	0.54	8.99	27.30	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	44.3	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	11/15/2021	9:45	NA	NA	NA	NA	NA	NA	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	83.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	12/7/2021	9:45	NA	NA	NA	NA	NA	NA	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	83.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	2/20/2021	10:00	20.5	6.35	77.80	0.05	6.99	2267 AU	<25000	<0.052	<0.16	<0.048	<0.16	0.083	0.00091	121.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	8/30/2021	10:00	29.3	5.83	67.40	0.54	8.99	27.30	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	44.3	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	11/15/2021	9:45	NA	NA	NA	NA	NA	NA	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	83.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	12/7/2021	9:45	NA	NA	NA	NA	NA	NA	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	83.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	2/20/2021	10:00	20.5	6.35	77.80	0.05	6.99	2267 AU	<25000	<0.052	<0.16	<0.048	<0.16	0.083	0.00091	121.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	8/30/2021	10:00	29.3	5.83	67.40	0.54	8.99	27.30	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	44.3	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	11/15/2021	9:45	NA	NA	NA	NA	NA	NA	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	83.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	12/7/2021	9:45	NA	NA	NA	NA	NA	NA	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	83.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	2/20/2021	10:00	20.5	6.35	77.80	0.05	6.99	2267 AU	<25000	<0.052	<0.16	<0.048	<0.16	0.083	0.00091	121.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	8/30/2021	10:00	29.3	5.83	67.40	0.54	8.99	27.30	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	44.3	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	11/15/2021	9:45	NA	NA	NA	NA	NA	NA	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	83.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	12/7/2021	9:45	NA	NA	NA	NA	NA	NA	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	83.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	2/20/2021	10:00	20.5	6.35	77.80	0.05	6.99	2267 AU	<25000	<0.052	<0.16	<0.048	<0.16	0.083	0.00091	121.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	8/30/2021	10:00	29.3	5.83	67.40	0.54	8.99	27.30	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	44.3	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	11/15/2021	9:45	NA	NA	NA	NA	NA	NA	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	83.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	12/7/2021	9:45	NA	NA	NA	NA	NA	NA	NA	<0.052	<0.16	<0.048	<0.16	0.053	0.00009	83.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	2/20/2021	10:00	20.5	6.35	77.80	0.05	6.99	2267 AU	<25000	<0.052	<0.16	<0.048	<0.16	0.083	0.00091	121.0	NA	NA	NA	NA	NA	NA	NA	NA	
WW-6	8/30/2021	10:00</																							