Sample Point ID	Date	Time	Temp. (°C)	DO (mg/L)	DO (% saturation)	Salinity (ppt)	pH (units)	Turbidity (NTU)	Enterococcus	Enterococcus Service Lab 9/15/23 (MPN)	Enterococcus (MPN/100 ml)	Arsenic (mg/L)	Mercury (µg/L)	Diesel (mg/L)	Gasoline (mg/L)	Lube Oil (mg/L)	Mineral Oil (mg/L)	TSS (mg/L)	ABPA (µg/L)	Atrazine (µg/L)	Chlorpyrifos (µg/L)	Diaphenazite (µg/L)	Metolachlor (µg/L)	Paraquat Dichloride (µg/L)	Permethrin (µg/L)	Sediment % Solids	Sediment ABPA (mg/kg dry)	Sediment Bifenthrin (mg/kg dry)	Sediment Atrazine (mg/kg dry)	Sediment Metolachlor (mg/kg dry)	Sediment Permethrin (mg/kg dry)	Sediment Chlorpyrifos (µg/kg dry)
12-2019-3	3/24/2023	11:05	20.40	8.79	95.10	0.07	7.09	>400	2600	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	6.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12-2019-4	3/24/2023	11:15	20.40	8.79	95.10	0.07	7.09	>400	1600	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	6.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-6	3/24/2023	9:40	18.0	9.38	96	NA	NA	NA	1600	NA	NA	0.0013	<0.0710	<0.0820	<0.160	<0.0900	<0.160	8.00	NA	<0.0492	NA	NA	<0.0408	<10	<0.242	69.40	<3.38	2.32	<0.205	<0.328	<0.328	NA
6-2	3/24/2023	9:20	18.0	9.38	12.90	19.10	7.42	13.60	800	NA	NA	0.0013	<0.0710	<0.0820	<0.160	<0.0900	<0.160	8.00	NA	<0.0492	NA	NA	<0.0408	<10	<0.242	69.40	<3.38	2.32	<0.205	<0.328	<0.328	NA
6-3	3/24/2023	9:00	20.7	10.00	14.00	0.08	7.65	12.30	1300	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	9.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-2	3/24/2023	10:10	27.0	7.90	27.60	29.90	7.99	13.60	100	NA	NA	0.00243	<0.0710	<0.0820	<0.160	<0.0900	<0.160	19.00	NA	<0.0475	NA	NA	<0.0410	<10	<0.237	71.50	<2.92	2.03	<0.279	<0.279	<0.279	NA
2019-3	3/24/2023	10:20	27.0	7.90	27.60	29.90	7.99	13.60	100	NA	NA	0.00243	<0.0710	<0.0820	<0.160	<0.0900	<0.160	19.00	NA	<0.0475	NA	NA	<0.0410	<10	<0.237	71.50	<2.92	2.03	<0.279	<0.279	<0.279	NA
5-2	3/24/2023	10:35	20.6	8.39	27.00	1.90	7.35	13.20	110	NA	NA	0.00237	<0.0710	<0.0820	<0.160	<0.0900	<0.160	20.00	NA	<0.0490	NA	NA	<0.0408	<10	<0.242	52.00	<3.60	2.43	<0.285	<0.328	<0.328	NA
5-3	3/24/2023	10:45	20.1	8.19	26.60	0.60	7.07	84.00	200	NA	NA	0.00207	<0.0710	<0.0820	<0.160	<0.0900	<0.160	20.00	NA	<0.0490	NA	NA	<0.0408	<10	<0.242	68.30	<3.60	2.43	<0.285	<0.328	<0.328	NA
4-2	3/24/2023	9:45	20.4	8.29	24.40	0.80	7.23	6.40	1300	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	18.00	NA	<0.0475	NA	NA	<0.0410	<10	<0.237	68.20	<2.92	2.03	<0.279	<0.279	<0.279	NA
4-3	3/24/2023	9:55	NA	NA	NA	NA	NA	31.00	30	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	18.00	NA	<0.0475	NA	NA	<0.0410	<10	<0.237	NA	NA	NA	NA	NA	NA	NA
2019-4	3/24/2023	10:30	20.7	8.39	26.00	0.60	7.23	13.60	100	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	18.00	NA	<0.0475	NA	NA	<0.0410	<10	<0.237	NA	NA	NA	NA	NA	NA	NA
2019-5	3/24/2023	10:40	20.7	8.39	26.00	0.60	7.23	13.60	100	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	18.00	NA	<0.0475	NA	NA	<0.0410	<10	<0.237	NA	NA	NA	NA	NA	NA	NA
12-2019-2	12/18/2023	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12-2019-1	12/18/2023	9:40	20.8	7.97	19.40	24.10	7.60	1.40	160	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	6.00	NA	<0.0475	NA	NA	<0.0410	<10	<0.237	66.8	<2.192	<0.203	<0.209	<0.328	<0.328	NA
6-2	12/18/2023	9:10	21.8	8.37	20.00	0.80	7.60	18.70	900	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	10.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
6-3	12/18/2023	9:00	22.1	8.39	20.00	0.80	7.60	18.70	900	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	10.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-1	12/18/2023	8:50	22.1	8.39	20.00	0.80	7.60	18.70	900	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	10.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12-2019-3	7/8/2024	10:45	23.00	8.18	92.00	0.35	8.00	12.40	800	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	13.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12-2019-4	7/8/2024	10:55	23.00	8.18	92.00	0.35	8.00	12.40	800	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	13.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-6	7/8/2024	9:40	20.1	8.01	74.10	0.11	7.40	17.10	200	NA	NA	0.0024	<0.0710	<0.0820	<0.160	<0.0900	<0.160	8.00	NA	NA	NA	NA	<0.0500	<10	<0.250	NA	NA	NA	NA	NA	NA	NA
6-2	7/8/2024	9:10	20.1	8.01	61.00	11.07	7.01	21.90	600	NA	NA	0.0024	<0.0710	<0.0820	<0.08	<0.088	<0.08	8.00	<5	<0.0491	NA	NA	<0.0500	<10	<0.250	NA	NA	NA	NA	NA	NA	NA
6-3	7/8/2024	9:00	20.1	8.01	64.00	0.60	7.00	20.90	300	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	18.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-2	7/8/2024	9:55	27.5	7.90	56.50	31.60	8.00	4.70	50	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	18.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-3	7/8/2024	10:05	27.5	7.90	56.50	31.60	8.00	4.70	50	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	18.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5-2	7/8/2024	9:35	20.7	8.09	70.00	1.40	7.14	45.30	75	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	18.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5-3	7/8/2024	9:00	20.8	8.17	70.00	0.61	6.79	56.90	400	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	20.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-2	7/8/2024	8:50	20.8	8.09	69.40	1.30	7.00	15.00	110	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	18.0	<5	<0.0475	NA	NA	<0.0410	<10	<0.235	NA	NA	NA	NA	NA	NA	NA
4-3	7/8/2024	8:37	20.8	8.09	69.40	1.30	7.00	15.00	110	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	18.0	<5	<0.0475	NA	NA	<0.0410	<10	<0.235	NA	NA	NA	NA	NA	NA	NA
12-2019-3	8/12/2024	12:10	27.0	7.90	47.00	1.00	7.73	>400	800	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	20.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12-2019-4	8/12/2024	12:20	27.0	7.90	47.00	1.00	7.73	>400	800	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	20.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-6	8/12/2024	9:40	22.0	8.00	57.00	0.40	7.51	>400	1300	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	18.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
6-2	8/12/2024	9:10	22.0	8.00	57.00	0.40	7.51	>400	1300	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	18.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
6-3	8/12/2024	9:00	22.0	8.00	57.00	0.40	7.51	>400	1300	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	18.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-2	8/12/2024	10:10	27.0	7.90	56.50	0.30	7.73	>400	1300	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	17.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-3	8/12/2024	10:15	27.0	7.90	56.50	0.30	7.73	>400	1300	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	17.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5-2	8/12/2024	9:35	22.0	8.10	58.00	0.30	7.73	>400	1300	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	17.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5-3	8/12/2024	9:00	22.0	8.10	58.00	0.30	7.73	>400	1300	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	17.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-2	8/12/2024	8:50	22.0	8.10	58.00	0.30	7.73	>400	1300	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	17.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-3	8/12/2024	8:40	22.0	8.10	58.00	0.30	7.73	>400	1300	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	17.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12-2019-3	9/18/2024	10:05	21.2	8.56	68.50	0.50	7.23	11.20	200	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	19.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12-2019-4	9/18/2024	10:15	21.2	8.56	68.50	0.50	7.23	11.20	200	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	19.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-6	9/18/2024	9:45	22.0	8.05	63.70	1.00	6.61	6.00	63	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	20.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
6-2	9/18/2024	9:15	22.0	8.05	63.70	1.00	6.61	6.00	63	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	20.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
6-3	9/18/2024	9:00	21.8	8.40	64.00	0.60	7.00	6.20	100	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	20.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-2	9/18/2024	10:20	21.2	8.56	68.50	0.50	7.23	11.20	200	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	19.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-3	9/18/2024	10:25	21.2	8.56	68.50	0.50	7.23	11.20	200	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	19.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5-2	9/18/2024	9:45	22.0	8.05	63.70	1.00	6.61	6.00	63	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	20.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5-3	9/18/2024	9:30	22.0	8.05	63.70	1.00	6.61	6.00	63	NA	NA	0.00097	<0.0710	<0.0820	<0.160	<0.0900	<0.160	20.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-2	9/18/2024	9:00	21.8	8.40	64.00	0.60	7.00	6.20	100	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	20.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-3	9/18/2024	8:50	21.8	8.40	64.00	0.60	7.00	6.20	100	NA	NA	0.00150	<0.0710	<0.0820	<0.160	<0.0900	<0.160	20.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12-2019-3	10/28/2023	10:10	8.02	10.60	70.60	0.06	7.69	>400	20000	NA	NA	0.00042	<0.071	<0.02	<0.16	<0.099	<0.16	422.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12-2019-4	10/28/2023	10:20	8.02	10.60	70.60	0.06	7.69	>400	20000	NA	NA	0.00042	<0.071	<0.02	<0.16	<0.099	<0.16	422.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-6	10/28/2023	9:45	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
6-2	10/28/2023	9:15	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
6-3	10/28/2023	9:00	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-2	10/28/2023	10:30	8.02	10.60	70.60	0.06	7.69	>400	20000	NA	NA	0.00042	<0.071	<0.02	<0.16	<0.099	<0.16	422.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-3	10/28/2023	10:35	8.02	10.60	70.60	0.06	7.69	>400	20000	NA	NA	0.00042	<0.071	<0.02	<0.16	<0.099	<0.16	422.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5-2	10/28/2023	9:45	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5-3	10/28/2023	9:30	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-2	10/28/2023	9:00	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-3	10/28/2023	8:50	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12-2019-3	12/22/2023	10:45	21.00	8.00	55.00	0.11	7.60	>400	1300	NA	NA	0.00097	<0.071	<0.02	<0.16	<0.099	<0.16	18.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12-2019-4	12/22/2023	10:55	21.00	8.00	55.00	0.11	7.60	>400	1300	NA	NA	0.00097	<0.071	<0.02	<0.16	<0.099	<0.16	18.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-6	12/22/2023	9:40	20.0	7.89	69.40	0.06	6.26	22.80	500	NA	NA	0.00075	<0.071	<0.02	<0.16	<0.099	<0.16	18.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
6-2	12/22/2023	9:10	20.0	7.89	69.40	0.06	6.26	22.80	500	NA	NA	0.00075	<0.071	<0.02	<0.16	<0.099	<0.16	18.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
6-3	12/22/2023	9:00	20.0	7.89	69.40	0.06	6.26	22.80	500	NA	NA	0.00075	<0.071	<0.02	<0.16	<0.099	<0.16	18.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-2	12/22/2023	10:40	20.0	8.00	55.00	0.11	7.60	>400	1300	NA	NA	0.00097	<0.071	<0.02	<0.16	<0.099	<0.16	18.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-3	12/22/2023	10:45	20.0	8.00	55.00	0.11	7.60	>400	1300	NA	NA	0.00097	<0.071	<0.02	<0.16	<0.099	<0.16	18.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5-2	12/22/2023	9:35	20.0	8.00	55.00	0.11	7.60	>400	1300	NA	NA	0.00097	<0.071	<0.02	<0.16	<0.099	<0.16	18.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5-3	12/22/2023	9:00	20.0	8.00	55.00	0.11	7.60	>400	1300	NA	NA	0.00097	<0.071	<0.02	<0.16	<0.099	<0.16	18.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-2	12/22/2023	8:50	20.0	8.00	55.00	0.11	7.60	>400	1300	NA	NA	0.00097	<0.071	<0.02	<0.16	<0.099	<0.16	18.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-3	12/22/2023	8:40	20.0	8.00	55.00	0.11	7.60	>400	1300	NA	NA	0.00097	<0.071	<0.02	<0.16	<0.099	<0.16	18.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12-2019-3	2/12/2024	10:15	8.00	10.70	70.00	0.05	7.60	>400	2600	NA	NA	0.00150	<0.071	<0.02	<0.16	<0.099	<0.16	422.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12-2019-4	2/12/2024	10:25	8.00	10.70	70.00	0.05	7.60	>400	2600	NA	NA	0.00150	<0.071	<0.02	<0.16	<0.099	<0.16	422.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-6	2/12/2024	9:40	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
6-2	2/12/2024	9:10	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
6-3	2/12/2024	9:00	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-2	2/12/2024	10:40	8.00	10.70	70.00	0.05	7.60	>400	2600	NA	NA	0.00150	<0.071	<0.02	<0.16	<0.099	<0.16	422.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-3	2/12/2024	10:45	8.00	10.70	70.00	0.05	7.60	>400	2600	NA	NA	0.00150	<0.071	<0.02	<0.16	<0.099	<0.16	422.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5-2	2/12/2024	9:35	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5-3	2/12/2024	9:00	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-2	2/12/2024	8:50	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-3	2/12/2024	8:40	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12-2019-3	2/16/2024	11:05	8.00	10.70	70.00	0.05	7.60	>400	2600	NA	NA	0.00150	<0.071	<0.02	<0.16	<0.099	<0.16	422.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12-2019-4	2/16/2024	11:15	8.00	10.70	70.00	0.05	7.60	>400	2600	NA	NA	0.00150	<0.071	<0.02	<0.16	<0.099	<0.16	422.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-6	2/16/2024	10:45	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
6-2	2/16/2024	10:15	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
6-3	2/16/2024	10:00	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-2	2/16/2024	11:40	8.00	10.70	70.00	0.05	7.60	>400	2600	NA	NA	0.00150	<0.071	<0.02	<0.16	<0.099	<0.16	422.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-3	2/16/2024	11:45	8.00	10.70	70.00	0.05	7.60	>400	2600	NA	NA	0.00150	<0.071	<0.02	<0.16	<0.099	<0.16	422.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5-2	2/16/2024	11:05	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5-3	2/16/2024	10:55	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-2	2/16/2024	10:25	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-3	2/16/2024	10:15	8.7	9.38	71.60	0.17	7.75	>400	4600	NA	NA	0.00150	<0.0710	<0.0820	<0.16	0.0100	<0.16	433.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12-2019-3	3/12/2024	9:30	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12-2019-4	3/12/2024	9:40	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2019-6	3/12/2024	9:15	21.0	8.29	100.10	0.07	7.18	2.80	1300	NA	NA	0.00097	<0.071	<0.02	<0.16	<0.099	<0.16	18.00	NA	NA	NA	NA	NA	NA	NA	NA	NA