

# Kupu Green Job Training Center Renovations

Final Environmental Assessment –  
Anticipated Finding of No Significant Impact (HRS 343)



Prepared for:



Prepared by:





# **KUPU GREEN JOB TRAINING CENTER RENOVATIONS**

*Final Environmental Assessment –  
Finding of No Significant Impact  
(HRS 343)*

Prepared for:



Prepared by:



September 2015



## SUMMARY

<b>Project Name:</b>	Kupu Green Job Training Center Renovations
<b>Location:</b>	Kewalo Basin Park, Honolulu, O‘ahu
<b>Judicial District:</b>	Honolulu
<b>Tax Map Keys (TMK):</b>	Portions of TMK (1) 2-1-58-131 and TMK (1) 2-1-58-127
<b>Area:</b>	<i>Lease Area:</i> approximately 0.56 acres <i>Park Improvement Area:</i> approximately 0.29 acres (See Section 2.1.2 for definitions and descriptions of these terms.)
<b>Applicant:</b>	Kupu
<b>Approving Agency:</b>	Hawai‘i Community Development Authority (HCDA)
<b>Landowner:</b>	HCDA, State of Hawai‘i
<b>Existing Use:</b>	Kupu currently leases the majority of the “Net Shed Building” in the Kewalo Basin area from HCDA for use as an educational facility called the “Kupu Green Job Training Center” (the Center). The Center provides educational youth services and a variety of programs that primarily focus on training young adults in the fields of sustainability, conservation, and land stewardship. Currently, the building is an open pavilion structure with a roof and chain link walls between columns. The interior space is not divided except for restroom facilities and a small kitchen area.
<b>Project Description:</b>	Renovations to the Net Shed Building exterior and interior and surrounding grounds will provide an improved environment for Kupu to deliver its educational services to Honolulu’s youth. Exterior renovations will add walls, windows, and doors to the building. Interior renovations will include: a redesign of the space into a classroom, gathering spaces, and offices; improved restrooms; a commercial kitchen; and the addition of a mezzanine. Improvements to the surrounding grounds will include increased landscaping, a reduction in paved surfaces, and low impact development (LID) features such as bioswales and/or rain gardens. A goal for the renovations is to incorporate green building practices so that the renovated building qualifies for the highest level of Leadership in Energy and Environmental Design (LEED) for New Schools accreditation.

<b>Current Land Use Designations:</b>	<i>State Land Use District – Urban</i> <i>Primary Urban Center Development Plan Land Use Map – Major Parks and Open Space</i>
	<i>County Zoning – State Jurisdiction: Kaka‘ako Community Development District (KCDD)</i>
	<i>KCDD Makai Area Rules (§15-23, HAR) Land Use Zones - Park, Waterfront Commercial</i>
	<i>Special Management Area – In the SMA</i>
<b>Major Approvals Required/Issuing Agency:</b>	<ul style="list-style-type: none"><li>• Lease Agreement/HCDA</li><li>• Development Permit/HCDA</li><li>• Special Management Area (SMA) – Major Permit/Office of Planning</li><li>• Shoreline Setback Variance (if needed)/Office of Planning</li><li>• Storm Drain Connection Application (if new connection is made)/City and County of Honolulu Department of Planning and Permitting</li><li>• Grading Permit/City and County of Honolulu Department of Planning and Permitting</li><li>• Building Permit/City and County of Honolulu Department of Planning and Permitting</li><li>• Sewer Connection Application &amp; Wastewater System Facilities Charges/City and County of Honolulu Department of Planning and Permitting</li></ul>
<b>Alternatives Considered:</b>	Two alternatives were considered: <ul style="list-style-type: none"><li>• No Action: no changes to existing conditions.</li><li>• Alternate Location: locate Center on a different site.</li></ul>
<b>Summary of Construction-Related Impacts:</b>	Construction-related activities may include potential short-term and long-term impacts related to: <ul style="list-style-type: none"><li>• Near Shore Water (see Section 3.4)</li><li>• Noise (see Section 4.4)</li><li>• Air Quality (see Section 4.5)</li><li>• Drainage (see Section 4.7.3)</li><li>• Parking (see Section 4.92)</li><li>• Security (see Section 4.9.2)</li></ul> Each of the above sections includes discussion on potential construction-related impacts and proposed mitigation measures.
<b>Determination:</b>	Finding of No Significant Impact

## TABLE OF CONTENTS

<b>1</b>	<b>Introduction .....</b>	<b>1</b>
1.1	Landowner .....	1
1.2	Applicant.....	1
1.3	Environmental Consultant .....	1
1.4	Approving Agency.....	2
1.5	Compliance with State of Hawai‘i Environmental Laws.....	2
1.6	Studies Contributing to this EA .....	3
<b>2</b>	<b>Project Description .....</b>	<b>5</b>
2.1	Background Information .....	5
2.1.1	Location and Property Description.....	6
2.1.2	Definitions and Descriptions of Terms.....	9
2.1.3	Existing Land Use Designations.....	13
2.1.4	Existing Uses.....	13
2.1.5	Regional Land Use History.....	19
2.2	Purpose and Need.....	19
2.3	Kupu Green Job Training Center Renovations.....	20
2.4	Sustainable Planning and Design.....	24
2.5	Schedule and Cost.....	25
<b>3</b>	<b>Description of the Natural Environment, Potential Impacts, and Mitigation Measures .....</b>	<b>27</b>
3.1	Climate.....	27
3.2	Geology and Topography.....	27
3.3	Soils.....	28
3.3.1	NRCS Soil Survey.....	28
3.3.2	Land Study Bureau Detailed Land Classification .....	28
3.3.3	Agricultural Lands of Importance to the State of Hawai‘i.....	31
3.4	Groundwater and Surface Water Resources.....	31
3.4.1	Groundwater Resources.....	31
3.4.2	Surface Water Resources.....	32
3.4.3	Near Shore Resources.....	34
3.5	Natural Hazards .....	35
3.6	Flora and Fauna.....	38
<b>4</b>	<b>Description of the Human Environment, Potential Impacts, and Mitigation Measures .....</b>	<b>41</b>
4.1	Archaeological and Historic Resources.....	41

4.2	Cultural Resources.....	41
4.3	Visual Resources.....	42
4.4	Noise .....	43
4.5	Air Quality .....	44
4.6	Roadways and Traffic .....	45
4.7	Infrastructure and Utilities .....	50
4.7.1	Water System.....	51
4.7.2	Wastewater System .....	52
4.7.3	Drainage System.....	54
4.7.4	Electrical and Communication Systems .....	55
4.7.5	Solid Waste.....	55
4.8	Socio-economic Characteristics.....	56
4.8.1	Population and Housing.....	56
4.8.2	Economy and Employment .....	58
4.9	Public Services and Facilities.....	61
4.9.1	Schools.....	61
4.9.2	Police, Fire and Medical.....	62
4.9.3	Recreational Facilities .....	63
<b>5</b>	<b>Land Use Conformance.....</b>	<b>67</b>
5.1	State of Hawai‘i.....	67
5.1.1	State of Land Use Law, Chapter 205, Hawai‘i Revised Statutes.....	67
5.1.2	Coastal Zone Management Act, Chapter 205A, Hawai‘i Revised Statutes .....	67
5.1.3	Hawai‘i State Plan.....	74
5.1.4	Kaka‘ako Community Development District Makai Area Rules (§15-23, HAR) .....	78
5.1.5	Kaka‘ako Community Development District Makai Area Plan .....	79
5.1.6	Kaka‘ako Makai Conceptual Master Plan (2011) .....	80
5.1.7	Special Management Area.....	80
5.1.8	Shoreline Area .....	81
5.2	City and County of Honolulu.....	81
5.2.1	General Plan for the City and County of Honolulu.....	81
5.2.2	Primary Urban Center Development Plan .....	82
5.2.3	Major Approvals Required/Responsible Agency.....	83
<b>6</b>	<b>Alternatives.....</b>	<b>85</b>
6.1	No Action.....	85
6.2	Alternate Location.....	87
<b>7</b>	<b>Findings and Determination.....</b>	<b>89</b>
7.1	Significance Criteria.....	89
7.2	Determination .....	95

<b>8</b>	<b>Consultation.....</b>	<b>97</b>
8.1	Pre-Consultation.....	97
8.2	Draft Environmental Assessment.....	98
<b>9</b>	<b>References.....</b>	<b>101</b>

## APPENDICES

- Appendix A: Consultation Correspondence
- Appendix B: Building Floor Plans, Elevations, and Sections
- Appendix C: Traffic Impact Assessment Report
- Appendix D: Preliminary Engineering Report

## TABLE OF FIGURES

- Figure 1: Regional Location
- Figure 2: Tax Map Key
- Figure 3: Site Photographs
- Figure 4: Site Plan
- Figure 5: State Land Use District
- Figure 6: HCDA KCDD Makai Area Zoning
- Figure 7: Primary Urban Center Development Plan
- Figure 8: Special Management Area
- Figure 9: Topography
- Figure 10: Soil
- Figure 11: Wetlands
- Figure 12: Flood Insurance Rate Map
- Figure 13: Tsunami Evacuation Zone
- Figure 14: Roadways and Public Transit
- Figure 15: KCDD Census Blocks

## ACRONYMS

ALISH	Agricultural Lands of Importance to the State of Hawai‘i
BMPs	Best management practices
BWS	Board of Water Supply, City and County of Honolulu
cfs	Cubic feet per second
CZM	Coastal zone management
DBEDT	Department of Business, Economic Development, and Tourism, State of Hawai‘i
DLNR	Department of Land and Natural Resources, State of Hawai‘i
DOH	Department of Health, State of Hawai‘i
EA	Environmental Assessment
EIS	Environmental Impact Statement
FEMA	Federal Emergency Management Agency
FIRM	Flood Insurance Rate Map
FONSI	Finding of No Significant Impact
GDP	Gross domestic product
GPI	Genuine progress indicator
gpm/gpd	Gallons per minute/day
HCDA	Hawai‘i Community Development Authority
HDOT	State of Hawai‘i Department of Transportation
HPD	Honolulu Police Department
HRS	Hawai‘i Revised Statutes
HAR	Hawai‘i Administrative Rules
HRTP	Honolulu Rail Transit Project
IMPs	Integrated Management Plans
KCDD	Kaka‘ako Community Development District
HHC	Howard Hughes Corporation
LEED	Leadership in Energy and Environmental Design
LID	Low impact development
LOS	Level of Service
LSB	Land Study Bureau, University of Hawai‘i
mph	Miles per hour
NOAA	National Oceanic and Atmospheric Administration
NPDES	National Pollutant Discharge Elimination System
NRCS	Natural Resource Conservation Service, U.S. Department of Agriculture
ppm	Parts per million
psi	Pounds per square inch
SMA	Special Management Area
SSA	Sole Source Aquifer
TMDLs	Total Maximum Daily Loads
UH	University of Hawai‘i
UIC	Underground Injection Control
USFWS	U.S. Fish and Wildlife Service

## 1 INTRODUCTION

This Environmental Assessment (EA) is prepared in accordance with Chapter 343, Hawai‘i Revised Statutes (HRS) and Title 11; Chapter 200, Hawai‘i Administrative Rules (HAR) for the Kupu Green Job Training Center in Kaka‘ako, Honolulu, Island of O‘ahu, State of Hawai‘i.

### 1.1 LANDOWNER

The State of Hawai‘i is the landowner.

**Contact:** Anthony Ching, Executive Director  
HCDA, State of Hawai‘i  
547 Queen Street  
Honolulu, HI 96813  
*Phone:* (808) 594-0300  
*Fax:* (808) 587-0299

### 1.2 APPLICANT

Kupu is the applicant.

**Contact:** John Leong, Chief Operating Officer  
Kupu  
677 Ala Moana Blvd, Suite 1200  
Honolulu, HI 96813  
*Phone:* (808) 735-1221x1001  
*Fax:* (808) 735-1223

### 1.3 ENVIRONMENTAL CONSULTANT

The environmental planning consultant is PBR HAWAII & Associates, Inc.

**Contact:** Tom Schnell AICP, Principal  
PBR HAWAII & Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, HI 96813  
*Phone:* (808) 521-5631  
*Fax:* (808) 523-1402

## 1.4 APPROVING AGENCY

HCDA is the approving agency.

**Contact:** Anthony Ching, Executive Director  
HCDA, State of Hawai‘i  
547 Queen Street  
Honolulu, HI 96813  
*Phone:* (808) 594-0300  
*Fax:* (808) 587-0299

## 1.5 COMPLIANCE WITH STATE OF HAWAI‘I ENVIRONMENTAL LAWS

Preparation of this document is in accordance with the provisions of Chapter 343, HRS and Title 11, Chapter 200, Hawai‘i Administrative Rules (HAR) pertaining to Environmental Impact Statements (EIS). Section 343-5, HRS established nine types of actions that “trigger” compliance. The use of State or County lands or funds is one of these “triggers.” Because the Kupu Green Job Training Center is located on state land, compliance with HRS and HAR is required. In addition: 1) Kupu has received a grant in aide from the State Legislature in 2014 and also receives State funding for some of its programs; and 2) certain infrastructure improvements may be necessary in the general Kewalo Basin Park area and for the buildout of adjacent properties; and funding of these improvements may be from State funds, State grant in aide funds, or private funds. Proposed uses within the shoreline area as defined in Section 205A-41, HRS may be another applicable trigger.

In addition, State of Hawai‘i Declaratory Ruling No. 80-01 required preparation of an EIS for “the entire Kaka‘ako Development District Plan as a ‘group of proposed or possible actions’ taken as a comprehensive whole.” The Ruling further required that, as subsequent phases of the plan are produced or as specific components are planned in greater detail, each component or detailed part of the plan should be assessed under Chapter 343, HRS.

In accordance with the Ruling, the original EIS for the overall Kaka‘ako Community Development District (KCDD) was accepted in 1983. Subsequent to the acceptance of the EIS, HCDA adopted a separate Makai Area Plan in 1983. In accordance with State of Hawai‘i, Declaratory Ruling No. 80-01 and as required by State of Hawai‘i Declaratory Ruling No. 84-01, in 1985 a supplemental EIS was prepared for the Makai Area Plan. As the Makai Area Plan continued to evolve: 1) additional supplemental EISs were prepared for the Makai Area Plan in 1990, 1994, and 1998; and 2) an environmental assessment for the Makai Area Plan was prepared in 2005.

Now, as a detailed part of the Makai Area Plan, and in accordance with Declaratory Ruling No. 80-01, this EA for the Kupu Green Job Training Center Renovations is being prepared.

## **1.6 STUDIES CONTRIBUTING TO THIS EA**

The information contained in this report has been developed from site visits, generally available information regarding the characteristics of the Site and surrounding areas (see References section), and architectural plans, a preliminary engineering report, and a traffic impact assessment report prepared specifically for the Kupu Green Job Training Center Renovations.

[This page left blank intentionally]

## 2 PROJECT DESCRIPTION

### 2.1 BACKGROUND INFORMATION

#### Kupu

Kupu is a 501(c)3 nonprofit organization whose mission is “to empower youth to serve their communities through character-building, service-learning, and environmental stewardship opportunities that encourage integrity (pono) with God (Ke Akua), self and others.” Kupu encourages the Hawaiian concept of “lōkahi” so that participants are healthy spiritually with self, others, and the world around them. While Kupu strives to encourage the full potential of the whole individual, it is not affiliated, owned, or a member of a particular religious organization, denomination, or church.

The word kupu, in Hawaiian means, “to sprout, grow, germinate, or increase.” Similarly, the kupukupu fern is one of the first plants to emerge after a destructive lava flow. Kupu administers programs in the fields of conservation and sustainability that help young adults, like the kupukupu fern, emerge as strong leaders for a greener future and stronger communities.

Kupu was developed in response to the growing needs of Hawai‘i’s communities to train the next generation in natural resource management, renewable energy, energy conservation, and other green job skill sets. Kupu is predicated on the Hawaiian concept of ma ka hana ka ‘ike, “in working one learns.”

Through its programs Kupu strives to teach youth vital life and work skills, leadership traits, social responsibility, and the value of teamwork, by incorporating vocational training, educational degree achievement, and community service. Kupu’s programs include:

- **Hawai‘i Youth Conservation Corps**, which is centered on environmental conservation, restoration, education, and cultural awareness. HYCC gives individuals the opportunity to work outdoors with environmental agencies across Hawai‘i and learn principles of natural resource stewardship, while gaining valuable experience, knowledge, and skills that assist them in continuing their life pursuits.
- **CommunityU**, which equips under-resourced young adults ages 16-24 with the experiences, education, training, and support needed to become productive members of society and positively impact the community around them. CommunityU provides training and support in the areas of teamwork, life skills, personal and cultural development, education, and job readiness.
- **RISE**, which develops Hawai‘i’s green workforce and implements sustainability projects across the state, innovatively addressing two paramount needs: local job creation and sustainable development. RISE works with private, public, and non-profit partners to develop high-paying

internship opportunities for higher-education students and graduates seeking professional experience in the sustainability sector. RISE also links interns with the intellectual and community networks they need to grow their knowledge base and build their careers.

- E<sup>2</sup>U, which is an environmental education program aimed toward engaging students and the community in stimulating, educational, and hands-on activities and curriculum that broadens knowledge of conservation and sustainability, engages youth in service, and strives to inspire aspirations of higher education and a career in natural resource management or a related field.


Kupu is also dedicated to coastal, nearshore, and watershed conservation. Volunteers from Kupu assist with and learn about traditional Hawaiian marine conservation from several native fishpond non-profits, including Paepae o Heʻeia, Mālama Loko Ea, and Maikaluloko. Working with the Nature Conservancy, Kupu volunteers are helping remove invasive algae from Kāneʻohe Bay. In addition, volunteers have also assisted with stream restoration projects during which they have learned about non-point source pollution and the impacts of land use on the coastal environment. Kupu also has a U.S. Environmental Protection Agency (EPA) grant to remove marine debris. In 2014, Kupu volunteers cleaned 2,250 meters of coastline and removed more than 2,500 pounds of debris (the majority at Kahuku Beach). This effort involved over 400 volunteer hours; with over 150 volunteers engaged.

In 2013-2014, Kupu provided hundreds of paid internships, engaged over 11,000 volunteers, and provided benefits to Hawaiʻi valued at nearly \$7 million. Kupu’s volunteers provided over 230,000 service hours. Kupu distributed nearly half a million dollars in college and continued education funds to Hawaiʻi’s youth. Since its formation in 2007, Kupu has had a cumulative economic benefit of over \$42 million (Kupu, 2015).

### **2.1.1 Location and Property Description**

Kupu currently leases the majority of the Net Shed Building (8,000 square feet (sf) of 8,400 sf) from HCDA on a month-to-month basis for use as an educational facility to implement its statewide programs, which provide education, training, and leadership opportunities to Hawaiʻi’s youth. HCDA uses the additional 400 sf of space in the building for landscaper storage.

The Net Shed Building is located in the makai portion of the Kewalo Basin area (Figure 1). The building is situated on portions of TMK (1) 2-101-58-131 and TMK (1) 2-101-58-127 (Figure 2). TMK (1) 2-101-58-131 contains Kewalo Basin Park, Kewalo Basin Harbor, and surrounding lands. TMK (1) 2-101-58-127 is one of two parcels (the other being TMK (1) 2-101-58-061) that were formerly used by National Oceanic and Atmospheric Administration (NOAA). These two parcels (TMK (1) 2-101-58-127 and TMK (1) 2-101-58-061) are commonly referred to as the “NOAA site.”



PDF - Q:\Oahu\Kupu\PDF\EA Figures  
Path: Q:\Oahu\Kupu\GIS\Projects\Kupu Regional Location.mxd

## LEGEND




## Project Area

## FIGURE 1

## **Regional Location**

# **KUPU GREEN JOB TRAINING CENTER**




Linear Scale (feet)

Distance	Marked Segment
0 to 375	Thick Black Bar
375 to 750	Thin Black Bar
750 to 1,500	White Space



Source: ESRI Online Basemap, City and County of Honolulu, 2014

Disclaimer: This graphic has been prepared for general planning purposes only and should not be used for boundary interpretations or other spatial analysis.




#### LEGEND

- [Yellow Box] Lease Area
- [Diagonal Stripes Box] Park Improvement Area
- [Red Box] Project Area

**FIGURE 2**

#### Tax Map Key

## KUPU GREEN JOB TRAINING CENTER



Source: City and County of Honolulu, 2014

Disclaimer: This graphic has been prepared for general planning purposes only and should not be used for boundary interpretations or other spatial analysis beyond the limitations of the data.

The Net Shed Building is an 8,400-square foot open-sided pavilion with a roof and chain link fence walls between columns. The interior space is not divided except for restroom facilities and a small kitchen area. The building was originally constructed in 1989/1990 by HCDA for use as a fishing net storage and drying area by Honolulu's fishing fleet. Due to changes in the fishing fleet at Kewalo Basin, as well as changes in equipment (nylon nets are now used), the facility is no longer needed as a net drying shed.

Between 2006 and 2010 HCDA leased the Net Shed Building to Hālau Kū Māna, a public charter school. Hālau Kū Māna used the building as a learning laboratory for the school's coastal education programs. The school also planted and maintained a Native Hawaiian plant garden in a small area adjacent to the Net Shed Building to provide educational opportunities for their students and educational value for patrons of the park.

Figure 3 contains photographs of the Net Shed Building and surrounding area.

### **2.1.2 Definitions and Descriptions of Terms**

Please refer to the Site Plan (Figure 4) for a graphic representation of where the defined areas described below are located.

**Lease Area.** Kupu seeks a long-term lease of the Net Shed Building and land immediately adjacent to building including:

- An asphalt parking area containing six parking stalls immediately adjacent to the Net Shed Building on the Diamond Head side;
- An existing asphalt driveway on the makai side of the Net Shed Building;
- The access way behind the Net Shed Building (mauka side);
- A flat asphalt pad between the Net Shed Building and the Kewalo Basin harbor channel; and
- An area adjacent to and makai of flat asphalt pad which contains a portion of the Native Hawaiian plant previously installed by Hālau Kū Māna.

Throughout this EA the terms "Lease Area," "Kupu Green Job Training Center," and "the Center" refer to the approximately 0.56-acre area (including the Net Shed Building) that Kupu seeks to lease on a long-term basis from HCDA.

Figure 4 shows the proposed Lease Area. Note that HCDA may adjust the Lease Area boundaries as part detailed lease negotiations with Kupu.



1. View of Net Shed Building (Kupu Green Job Training Center).



2. Existing entrance to Net Shed Building.



4. Shower area between the Net Shed Building and the waterfront pedestrian promenade.



3. The asphalt pad on the west side of the Net Shed Building that is part of the Lease Area.



5. View from the Net Shed Building, across the asphalt pad, to the west.  
Visible across the channel is 53 by the Sea (left) and the Children's Discovery Center (center).



Path - Q:\Oahu\Kupu\Pilotshop  
PDF - Q:\Oahu\Kupu\PDF\EA Figures  
PDF - Q:\Oahu\Kupu\PDF\FEA Figures


4. Shower area between the Net Shed Building and the waterfront pedestrian promenade.

FIGURE 3  
Site Photographs

## KUPU GREEN JOB TRAINING CENTER

Island of Oahu  
Kupu

PBR HAWAII  
& ASSOCIATES, INC.




#### LEGEND

- Lease Area
- Park Improvement Area
- Project Area

**FIGURE 4**

#### **Site Plan**

## **KUPU GREEN JOB TRAINING CENTER**



Source: Group 70 International, 2015. Controlpoint Surveying, Inc., 2014.

Disclaimer: This graphic has been prepared for general planning purposes only and should not be used for boundary interpretations or other spatial analysis.

The long-term lease will enable Kupu to: 1) make needed improvements to the Center (as described in Section 2.3 below) to provide space for classes, workshops, community events, and activities; and 2) better serve its programs, participants, volunteers, and the larger community.

Kupu is not seeking to lease or limit access to any shoreline/promenade area, including the: 1) existing and defined waterfront shoreline/promenade the within Kewalo Basin Park along the open ocean; 2) area of the proposed shoreline/promenade along the Kewalo Basin harbor channel; and 3) park groin area.

**Park Improvement Area.** Kupu further anticipates funding some limited improvements in a portion of Kewalo Basin Park between the Net Shed Building and the waterfront pedestrian promenade. Throughout this EA, this approximately 0.29-acre area is referred to as the “Park Improvement Area.” Kupu currently informally cares for this area, which contains a public shower for park users a portion of the Native Hawaiian plant garden previous installed by Hālau Kū Māna, and a number of existing trees. The Park Improvement Area will continue to be open to and accessible by the public.

The Park Improvement Area does not include the: 1) existing and defined waterfront shoreline/promenade the within Kewalo Basin Park along the open ocean; 2) area of the proposed shoreline/promenade along the Kewalo Basin harbor channel; and 3) park groin area.

Figure 4 shows the Park Improvement Area.

**Project Area.** For the purpose of this EA “Project Area” refers to the combined area of the Center (inclusive of the Net Shed Building) and the Park Improvement Area.

The Project Area does not include the: 1) existing and defined waterfront shoreline/promenade the within Kewalo Basin Park along the open ocean; 2) area of the proposed shoreline/promenade along the Kewalo Basin harbor channel; and 3) park groin area.

Figure 4 shows the Project Area.

The scope of this EA also encompasses certain “off-site” improvements pertaining to fire safety and sewer systems that may be necessary for the general Kewalo Basin Park area and the build out of the NOAA site<sup>1</sup>. These potential fire safety and wastewater system improvements are described in Section 4.7.1 (Water System) and Section 4.7.2 (Wastewater System) of this EA and in Appendix D (Preliminary

---

<sup>1</sup> TMK (1) 2-101-58-127 and TMK (1) 2-101-58-061.

Engineering Report). Figure 4 in Appendix D shows the location of the potential fire safety and wastewater system improvements. Funding design, and installation of any “off-site” fire safety and wastewater improvements would be provided by HCDA or others, as necessitated by adjacent development.

### **2.1.3 Existing Land Use Designations**

Current land use designations for the Project Area are:

- **State Land Use District:** Urban (Figure 5)
- **City and County of Honolulu Zoning:** State Jurisdiction: Kaka‘ako Community Development District
- **KCDD Makai Area Rules (§15-23, HAR) Land Use Zones:** Park, Waterfront Commercial (Figure 6)
- **Primary Urban Center Development Plan, Land Use Map:** Major Parks and Open Space (Figure 7)
- **Special Management Area (SMA):** In the SMA (Figure 8)

### **2.1.4 Existing Uses**

Since November 2010, Kupu has leased the majority of the Net Shed Building (8,000 sf of 8,400 sf) from HCDA on a month-to-month basis for use as an educational facility. HCDA uses the additional 400 sf of space in the building for landscaper storage. Through its programs at the Center Kupu provides education, training, and leadership opportunities to Hawai‘i’s youth.

Kupu encourages the Hawaiian concept of “lōkahi” so that participants are healthy spiritually with self, others, and the world around them. While Kupu strives to encourage the full potential of the whole individual, it is not affiliated, owned, or a member of a particular religious organization, denomination, or church.

Currently the Center serves approximately 24 youth/participants during weekdays, although the number of youth/participants can vary depending on what programs are offered on specific days.

Kupu also hosts various community and special events at the Center and makes the Center available to a wide variety of community groups. Many of the organizations have missions aligned with Kupu in that they engage youth from disadvantaged backgrounds to build character to encourage integrity. Examples of community organizations/events hosted at the Center include:

- Friends of Kewalos Annual Beach Clean Up Day
- Kewalo Basin community meetings/ design charrettes hosted by Howard Hughes Corporation
- Trust for Public Land presentation on public parks
- Pacific Century Fellows
- Kewalo Basin Harbor Tenants
- Waikiki Health Youth Outreach
- Life 360
- New Hope
- Tutoring Homeless Youth Coalition
- Young Professionals Association
- Nalani‘ikaleomana Foundation
- Toast Masters
- ‘Iolani One Team Booster Club
- Hui Kalo Farmers Association of Hawai‘i
- HomeAid Helping the Homeless of Hawai‘i
- State of Hawaii Judiciary
- Angel Tree
- School for Examining Essential Questions of Sustainability (SEEQS)
- NSSA Surfing Association
- Kānehūnāmoku Voyaging Association
- Punahou Schools
- Pacific Rim Concepts World Wide Botany Scientist
- Kōkua Kalih Valley
- Point Panic Body Surfing Association
- Guide Dogs of Hawai‘i
- Office of Youth Service Program Smart
- Project Kealahou
- McKinley Community School for Adults
- University of Hawai‘i at Mānoa Department of Social Work
- Keiki O Ka ‘Āina

As part of its long-term lease agreement with HCDA, Kupu will require all community organizations to agree to use the Center for activities consistent with HCDA Park rules. The user agreement will include a detailed list of allowable and unallowable uses.



#### LEGEND

- Lease Area
- Park Improvement Area
- Project Site

State Land Use District	
A - Agriculture	
C - Conservation	
R - Rural	
U - Urban	


Source: Pictometry, 2013. State Land Use Commission, 2014.

Disclaimer: This graphic has been prepared for general planning purposes only and should not be used for boundary interpretations or other spatial analysis.

FIGURE 5

#### State Land Use District

## KUPU GREEN JOB TRAINING CENTER






#### LEGEND

<span style="background-color: #c0c0c0; border: 1px solid black; padding: 2px;"></span>	Lease Area	<span style="background-color: pink; border: 1px solid black; padding: 2px;"></span>	Zoning
<span style="background-color: yellow; border: 1px solid black; padding: 2px;"></span>	Park Improvement Area	<span style="background-color: green; border: 1px solid black; padding: 2px;"></span>	MUZ - Mixed Use
<span style="border: 2px solid black; padding: 2px;"></span>	Project Area	<span style="background-color: orange; border: 1px solid black; padding: 2px;"></span>	P - Park
			WC - Waterfront Commercial

**FIGURE 6**

#### **HCDA KCDD Makai Area Zoning**

## **KUPU GREEN JOB TRAINING CENTER**



Source: Pictometry, 2013. Kaka'ako Community Development District, 2005.

Disclaimer: This graphic has been prepared for general planning purposes only and should not be used for boundary interpretations or other spatial analysis.



PDF - Q:\Oahu\Kupu\PDFIEA\_Figures  
Path: Q:\Oahu\Kupu\GIS\Project\Kupu PUC.mxd


#### LEGEND

- Lease Area
- Park Improvement Area
- Project Area

Source: City and County of Honolulu, 2004.

Disclaimer: This graphic has been prepared for general planning purposes only and should not be used for boundary interpretations or other spatial analysis.

**FIGURE 7**  
**Primary Urban Center**  
**Development Plan**  
**KUPU GREEN JOB**  
**TRAINING CENTER**





PDF - Q:\Oahu\Kupu\PDFIEA\_Figures  
Path: Q:\Oahu\Kupu\GIS\Project\Kupu SMA.mxd

DATE: 8/18/2015

#### LEGEND

- [Light Gray Box] Lease Area
- [Yellow Diagonal Hatching Box] Park Improvement Area
- [White Box] Project Area
- [Orange Box] Special Management Area


Source: Pictometry, 2013. City and County of Honolulu, 2014.

Disclaimer: This graphic has been prepared for general planning purposes only and should not be used for boundary interpretations or other spatial analysis.

**FIGURE 8**

#### **Special Management Area**

## **KUPU GREEN JOB TRAINING CENTER**



### **2.1.5 Regional Land Use History**

The Project Area is located on dredged land that did not exist in place until 1955. However, it is now part of the larger KCDD, which has been primarily a light industrial district since the early 1950s when its zoning changed. Prior to that time, Kaka‘ako was a community of small stores, churches, schools, parks, and neighborhoods clustered roughly by ethnicity (University of Hawai‘i at Mānoa, 2010). Before European contact, Kaka‘ako was an agricultural area and home to Hawaiian royalty, including Kamehameha I who had a residence in the district. Fishpond aquaculture and salt making also took place in the area. Hundreds of sets of iwi have been found in Kaka‘ako as the district has developed (Wu, 2007).

Nearer to the Project Area, Kewalo Basin Harbor was first developed as a commercial and recreational boat harbor in the 1920s with the construction of Kewalo Basin Wharf in front of the former Fisherman’s Wharf restaurant. Construction of the mauka and Waikīkī bulkheads followed. During World War II, the Harbor was expanded and in 1955, it reached its present day size of 22 acres. It was at this time, in 1955, that the land on which the Project Area and Kewalo Basin Park are located was created behind the makai revetment. This revetment encloses the Harbor and protects it from Kona storms (Helbert Hastert & Fee, Planners, Inc., 2011). Commercial fishing boats, charter tours, pleasure craft, and research vessels are the primary users of Kewalo Basin Harbor, which is considered a medium-draft facility. Kewalo Basin Park is popular with fishermen and surfers, who use it to access a number of well-known surf sites.

East of Kewalo Basin Park is Ala Moana Regional Park, which was developed in 1928 and is Honolulu’s largest beach park. Prior to the area’s designation as a park, it had been used as a garbage dump by the City of Honolulu. The dump was filled in with dredged coral to create the mile-long beach park (Wiegel, 2008). Today, the 43-acre park is one of the most popular in Honolulu.

## **2.2 PURPOSE AND NEED**

Through its partnerships with more than 80 public and private organizations in Hawai‘i and the Pacific Basin, Kupu provides experiential education and life skills development opportunities to help youth and young adults succeed in life and create lifelong community servants. The Kupu Green Job Training Center will create a “piko,” or center, of O‘ahu with the first-of-its-kind facility for creating leadership in the growing green jobs sector, one of the fastest growing sectors of the Hawai‘i economy (DLIR, Research and Statistics Office, 2010).

Kupu seeks to improve the Center to provide better facilities for the youth in its programs and to continue to leverage its resources to make the area a better neighborhood for the surrounding community. In particular, as it is now, the Net Shed Building is not enclosed, and the interior space is not sufficiently separated to serve Kupu’s various programmatic needs. Kupu would like to increase the number of youth

it serves through the Center, and the existing open air building does not adequately support a larger operation or multiple activities occurring concurrently.

The renovations will be critical in multiplying and expanding the impact of Kupu’s programs statewide while also creating synergistic opportunities for the community to use the Center. From the Center, Kupu will develop the next generation of local talent to take the helm of the new “green” industries moving in Hawai‘i. The Center will equip youth with the skills and heart to lead the state toward a more sustainable future and build partnerships that can serve as a global model of responsible stewardship and a thriving community.

Kupu’s vision is to transform not only the existing Center, but also the surrounding area, into an open and inclusive space to be used for the public benefit and serve as a model of sustainability, environmental restoration, and community and cultural collaboration.

## **2.3 KUPU GREEN JOB TRAINING CENTER RENOVATIONS**

Renovations to allow Kupu to achieve its vision for the Center and fulfil its mission to empower Hawai‘i’s youth to serve their communities include: 1) enclosing the Net Shed Building and making interior modifications and 2) providing landscaping and other improvements to outdoor areas to make these areas more functional and sustainable. Figure 4 shows the site plan.

**Kupu Green Job Training Center (Lease Area).** Renovations to the Kupu Green Jobs Training Center include both improvements to the Net Shed Building and exterior improvements within the Center grounds as described below.

Net Shed Building. Net Shed Building improvements include:

- The addition of exterior walls, doors, and windows
- Ground floor interior remodeling to provide separated rooms to serve Kupu’s programmatic needs, including:
  - Great room areas
  - A vocational classroom
  - A classroom
  - A commercial kitchen for vocational training
  - A kitchen storage room
  - A dining area
  - An office area with staff conference area

- Men's and women's restrooms with showers
- Storage room
- The addition of a second floor mezzanine of 1,600 square feet
- The addition of roof insulation
- The installation of skylights (Solatubes)
- Installation of photovoltaic panels to meet all energy needs, thus allowing the Center to become a net zero energy facility.
- Exterior hookups for a food truck (such as connections for water, wastewater, and electricity).

Appendix B contains building floor plans and elevations and section drawings.

**Exterior Improvements.** Exterior improvements within the Center grounds around the Net Shed Building include additional landscaping and enhanced surfaces. The asphalt pad, curbs, and gutters will be replaced with a surface that will reduce the amount of impervious surface. The goal is to beautify and make the Center more inviting, sustainable, and functional.

In particular, the large asphalt pad between the Net Shed Building and the Kewalo Basin Harbor channel will be removed to create an area more suited for Kupu's programs and events. The renovated area will include large concrete pavers (approximately 12-feet x 12-feet) segmented by bands of grass or gravel to allow for stormwater infiltration. Planter boxes and tanks for hydroponics may also be added to the renovated area. In addition, a new rain garden and/or a vegetated swale along the harbor channel edge will allow for additional infiltration as well as some bio-filtration and treatment of stormwater before it enters the ocean. This area may also be outfitted for a temporary special event tent or other removable or retractable shade covering. Added plants in the area and around the building may include shielding loulu palms and nā‘ū hedges. ‘Ākia may be planted near the entrance walkway. All existing trees will be retained.

Other exterior improvements may include:

- An imu in the Native Hawaiian plant garden area
- Rain barrels to capture roof runoff
- A pre-fabricated storage shed or sheds at the rear of the building (mauka side) for storage
- A trash container enclosure
- A gravel bed at the rear perimeter of the building to capture runoff

**Park Improvement Area.** Kupu anticipates funding some limited improvements, which HCDA will make, in the Park Improvement Area between the Net Shed Building and the waterfront pedestrian promenade. These improvements may include:

- A bioswale to improve drainage
- A patio area made with concrete pavers (approximately 4-feet x 4-feet) segmented with grass or gravel to allow for infiltration of water
- Expansion of the native plant garden

The Park Improvement Area will continue to be open to and accessible by the public.

**Parking.** No stalls from the existing Kewalo Basin Park parking lot (beyond the existing six stalls on the Diamond Head side of the Net Shed Building that Kupu currently uses) will be used for any Kupu parking. This lot serves the Kewalo Basin Park and is reserved for park users. As part of the renovations, the six stalls on the Diamond Head side of the Net Shed Building that Kupu currently uses will be included in the Lease Area and reconfigured into five regular parking stalls plus one Americans with Disabilities Act (ADA) accessible stall and an access aisle. Bicycle parking will also be provided near the Net Shed Building entrance.

The addition of the mezzanine may require some additional parking stalls. For any additional stalls that may be required, Kupu will work with, HCDA, Howard Hughes (which has an existing lease to operate the harbor, boat slips, and parking immediately adjacent to the harbor), or an entity that may be awarded the use of the NOAA site, to provide for the remaining required parking, as well as event parking. The additional parking could be provided either closer to Ala Moana Boulevard, within the Howard Hughes lease area, or within the NOAA site. It should be noted that Kupu encourages alternative transportation use by subsidizing bus passes for program participants and nearly all participants rely on public transit to and from the Center.

Additional information about parking is provided in the table below.

Improvements to the existing asphalt driveways and paved areas around the Net Shed Building will be made, including removal of asphalt and curbs and gutters and replacement with new concrete surfaces and landscaping, which will create a more inviting area for users and for outdoor educational spaces.

**Summary Data:** Pertinent parcel and project information is provided below in summary format:

**Makai Area Rules Specifications**

	TMK (1) 2-101-58-131	TMK (1) 2-101-58-127
Parcel Area	44.168 acres (includes Kewalo Basin Park and Kewalo Basin Harbor and surrounding lands)	0.99 acres (one of two parcels that comprise the NOAA site)
Land Use Zones:	Park	Waterfront Commercial
Maximum Allowable Floor Area Ratio	0.10	0.20
Maximum Allowable Height	45 feet	45 feet
Yards	As provided in Makai Area Rules Section 15-23-64	
Open Space	As provided in Makai Area Rules Section 15-23-65	
Parking	As provided in Makai Area Rules Section 15-23-68	

**Net Shed Building Existing and Proposed Specifications**

	Existing	Proposed
Floor Area	8,400 sf	10,000 sf (increase due to addition of an interior second floor mezzanine of 1,600 sf)
Floor Area Ratio	To be determined in consultation with HCDA as the building is an existing building on portions of TMK (1) 2-101-58-131 and TMK (1) 2-101-58-127, which also contain existing buildings.	
Height	26 feet	26 feet (no change)
Yards	To be determined in consultation with HCDA as the building is an existing building on portions of TMK (1) 2-101-58-131 and TMK (1) 2-101-58-127	
Open Space	To be determined in consultation with HCDA as the building is an existing building on portions of TMK (1) 2-101-58-131 and TMK (1) 2-101-58-127	
Parking	Kupu currently uses six stalls on the Diamond Head side of the Net Shed Building. In addition Kupu's current lease allows for parking on the 'Ewa side of the building.	No stalls from the existing Kewalo Basin Park parking lot (beyond the existing six stalls on the Diamond Head side of the Net Shed Building that Kupu currently uses) will be used for any Kupu parking. The existing six parking stalls that Kupu currently uses will be included in the Lease Area and reconfigured into five regular parking stalls plus one ADA accessible.  <u>Vocational School Parking</u> If Kupu's use of the renovated Net Shed Building is classified as "school" (such as vocational school), under the Makai Area Rules (Section 15-23-68), the parking requirement would be one stall for each 10 students of design capacity, plus one per 400 sf of office or floor area. Based on two classrooms and a conservative estimate of 20 students per room (40 students total) and one office of 400 square feet or less, the required parking would be five stalls.

	Existing	Proposed
		<p>Thus under Kupu's primary use of the renovated Net Shed Building as a vocational school, the parking requirements can be accommodated with the existing six stalls on the Diamond Head side of the Net Shed Building that Kupu currently uses and that are proposed to be included in the Lease Area.</p> <p>Currently nearly all of Kupu program participants rely on public transit to and from the Net Shed Building and Kupu provides bus passes to program participants. A small number of program participants bike or walk to the facility, and an even smaller number are dropped off. Kupu expects that this situation will remain the same after the Net Shed Building is renovated.</p> <p><u>Community &amp; Special Events</u></p> <p>With regard to use of the renovated Net Shed Building for community and special events, if this use is classified as an “Auditorium,” under the Makai Area Rules (Section 15-23-68) the parking requirement would be one stall per 300 sf of assembly area. Based on an assembly area of 7,050 sf, the required parking would be 24 stalls.</p> <p>To accommodate parking for community and special events Kupu will work with HCDA, Howard Hughes (which has an existing lease to operate the harbor, boat slips, and parking immediately adjacent to the harbor), or an entity that may be awarded the use of the NOAA site to provide for required parking. This may involve Kupu seeking a:</p> <ul style="list-style-type: none"><li>• Conditional Use Permit for Joint Use or Off-site Parking Facilities (as specified under the Makai Area Rules Section 15-23-68(g) and (h));</li><li>• Modification of specific provisions (as specified under the Makai Area Rules Section 15-23-88) regarding parking requirements.</li></ul>

## 2.4 SUSTAINABLE PLANNING AND DESIGN

The Center will itself represent a source of sustainability, through a facility that will include photovoltaic energy panels, hydroponics for food production, waterfront preservation, and micro-enterprise entrepreneurship. It will be a place for collaboration and discussion about the topics that Hawai‘i and other Pacific islands will face in the future. The Center is located near the Pacific Ocean to provide for direct study of marine conservation. It will be a scalable model of island sustainability as well as economic and energy self-sufficiency; a community of interaction, learning, growth, and cooperation; and living and breathing aloha as a demonstration to the world.

One of Kupu's goals for the renovation of the Center is that it be certified as Platinum under the standards of the U.S. Green Building Council's Leadership in Energy and Environmental Design (LEED) for New Schools. LEED is a green building certification program that recognizes best-in-class building strategies and practices. To receive LEED certification, building projects must satisfy prerequisites and earn credits to achieve different levels of certification, of which Platinum is the highest. Kupu will receive the majority of its LEED credits from the installation of photovoltaic panels to achieve net zero energy use and a LED light system. Most of the other credits will come from indoor environmental quality measures and the location of the Center near amenities and public transportation.

## **2.5 SCHEDULE AND COST**

Construction is expected to commence once plans and permit applications are approved. Renovation of the Center is expected to be completed by the fall of 2016. The total cost for design and construction is estimated to be approximately \$2.8 million.

[This page left blank intentionally]

### **3 DESCRIPTION OF THE NATURAL ENVIRONMENT, POTENTIAL IMPACTS, AND MITIGATION MEASURES**

#### **3.1 CLIMATE**

The climate of the Honolulu can be characterized as mild and subtropical. Average temperatures range from about 73 degrees Fahrenheit in the coolest month (February) to about 82 degrees Fahrenheit in the warmest month (August). Average annual rainfall is around 20 inches per year, with December typically being the wettest month and June the driest. The prevailing wind throughout the year is the northeasterly trade wind, although southerly or southwesterly winds are not uncommon between October and April.

##### ***Potential Impacts and Mitigation Measures***

The renovations to the Kupu Green Job Training Center are not expected to have an impact on the region's climate, and no mitigation measures are warranted or planned.

#### **3.2 GEOLOGY AND TOPOGRAPHY**

Kaka'ako lies on the Honolulu coastal plain, which is a broad coral reef platform that developed during the last interglacial period in the late Pleistocene when the ocean was warmer and the sea level was higher (University of Hawai'i Coastal Geology Group, 2013). Unlike most of the Kaka'ako District, the land underlying the Project Area is manmade. However, the undeveloped natural condition of the Project Area's substrate may have been low-lying marsh, tidal flats, fishponds, and/or reef (Office of Hawaiian Affairs, 2013).

O'ahu's original southern coastline in the vicinity of the Project Area likely ran along the existing Ala Moana Boulevard. The Kaka'ako Makai district was at or below sea level, but a seawall was constructed between 1913 and 1927 near the current shoreline. Artificial fill material, including ash from burned municipal refuse, unburned refuse, and automobile batteries, was deposited behind the seawall. Two incinerators, one built in the 1930s and the other in the 1940s, deposited ash and other fill material makai of 'Āhui Street until deposition of ash was banned by the City and County of Honolulu in 1971 (The Limtiaco Consulting Group and EnviroServices & Training Center, LLC, 2009). This material created most of the Kaka'ako Makai district of which the Project Area is a part. However, the substrate below the Project Area was likely created from material dredged from Kewalo Harbor in the 1920s and 1940s. In 1955, workers placed dredged material along the makai side of the Harbor to form the eight-acre land section protected by a revetment that is now Kewalo Basin Park and the Project Area (Young, 2013).

The topography of the Project Area is extremely flat with an elevation of approximately five feet or less above mean sea level (Figure 9).

### **Potential Impacts and Mitigation Measures**

The renovations to the Kupu Green Job Training Center and improvements in the Park Improvement Area are not expected to have a significant impact on the primarily man-made geology or topography of the Project Area. A minimal amount of grading may be required to: relocate an existing drain, create drainage swales, resurface the existing asphalt pad, and possibly add a patio area. All grading will be in conformance with the City and County of Honolulu’s grading ordinance and Section 11-60.133, HAR, Fugitive Dust and Section 11-54-1.1, HAR, Anti-degradation policy.

## **3.3 SOILS**

There are three soil suitability studies prepared for lands in Hawai‘i whose principal focus has been to describe the physical attributes of land and the relative productivity of different land types for agricultural production; these are: 1) the U.S. Department of Agriculture Natural Resources Conservation Service (NRCS) Soil Survey; 2) the University of Hawai‘i Land Study Bureau (LSB) Detailed Land Classification; and 3) the State Department of Agriculture’s Agricultural Lands of Importance to the State of Hawai‘i (ALISH).

### **3.3.1 NRCS Soil Survey**

Reflecting the manmade nature of the geologic history of the land under the Project Area, the NRCS soil survey identifies only one soil type, “Fill land, mixed,” underlying the Project Area (Figure 10). A description of this soil type is as follows:

*Fill land, mixed (Fl)* – This land type consists of areas filled with material dredged from the ocean, excavation from adjacent uplands, and garbage. Fill land occurs mostly near Pearl Harbor and in Honolulu, adjacent to the ocean. Generally, this land type is used for urban development, including airports, housing, and industrial facilities.

### **3.3.2 Land Study Bureau Detailed Land Classification**

The University of Hawai‘i LSB’s *Detailed Land Classification, Island of O‘ahu* classifies non-urban land by a five-class productivity rating system, using the letters A, B, C, D and E, where “A” represents the highest class of productivity and “E” the lowest. Soils underlying the Project Area are not classified by the LSB.



PDF - Q:\Oahu\Kupu\PDFIEA Figures  
Path: Q:\Oahu\Kupu\GIS\Project\Kupu Topo.mxd

DATE: 8/18/2015

#### LEGEND

- [Yellow Box] Lease Area
- [Yellow Hatched Box] Park Improvement Area
- [White Box with Black Outline] Project Area
- [Yellow Contour Line] Contour Lines


Source: Pictometry, 2013. City and County of Honolulu, 2014. NOAA.

Disclaimer: This graphic has been prepared for general planning purposes only and should not be used for boundary interpretations or other spatial analysis.

**FIGURE 9**

#### **Topography**

## **KUPU GREEN JOB TRAINING CENTER**





#### LEGEND

- |  |                              |
|--|------------------------------|
| <span style="background-color: #FFFFCC; border: 1px solid black; padding: 2px;"> </span> | <b>Soil Type</b>             |
| <span style="background-color: #FFFFCC; border: 1px solid black; padding: 2px;"> </span> | Fill land, mixed             |
| <span style="background-color: #FFFFCC; border: 1px solid black; padding: 2px;"> </span> | <b>Lease Area</b>            |
| <span style="background-color: #FFFFCC; border: 1px solid black; padding: 2px;"> </span> | <b>Park Improvement Area</b> |
| <span style="border: 2px solid black; padding: 2px;"> </span>                            | <b>Project Area</b>          |



Source: Pictometry, 2013. USDA Natural Resource Conservation Service.

Disclaimer: This graphic has been prepared for general planning purposes only and should not be used for boundary interpretations or other spatial analysis.

**FIGURE 10**

#### Soil

## KUPU GREEN JOB TRAINING CENTER



### **3.3.3 Agricultural Lands of Importance to the State of Hawai‘i**

The State of Hawai‘i Department of Agriculture’s ALISH system rates agricultural land as “Prime,” “Unique” or “Other” lands. The remaining land is not classified. The land underlying the Project Area is not classified by the ALISH system and therefore is not considered important agricultural land.

#### ***Potential Impacts and Mitigation Measures***

The renovations and improvements in the Project Area are not expected to have a significant long-term impact on the manmade soils underlying the Project Area.

However, the renovations may have short-term impacts on the soils, particularly soil erosion and the generation of dust during construction. All construction activities will comply with all applicable federal, state, and county regulations and rules for erosion control. Contractors will use best management practices (BMPs), such as employee training, silt fences, and dust control, to minimize erosion during construction and planting.

## **3.4 GROUNDWATER AND SURFACE WATER RESOURCES**

### **3.4.1 Groundwater Resources**

Based on the State Commission on Water Resource Management’s coding system, the Project Area overlies the Nu‘uanu Aquifer System (30102) of the Honolulu Aquifer Sector (301). The Nu‘uanu Aquifer System is one of six aquifer systems that comprise the Honolulu Groundwater Management Area. Water development and groundwater use within the Honolulu Groundwater Management Area is regulated by the CWRM through the issuance of water use permits, well construction permits, and pump installation permits.

The Nu‘uanu Aquifer System is an unconfined basal aquifer with sedimentary lithology and has a sustainable yield of 14 million gallons per day. This aquifer is not a direct drinking water source as it has moderate salinity (1,000 to 1,500 mg/L Cl<sup>-</sup>) and high vulnerability to contamination. It is considered replaceable. However, the Project Area is also underlain by a sub-aquifer (30302121) of the Nu‘uanu Aquifer System that is currently used as a drinking water source. This sub-aquifer is a confined basal aquifer in flank compartments and has fresh salinity (less than 250 mg/L Cl<sup>-</sup>) and low vulnerability to contamination. In investigations of the nearby Office of Hawaiian Affairs properties, groundwater was found at depths of 5.8-feet to 8.5-feet below ground surface.

The Project Area is below (makai of) the Underground Injection Control (UIC) Line. Underground Injection Wells are used for injecting water or other fluids into a groundwater aquifer and are controlled

by the Department of Health (DOH). Being below the UIC Line means that the underlying aquifer is not considered a drinking water source, a wider variety of wells are allowed, and some permit limitations are imposed.

The EPA also classifies a large portion of O‘ahu, including the Nu‘uanu Aquifer System, as a Sole Source Aquifer (SSA). SSAs are designated in areas where few or no alternate drinking water sources are available and where, if contamination occurred, using an alternative source would be extremely expensive. An SSA designation gives the EPA the authority to review any proposed projects in the area using federal funds.


### **3.4.2 Surface Water Resources**

There are no surface freshwater resources in or near the Project Area. The nearest surface water bodies are Kewalo Basin and Māmala Bay, both of which are part of the Pacific Ocean. The nearest streams, as classified by the Hawai‘i Department of Aquatic Resources, are the non-perennial, channelized Kamoku‘ākulikuli Stream (one-mile to the west) and the Ala Wai Canal (one mile to east). The Ala Wai Canal is used for boating and is a Fishery Management Area, which restricts certain types of fishing to enhance and improve near-shore recreational fishing. The Project Area is within the Ala Wai Watershed.

According to the U.S. Fish and Wildlife Service’s (USFWS) National Wetlands Inventory, a small strip of Estuarine and Marine Wetland borders the makai boundary of the Park Improvement Area. The only other wetlands near the Project Area are makai of this strip and are classified Estuarine and Marine Deepwater (Figure 11).

The State DOH Water Quality Standards Map classifies the marine waters makai of the Project Area as a Class A and the surface water near the Project Area as Class 2. The objective of Class 2 waters is to protect their use for recreational purposes, the support and propagation of aquatic life, agricultural and industrial water supplies, shipping, and navigation. The objective of Class A waters is to protect their use for recreational purposes and aesthetic enjoyment. Discharges into either Class A or Class 2 waters must receive the best degree of treatment or control compatible with the criteria established for this class.

Both the Ala Wai Canal and Kewalo Basin have been identified as impaired water bodies by the State DOH pursuant to section 303(d) of the Clean Water Act. According to the 2014 Integrated Report, Kewalo Basin exceeds state Water Quality Standards (Chapter 11-54, HAR) for total nitrogen, total phosphorous, turbidity, and chlorophyll a. Total Maximum Daily Loads (TMDLs) have been established for the Ala Wai Canal. TMDLs are calculations of the maximum amount of total nitrogen and phosphorus that can enter the Canal without violating Hawai‘i’s Water Quality Standards.



#### LEGEND

- Lease Area
- Park Improvement Area
- Project Area

#### **Wetlands Type**

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

#### **Wetlands Classification**

- |   |        |  |
|---|--------|--|
| <span style="background-color: #d9e1f2; border: 1px solid black; display: inline-block; width: 15px; height: 15px;"></span> | M2RSN  | System: Marine<br>Subsystem: Intertidal<br>Class: Rocky Shore<br>Water Regime: Regularly Flooded |
| <span style="background-color: #668dce; border: 1px solid black; display: inline-block; width: 15px; height: 15px;"></span> | M1UBLX | System: Marine<br>Subsystem: Subtidal<br>Class: Unconsolidated Bottom                            |
| <span style="background-color: #90ee90; border: 1px solid black; display: inline-block; width: 15px; height: 15px;"></span> | M1ABL  | System: Marine<br>Subsystem: Subtidal<br>Class: Aquatic Bed                                      |
| <span style="background-color: #54a24b; border: 1px solid black; display: inline-block; width: 15px; height: 15px;"></span> | M1RF1L | System: Marine<br>Subsystem: Subtidal<br>Class: Reef<br>Subclass: Coral                          |


Source: Pictometry, 2013. U.S. Fish and Wildlife Service National Wetlands Inventory, 2013.

Disclaimer: This graphic has been prepared for general planning purposes only and should not be used for boundary interpretations or other spatial analysis.

**FIGURE 11**

#### **Wetlands**

## **KUPU GREEN JOB TRAINING CENTER**



### **3.4.3 Near Shore Resources**

Traditionally, pa‘akai harvesting, fishpond farming activities, and other marine subsistence activities took place in the nearshore waters and former reef system now partially overlain by the Project Area (Office of Hawaiian Affairs, 2013). Modern day visitors to the nearby Kaka‘ako Makai Parks still participate in some of these activities, particularly fishing. Surfing is also a popular use of the nearshore resources at Kewalo Basin Park. Competitions take place regularly during the summer months.

#### ***Potential Impacts and Mitigation Measures***

The renovations improvements in the Project Area are not anticipated to have any significant adverse impact on groundwater resources. The renovations and improvements will not add any use that could contaminate groundwater.

Wetlands and surface water resources are not anticipated to be adversely impacted by renovations and improvements in the Project Area. In their comments the Draft EA dated June 26, 2015, the Department of Land and Natural Resources Division of Aquatic Resources stated: 1) “The Division has no objections to the proposed project since it is not expected to have significant adverse impact on aquatic resource values in this area.” and 2) “The Division is in agreement with the Best Management Practices (BMPs) that have been suggested by the applicant.”

Renovations to the Center will reduce the amount of impervious surface area due to increased landscaping. To reduce stormwater quality/quantity impacts, renovations to the Center will mimic existing on-site drainage conditions but peak flows are likely to decrease.

Best management practices (BMPs) will be incorporated during construction to prevent stormwater discharges and contaminants such as sediment, pollutants, petroleum products, and other debris from affecting coastal water quality. Best management practices may include phasing grading activities, installing silt fences and other structural controls, directing runoff to retention/detention basins, and installing temporary groundcover. When feasible, the contractors will schedule site work during periods of minimal rainfall to minimize contaminated runoff into the ocean. Lands denuded of vegetation will be replanted or covered as quickly as possible.

Existing infrastructure will be replaced with new low impact development (LID) Integrated Management Plans (IMPs) to manage stormwater flow permanently in way that better protects near-shore water quality from non-point pollution. IMPs are expected to include a vegetated swale within the Park Improvement Area (between the Net Shed Building and the pedestrian promenade along the ocean) in lieu of the existing concrete curb and gutter. The majority of runoff from the Net Shed Building and the adjacent area will be directed to the vegetated swale and then to a concrete gutter that flows over the existing

seawall and discharges into the Kewalo Basin entrance channel. The vegetated swale is expected to provide for infiltration as well as some level of bio-filtration and treatment of the stormwater. Additional IMPs may include planter boxes used for stormwater management within the Lease Area near the Kewalo Basin channel area that may pick up additional sheetflow from areas ‘Ewa of the Net Shed Building. Finally, the renovations and improvements will not increase pesticide or fertilizer use in the Project Area.

### **3.5 NATURAL HAZARDS**

The Hawaiian Islands are susceptible to potential natural hazards, including flooding, tsunami inundation, hurricanes, and earthquakes. The Project Area’s vulnerability to such hazards is described below.

**Flood.** According to the Flood Insurance Rate Map (FIRM) prepared by the Federal Emergency Management Agency (FEMA), National Flood Insurance Program, the Project Area is designated as Zone AE, inundation by the one-percent-annual-chance flood. See Figure 12.

**Tsunami.** Since the early 1800s, approximately 50 tsunamis have been reported in Hawai‘i. Seven caused major damage and two were generated locally. The Project Area is within the tsunami evacuation zone designated by the Hawai‘i State Civil Defense. See Figure 13.

**Hurricanes.** Hurricanes are relatively rare in Hawai‘i, but since 1980, two hurricanes have had a major effect on Hawai‘i – Hurricane ‘Iwa in 1982 and Hurricane ‘Iniki in 1992. Hurricane season in Hawai‘i runs from May to November. While it is difficult to predict such natural occurrences, it is reasonable to assume that future incidents are likely, given historical events. The Project Area would likely be impacted primarily by the storm surge from a hurricane, but the Net Shed Building could also be vulnerable to wind damage. These impacts will be exacerbated with sea level rise due to climate change.

**Earthquakes.** Unlike other areas where a shift in tectonic plates is the cause of an earthquake, in Hawai‘i most earthquakes are linked to volcanic activity. Because of this unique situation, most of the thousands of earthquakes that occur in Hawai‘i each year are primarily located on Hawai‘i Island. The vast majority of earthquakes are so small they are detectable only with highly sensitive instruments, but there have been several damaging earthquakes in the past.



#### LEGEND

- Lease Area
- Park Improvement Area
- Project Area

- Flood Insurance Rate Map Zones**
- |  |   |
|--|---|
| <span style="background-color: #c2e6fa; border: 1px solid black; display: inline-block; width: 15px; height: 15px;"></span> AE<br><span style="background-color: #ff7f7f; border: 1px solid black; display: inline-block; width: 15px; height: 15px;"></span> VE | <i>Subject to inundation by the 1% annual chance flood</i><br><i>Subject to velocity hazard (wave action)</i> |
|--|---|


Source: Pictometry, 2013. Federal Emergency Management Agency, 2012.

Disclaimer: This graphic has been prepared for general planning purposes only and should not be used for boundary interpretations or other spatial analysis.

**FIGURE 12**

#### **Flood Insurance Rate Map**

### **KUPU GREEN JOB TRAINING CENTER**





PDF - Q:\Oahu\Kupu\PDFIEA Figures  
Path: Q:\Oahu\Kupu\GIS\Project\Kupu Tsunami.mxd

DATE: 8/18/2015

#### LEGEND


- [Yellow Box] Lease Area
- [Yellow Diagonal Stripes Box] Park Improvement Area
- [Black Box] Project Area
- [Red Box] Tsunami Evacuation Zone

Source: Pictometry, 2013. State of Hawai'i Civil Defense, 2013.

Disclaimer: This graphic has been prepared for general planning purposes only and should not be used for boundary interpretations or other spatial analysis.

**FIGURE 13**  
**Tsunami Evacuation Zone**

## KUPU GREEN JOB TRAINING CENTER



### **Potential Impacts and Mitigation Measures**

The renovations to the Kupu Green Job Training Center will not present or exacerbate any hazard condition relating to tsunamis, hurricanes, and earthquakes, and no mitigation measures are planned or warranted at this time.

The Project Area is located in the one percent annual flood zone (Zone AE) and may be impacted by flooding during storms. Because the Project Area is near sea level, the potential impacts from flooding will be exacerbated as sea level rises as a result of global climate change. Kupu is using the Center for Island Climate Adaptation and Policy and the University of Hawai‘i Sea Grant’s recommendations to plan for a sea level rise of one foot by 2050 and three feet by 2100. The Center is built up well above sea level on an armored shoreline that is protected from erosion, and so a sea level rise of one to three feet will not have an inundation effect. Such a sea level rise may however increase the risk of flooding at the Center.

To mitigate against increased flood damage, in accord with the Chapter \_\_, Section 1.8 “Flood fringe areas” of the Revised Ordinances of Honolulu (ROH)<sup>2</sup>, renovations to the Net Shed Building will include three-foot high (minimum) waterproofed concrete masonry unit or concrete sill walls around the building along with removable flood barriers at door openings. The walls will either be newly constructed or part of the existing concrete masonry unit walls. The walls will be certified by licensed surveyor that they reach or exceed the height of the base flood elevation.

Renovations to the Center will also be designed to adhere to the rules and regulations of the National Flood Insurance Program as presented in Title 44 of the Code of Federal Regulations.

The potential impacts of hurricanes and earthquakes will be mitigated through designing all structures in compliance with the City and County of Honolulu’s building code. Impacts from natural hazards will be further mitigated by adherence to appropriate civil defense evacuation procedures. Kupu is currently developing an Enterprise Risk Management protocol, and it periodically participates in American Red Cross disaster preparedness and emergency shelter operations training.

## **3.6 FLORA AND FAUNA**

As discussed in section 3.2, the Project Area is located on manmade land. Most of the Project Area is covered by the Net Shed Building, a large asphalt pad, an asphalt parking area, and a driveway. There are no state or federally designated threatened or endangered plants or animals known to exist in the Project Area. In a letter dated September 30, 2014, the USFWS confirmed that there is no federally designated critical habitat in the vicinity of the Project Area. However, the letter also stated that Hawaiian seabirds,

---

<sup>2</sup> As established by Ordinance 14-9, adopted May 7, 2014 by the Honolulu City Council.

specifically White Fairy Terns (*Gygis alba*), protected under the Migratory Bird Treaty Act may occur within the Project Area.

The Project Area presently provides little habitat for other faunal species due to its long history of urban use and man-made landscaping. However, a number of introduced species, including feral cats and non-native birds, likely live in or frequent the Project Area.

The existing landscaping is primarily confined to the Park Improvement Area. Vegetation observed in the Park Improvement Area includes coconut palms (*Cocos nucifera*), hau (*Hibiscus tiliaceus*), loulu palms (*Pritchardia* spp.), milo (*Thespesia populnea*), naupaka (*Scaevola taccada*), spider lily (*Crinum* spp.), monkey pod (*Albizia saman*), hala (*Pandanus tectorius*), kamani (*Calophyllum inophyllum*), kou (*Cordia subcordata*), autograph tree (*Clusia rosea*), pōhinahina (*Vitex rotundifolia*), and banana (*Musa* spp.). All of these plants are either salt tolerant or thrive in coastal areas. In addition, there are some recently planted, large coconut palms along the harbor channel edge of the Center.

In the late 2000s, Hālau Kū Māna charter school planted a Native Hawaiian plant garden in a small area adjacent to the Net Shed Building to provide educational opportunities for their students and educational value for patrons of the park. Some of the above listed plants may have been planted as part of this garden.

#### ***Potential Impacts and Mitigation Measures***

The renovations and improvements in the Project Area are not anticipated to have any significant impact to existing flora onsite as the plants do not naturally occur in the area (given the man-made nature of the land), and the fauna is likely exclusively non-native. No rare, threatened, or endangered plants or animals are known to exist in the Project Area. As such, no mitigation measures are warranted or planned.

Additional landscaping will be facilitated by the removal of the asphalt pad, curbs, and gutters, which will be replaced with a surface that will reduce the amount of impervious surface in the Center. In particular, the large asphalt pad between the Net Shed Building and the Kewalo Basin Harbor channel will be removed to create an area more suited for Kupu's programs and events. The renovated area will include large concrete pavers segmented by bands of grass or gravel to allow for stormwater infiltration. Planter boxes and tanks for hydroponics may also be added to the renovated area. In addition, a new rain garden and/or a vegetated swale along the harbor channel edge will allow for additional infiltration and some biofiltration and treatment of stormwater before it enters the ocean. Added plants in the area and around the building may include shielding loulu palms and nā‘ū hedges. ‘Ākia may be planted along walkways. All existing trees will be retained.

Following the USFWS's recommendations to protect Hawaiian seabirds and specifically White Fairy Terns, the contractor for the Center renovations will examine all trees slated to be cut for signs that White Fairy Terns are present. Signs include an accumulation of white feathers or white droppings underneath the tree or structure.

## 4 DESCRIPTION OF THE HUMAN ENVIRONMENT, POTENTIAL IMPACTS, AND MITIGATION MEASURES

### 4.1 ARCHAEOLOGICAL AND HISTORIC RESOURCES

Because the land on which the Project Area is located did not exist in full until 1955 and is made from dredged coral material, there are likely no archaeological or historic resources present. In their letter on the draft EA dated July 14, 2015, the State Historic Preservation Division (SHPD) stated: “No surface historic properties are present. No subsurface historic properties are likely as Kewalo Basin and Kewalo Basin Park, in which the project is located, were constructed from dredging soils and fill materials.”

#### *Potential Impacts and Mitigation Measures*

SHPD’s determination for the proposed project is “no historic properties affected” as stated in their letter on the draft EA dated July 14, 2015. Renovations and improvements in the Project Area will not require significant grading or excavation, as the renovations and improvements will be to an existing building (the Net Shed Building), the surrounding grounds, and an existing park area. Minimal grading is expected to be necessary to relocate an existing drain, create drainage swales, resurface the existing asphalt pad, and possibly add a patio area. In addition, limited trenching may be necessary for the installation of new water and sewer lines. As any expected grading and trenching is expected to be minimal, no mitigation measures are planned or warranted at this time.

However, Kupu and its contractors will comply with all state and county laws and rules regarding the preservation of archaeological and historic sites. In the event that historic resources, including human skeletal remains, cultural layers, cultural deposits, features artifacts, or sink holes, lava tubes, or lava blisters/bubbles are identified during construction and/or other actives, all work in the immediate vicinity of the find will cease, the find will be protected, and SHPD will be contacted immediately.

### 4.2 CULTURAL RESOURCES

The Project Area is located in the moku of Kona, ahupua‘a of Waikīkī, and ‘ili of Kukuluāe‘o. It is just outside the historic coastal village of Kou (known today as Downtown Honolulu). Although the land on which the Project Area is located is new as of the mid-1900s, the adjacent pre-existing lands and waters have been consistently recorded as part of an abundant and productive agri- and aquacultural landscape. Traditionally, pa‘akai harvesting, fishpond farming activities, and other marine subsistence activities took place in the nearshore waters and former reef system now partially overlain by the KCDD (Office of Hawaiian Affairs, 2013).

During the Māhele, Kukuluā‘o, which was recorded as being comprised of fishing grounds, coral flats, and salt beds, was conveyed to the Commissioners for Foreign Missions and associated with Punahoa School.

In the late 19<sup>th</sup> and early 20<sup>th</sup> century, Kukuluā‘o became a part of a large maritime industrial center. During this time, Kaka‘ako was also the location of several quarantine camps and hospitals for patients with smallpox (1853 epidemic), Hansen’s Disease (1853), and the bubonic plague (1899). Kaka‘ako became home to a sewage disposal pumping station (1899), several waste incinerators, iron works, lumber yards, a tuna cannery, and draying companies. Fort Armstrong was constructed on Ka‘ākaukukui Reef (adjacent to the west of Kaka‘ako Waterfront Park) to protect Honolulu Harbor.

#### ***Potential Impacts and Mitigation Measures***

The Project Area has likely not been used for cultural purposes in recent times except potentially for fishing. However, if it has been used, the Center renovations and park improvements will not restrict the existing public access to the ocean available both through the adjacent Kewalo Basin Park and by traversing the open parts of the Project Area. Therefore, it is reasonable to conclude that the proposed renovations and improvements in the Project Area will not affect the exercise of Native Hawaiian rights, or any ethnic group, related to gathering, access or other customary activities. Kupu has also had a positive impact on the cultural heritage of the area as its programs aim to perpetuate Native Hawaiian cultural practices such as canoe carving, practicing oli, canoe navigation, and native plant cultivation.

### **4.3 VISUAL RESOURCES**

The Center has views of the Pacific Ocean, Lē‘ahi (Diamond Head), and Waikīkī. These views are somewhat obstructed by large trees planted in the Park Improvement Area.

The Primary Urban Center Development Plan identifies significant panoramic views in the region. All of the views from the Center are depicted on the Primary Urban Center Development Plan’s “Significant Panoramic Views” map. The only Significant Views from the Center that are obstructed are those of the Mānoa and Kalihi valleys from Kewalo Basin.

#### ***Potential Impacts and Mitigation Measures***

The renovations and improvements in the Park Project Area will not alter the panoramic views identified in the Primary Urban Center Development Plan that are currently visible from the Project Area. The renovations and improvements also will not alter the existing quality of any significant stationary or roadway views defined in the City and County of Honolulu’s 1987 *Coastal View Study*. Most of the renovations will be done on an existing building and will not include any height or bulk change in the

building. Existing trees in the Project Area will remain, and no additional trees that could potentially block views are proposed.

#### **4.4 NOISE**

The existing ambient noise level in the vicinity of the Project Area is relatively high due to its proximity to a major road (Ala Moana Boulevard), Kewalo Basin Harbor, and the Pacific Ocean. In their comment letter on the draft EA dated July 17, 2015, the State of Hawai‘i Department of Transportation Airports Division noted that the Center is located within the 65-60 DNL (day-night average sound level) noise contour of the Honolulu International Airport 5-year (2008) Noise Exposure Map. The open-sided Net Shed Building is currently subject to noise from aircraft arriving and departing Honolulu International Airport, however this has not impacted Kupu’s current use of the building or any of its programs.

##### ***Potential Impacts and Mitigation Measures***

Potential impacts on the ambient noise quality of the site and surrounding area due to the renovations to the Kupu Green Job Training Center will be limited to short-term construction activity.

During the construction phase, there may be temporary noise impacts associated with the operation of heavy construction machinery, paving equipment, pile driving and material transport vehicles. Proper mitigation measures will be employed to minimize construction-related noise impacts and comply with all Federal and State noise control regulations. Increased noise activity due to construction will be limited to daytime hours and persist only during the construction period. Noise from construction activities will be short-term and will comply with State DOH noise regulations (Chapter 11-46, Community Noise Control, HAR). When construction noise exceeds, or is expected to exceed, the DOH’s allowable limits, a permit must be obtained from the DOH. Specific permit restrictions for construction activities are:

- No permit shall allow any construction activities that emit noise in excess of the maximum permissible sound levels before 7:00 a.m. and after 6:00 p.m. of the same day, Monday through Friday;
- No permit shall allow any construction activities that emit noise in excess of the maximum permissible sound levels before 9:00 a.m. and after 6:00 p.m. on Saturday; and
- No permit shall allow any construction activities that would emit noise in excess of the maximum permissible sound levels on Sundays and holidays.

After the renovations, the open-sided Net Shed Building will be enclosed with exterior walls, windows, and doors, although a good portion of the building will remain naturally ventilated. However, the more “noise sensitive” areas of the facility, like the vocational kitchen/dining room, classroom, office and conference room will be enclosed and have air conditioning for sound attenuation. In addition, insulation will be added to the roof structure.

Aircraft noise is not anticipated to impact Kupu's operations after the building is enclosed as Kupu has been running its programs from the open-sided building since 2011 without any aircraft noise problems, and because after the renovations the more "noise sensitive" areas of the facility will be enclosed and include air conditioning for sound attenuation.

## **4.5 AIR QUALITY**

Air quality at the Project Area is generally considered to be good due to the presence of northeasterly trade winds that tend to disperse pollutants seaward. Vehicular traffic on nearby roadways, particularly Ala Moana Boulevard, is anticipated to be the primary source of air pollutants in the vicinity of the Project Area. DOH operates several air monitoring stations throughout the state. The closest air monitoring stations to the Project Area are the Sand Island station located in the University of Hawai‘i Anuenue Fisheries Research Center, about one mile west of the Project Area, and the Honolulu Station located on Punchbowl Street on the roof of the DOH building (Kinau Hale), about one mile north of the Project Area. The Sand Island station measures concentrations of ozone, PM<sub>2.5</sub> (particulate matter that is 2.5 microns or less in diameter), wind direction, and wind speed. The Honolulu Station measures concentrations of PM<sub>2.5</sub>, PM<sub>10</sub> (particulate matter that is 10 microns or less in diameter), carbon monoxide, sulfur dioxide (ppm), wind direction, and wind speed.

According to the State of Hawai‘i Annual Summary 2013 Air Quality Data, at these stations, measured levels of ozone, PM<sub>10</sub>, PM<sub>2.5</sub>, carbon monoxide, and sulfur dioxide were well within state and federal ambient air quality standards. There are no ambient air quality standards for air toxics.

### ***Potential Impacts and Mitigation Measures***

The renovations and improvements in the Project Area will not have long-term air quality impacts. No state or federal air quality standards will be violated during or after renovations.

However, emissions from construction vehicles and equipment may temporarily affect ambient air quality in the immediate vicinity. Temporary adverse air quality impacts may also occur during site preparation and construction. Impacts will be minimized through proper maintenance of construction equipment and vehicles and, as necessary, through development and implementation of a dust control plan. Dust control measures may include watering loose soils, erecting dust screens, phasing land disturbing activities to minimize open soils, or establishing temporary groundcover. All construction activities will comply with the provisions of Chapter 11-60.1-33, HAR on fugitive dust.

After construction significant fugitive dust emissions are not anticipated.

## 4.6 ROADWAYS AND TRAFFIC

AECOM Technical Services prepared a traffic impact assessment report (TIAR) for the Kupu Green Jobs Training Center. The information from the report and the report conclusions are summarized below. Appendix C contains the complete traffic assessment report. Figure 14 shows roads, intersections, and public transit routes and stops in the vicinity of the Project Area.

Access to the Project Area is from Ala Moana Boulevard, therefore the traffic assessment report focused on transportation impacts along Ala Moana Boulevard including the:

- Ward Avenue intersection;
- Kewalo Basin entrance driveway from Ala Moana Boulevard near Ward Avenue;
- Kewalo Basin exit driveway on to Ala Moana Boulevard;
- East Kewalo Basin driveway “T” intersection with Ala Moana Boulevard (signalized, near Kamake‘e Street); and
- Kamake‘e Street intersection.

**Ala Moana Boulevard.** Ala Moana Boulevard is an ‘Ewa-Diamond Head major arterial roadway providing sub-regional access and is a major corridor for access to Waikīkī. In the vicinity of Kewalo Basin, there are three lanes in each direction with a raised center median. This segment of Ala Moana Boulevard is bordered by Ward Warehouse on the mauka side and Kewalo Basin on the makai side. The State of Hawai‘i Department of Transportation (HDOT) has jurisdiction of Ala Moana Boulevard. The posted speed limit is 35 miles per hour (mph).

**Ward Avenue.** Ward Avenue is a mauka-makai roadway providing access between Ala Moana Boulevard and the H-1 Freeway. The Ward Avenue intersection with Ala Moana Boulevard is signalized. Ward Avenue provides two lanes in each direction, with a center left-turn lane. Makai of Ala Moana Boulevard, Ward Avenue continues as Ilalo Street which curves to align parallel with Ala Moana Boulevard. Ilalo Street provides access and vehicular circulation for the Kaka‘ako Makai area.

At the Ward Avenue intersection with Ala Moana Boulevard, the both ‘Ewa and Diamond Head-bound Ala Moana Boulevard approaches to Ward Avenue have exclusive left-turn lanes and the ‘Ewa-bound approach adds an exclusive right-turn lane. The Ward Avenue approach to Ala Moana Boulevard is configured with exclusive left, shared through-left, and shared through-right lanes. The Ilalo Street approach is configured with separate left, through, and right lanes.



DATE: 8/18/2015

#### LEGEND

- Lease Area
- Park Improvement Area
- Project Area
- Bus Stops
- Bus Routes
- Rail Stations (Proposed)
- Rail Line (Proposed)
- Access Points


Source: Pictometry, 2013. City and County of Honolulu, 2012 (Bus) & 2015 (Rail Transit)

Disclaimer: This graphic has been prepared for general planning purposes only and should not be used for boundary interpretations or other spatial analysis.

**FIGURE 14**

#### Roadways and Public Transit

## KUPU GREEN JOB TRAINING CENTER



In the vicinity of its intersection with Ala Moana Boulevard, both sides of Ward Avenue are lined by mostly commercial retail land uses, and on-street parallel parking is provided on the Diamond Head side of Ward Avenue between Auahi Street and Ala Moana Boulevard. The posted speed limit is 25 mph.

**Kamake‘e Street.** Kamake‘e Street is a mauka-makai street connecting Ala Moana Boulevard with Kapi‘olani Boulevard where it terminates. The Kamake‘e Street intersection with Ala Moana Boulevard is signalized. For most of its length, Kamake‘e Street is two lanes in each direction. Makai of Ala Moana Boulevard, Kamake‘e Street becomes Ala Moana Park Drive, an internal roadway within Ala Moana Park.

At Ala Moana Boulevard, the Kamake‘e Street and Ala Moana Park Drive approaches are configured with a shared through and left-turn lane, and an exclusive right-turn lane. Adjacent land use between Ala Moana Boulevard and Auahi Street is commercial retail and residential high-rise uses. On-street parallel parking is provided along Ala Moana Park Drive. The posted speed limit is 25 mph.

**East Kewalo Basin Driveway.** The East Kewalo Basin Driveway “T” intersection with Ala Moana Boulevard is signalized. However, the ‘Ewa-bound to makai-bound left turn into Kewalo Basin is not allowed at this “T” intersection. Therefore, vehicles on Ala Moana Boulevard approaching Kewalo Basin in the ‘Ewa-bound direction must either execute a U-turn at the Ward Avenue intersection or find an alternative route to access Kewalo Basin. At the East Kewalo Basin Driveway approach to Ala Moana Boulevard, there are separate left and right turn lanes.

**Kewalo Basin Entrance and Exit Driveways.** Along Ala Moana Boulevard between Ward Avenue and the East Kewalo Basin Driveway, there are separate entrance and exit driveways to/from Kewalo Basin. These driveways serve primarily the ‘Ewa and mauka sides of Kewalo Basin. The Diamond Head side of Kewalo Basin is more directly served by the East Kewalo Basin Driveway. These driveways allow access from and to Diamond Head-bound Ala Moana Boulevard and are unsignalized.

### **Existing Traffic Conditions**

Currently, during the peak PM hour (5 PM to 6 PM) intersections with Ala Moana Boulevard at Ward Avenue and Kamake‘e Street operate acceptable levels of service for urban conditions with Level of Service (LOS) C and D operation. The East Kewalo Basin Driveway intersection operates very well, with LOS A, given that only selected traffic movements are allowed.

### **Bicycle & Pedestrian Facilities**

There are sidewalks on both sides of Ala Moana Boulevard between Ward Avenue and Kamake‘e Street. Crosswalks are provided across all legs of the Ward Avenue/Ala Moana Boulevard intersection and across

all legs except the ‘Ewa leg at the Kamake‘e Street/Ala Moana Boulevard intersection. A crosswalk is provided across the East Kewalo Basin driveway.

There are no marked bicycle facilities along Ala Moana Boulevard between Ward Avenue and Kamake‘e Street. The State of Hawai‘i Bicycle Master Plan indicates future plans for bike lanes along this segment of Ala Moana Boulevard.

### **Public Transit**

Four bus stops (two mauka side and two makai side) are located on Ala Moana Boulevard in the vicinity of Kewalo Basin. The bus stops located near Kamake‘e Street are more likely to be used by people associated with the Kupu Green Jobs Training Center. The ‘Ewa-bound stop near Kamake‘e Street is #764 and the Diamond Head-bound stop is #955.

The bus stops are served by six routes: 19, 20, 42, 55, 56, and 57/57A. Route 19 (Waikīkī–Airport–Hickam) runs from around 6 AM to 12:25 AM. Route 20 (Waikīkī–Airport–Pearlridge) runs from 5 AM to 6 PM. Route 42 (Waikīkī–‘Ewa Beach) runs from about 4 AM to 3 AM (span of 23 hours). Route 55 (Ala Moana-Kāne‘ohe–Hale‘iwa) runs from around 5 am until 10:30 pm. Route 56 (Ala Moana-Kailua-Kāne‘ohe) runs from around 5 AM to 9:30 PM. Route 57/57A (Ala Moana-Kailua-Waimanalo) runs from around 5 AM to 10:40 PM. Service headways vary according to the time of day.

The Kupu Green Job Training Center is also under a mile from the planned Civic Center Station and less than half mile from the Kaka‘ako Station of the Honolulu Rail Transit Project (H RTP) currently under construction. The full H RTP is anticipated to be complete in 2019.

### **Existing Kupu Use at the Center**

According to Kupu, currently the Center serves a total of approximately 24 youth/participants during weekdays, although the number of youth/participants can vary depending on what programs are offered on specific days. Almost all of these youth/participants rely on public transit to and from the Center. Kupu also provides bus passes to program participants. A small number of program participants bike or walk to the Center, and an even smaller number are dropped off.

As part of Kupu’s goal to make the Center available to various community groups, Kupu currently allows Life 360 Network, Inc. to use the Center on Sundays. Life 360 has similar goals as Kupu in that they provide educational and recreational programs for at-risk youth to positively move their lives forward. Up to 190 youth participants may come to the Sunday program and are transported by chartered bus.

Kupu also hosts various community and special events at the Center. The number of people coming to community and special events varies, but could range up to 100 people per event. Event frequency and times vary.

### ***Potential Impacts and Mitigation Measures***

The TIAR concludes that renovations to the Center are expected to have minimal traffic and other transportation impacts. Kupu estimates that with the renovations the number of youth/participants served by the Center during weekdays would double from 24 to 40 and the number of employees/volunteers would increase from 6 to 10.

The TIAR assumed that all nearly all youth/participants served would use public transportation to and from the Center, as this is the current situation and is expected to continue. However to be conservative, the TIAR assumed that 10 percent of the youth/participants would be dropped off and picked up by someone driving a vehicle. The TIAR further assumed that all employees/volunteers would drive to the Center, although this may not be the actual situation. With these conservative assumptions, the amount of vehicular traffic generated during the weekday PM peak hour after the renovations is small: only 5 vehicles per hour inbound and 15 outbound. As a result, the PM peak hour weekday intersection impacts attributable to vehicular traffic from combined staff and student attendance would be minimal.

In their comment letter on the Draft EA dated August 24, HDOT stated: “Based on the proposed use of the project as a non-profit training center for youths, the project does not appear to significantly impact the State highway system based on the information provided. The recommendations to minimize traffic impacts outlined in page 16 of the TIAR appear to be adequate.”

Six public transit bus routes provide service in the Ala Moana Boulevard corridor in the vicinity of Kewalo Basin. Based on data obtained from the City and County of Honolulu Department of Transportation Services Public Transit Division these routes have the capacity to handle the increase in public transit demand (24 youth/participants) after the renovations.

There are adequate pedestrian facilities to allow youth/participants access between the Center and Ala Moana Boulevard. While there are no formal bicycle facilities in the vicinity of Kewalo Basin, Kamake‘e Street provides reasonable access to streets such as Pohukaina and Halekauwila that provide a less intense cycling environment than Ala Moana Boulevard. Additionally, Ala Moana Park Drive and paths in Ala Moana Park provide routes for pedestrians and cyclists coming from the Diamond Head direction. The internal Kewalo Basin drive provides an access route from Ala Moana Boulevard to the Kupu Training Center for pedestrians and cyclists within the Kewalo Basin area. Figure 7 of Appendix C shows transit, pedestrian, and bicycle access to the Kupu Training Center. Future plans for Kewalo Basin proposed by

HCDA or other entities include improvements to the existing pedestrian connection between Ala Moana Park Drive and the existing multi-use path along the seawall of Kewalo Basin Park.

For Life 360 programs held at the Center on Sundays, youth participants will continue to be transported by chartered bus. Five buses are used to transport the youth. The five bus trips into and out of the Kewalo Basin area on Sundays will not negatively impact traffic operations on Ala Moana Boulevard.

Community and special events are expected to continue at the Center after the renovations and may increase in frequency; although the frequency and timing of the events are still expected vary. Kupu will monitor the traffic situation during special events and if it is found that special events starting during the PM Peak (5 to 6 PM weekdays) are having a significant impact on traffic conditions, Kupu can then adjust the starting times of special events so as not to have a significant impact on traffic conditions during the PM peak.

Given that the renovation of the Kupu Green Jobs Training Center is not projected to have significant impacts on traffic, transit, bicycle, or pedestrian facilities, recommendations of focus on actions Kupu can take to help improve non-motorized access and maintain its low impact profile.

- Avoid supply deliveries during the AM and PM peak hours of Ala Moana Boulevard;
- Continue to utilize vans/buses to transport students for excursions and recreational trips;
- Continue to provide bus passes (and bus/rail passes in the future) to program participants;
- Provide parking for at least five bicycles at the “Net Shed” site (this will allow for half of the projected staff to utilize bicycles should they decide to do so);
- Monitor the traffic situation during special events and if it is found that special events starting during the PM Peak (5 to 6 PM weekdays) are having a significant impact on traffic conditions, adjust the starting times of special events so as not to have a significant impact on traffic conditions during the PM peak.
- Encourage other development within Kewalo Basin to provide pedestrian facilities that increase the redundancy of the pedestrian facility network within the area.

These recommendations will allow the Kupu Green Jobs Training Center to continue to operate in a low-impact, sustainable manner while providing important services to the community.

## **4.7 INFRASTRUCTURE AND UTILITIES**

Group 70 International prepared preliminary engineering report for the Kupu Green Jobs Training Center. Information from the report is summarized below. Appendix D contains the complete report.

#### **4.7.1 Water System**

The Honolulu Board of Water Supply (BWS) is responsible for the management, control and operation of O‘ahu’s municipal water system. The BWS presently provides water service to the Kewalo Basin Park area and the Center where water is used for irrigation, bathrooms, showers, and a wash basin in the Center’s existing ad hoc kitchen. From BWS’s distribution line in Ala Moana Boulevard water is conveyed to Kewalo Basin Park area and the Center via private water lines within the private Kewalo Basin roadway from Ala Moana Boulevard to Kewalo Basin Park.

Existing potable water demand of the Center is estimated to be 19 gallons per minute (gpm). The capacity of the water submeter specifically for Kupu is approximately 30 gpm.

The nearest BWS fire hydrant, #M-1765, is located along the makai side Ala Moana Boulevard, east of Ala Moana Park Drive. According to BWS, the hydrant has a static pressure of 76 pounds per square inch (psi) and a residual pressure of 51 psi at a flow rate of 4,000 gpm. These numbers are based on a BWS model and do not represent the actual pressure in the field.

Figure 2 in Appendix D shows a schematic diagram of existing infrastructure, including water lines.

#### ***Potential Impacts and Mitigation Measures***

The potable water demand for the renovated Kupu Green Job Training Center is expected to minimally increase primarily due to the addition of a new commercial kitchen. However, the increase may be offset by the installation of new, efficient bathroom fixtures in the relocated restrooms. Improvements to the potable water lines to the Center will include relocation of service lines to the Net Shed Building, including relocation of: 1) an existing meter near the makai/Diamond Head corner of the building; and 2) the service lateral to the building from the private waterline in the adjacent Kewalo Basin Park parking lot. However, the existing private water lines from Ala Moana Boulevard to the Kewalo Basin Park area are of sufficient size to provide potable water to the renovated Center.

In a letter dated September 17, 2014, the Honolulu Fire Department (HFD) noted the Uniform Fire Code requirements applicable to the renovations. In addition, on December 5, 2014, Kupu’s civil engineer and architect met with the HFD to better understand fire protection requirements. The renovated Kupu Green Job Training Center will be designed and operated in conformance with all applicable fire protection requirements.

As part of overall and ongoing master planning efforts for the entirety of Kewalo Basin, fire water supplies and fire vehicle access will be required by adjacent developments. HCDA has shown interest in developing the adjacent NOAA site with commercial, retail, and restaurant spaces. Such improvements

would require improved fire protection, fire water service, and fire vehicle access in the immediate area and to NOAA site.

Portions the private water lines from Ala Moana Boulevard will need to be increased in size to provide adequate water fire flow pressure. In addition, the portions of the private Kewalo Basin roadway from Ala Moana Boulevard to Kewalo Basin Park may need to be improved to provide adequate turning radii for fire vehicle access requirements, particularly in areas where the main driveway weaves around the existing parking lots and planter islands. Funding for design and installation of any “off-site” fire safety improvements may be from State funds, State grant in aide funds, or private funds. The cost for design and installation of the “off-site” fire protection systems, fire water supply, and fire vehicle access improvements is estimated to be approximately \$0.5 million.

Figure 4 in Appendix D shows a schematic diagram of proposed infrastructure, including water lines and fire vehicle access improvements.

#### **4.7.2 Wastewater System**

Wastewater service to the Center is provided by the City and County of Honolulu Department of Environmental Services. The Center is serviced through an existing private sewer system, which includes a 6-inch lateral sewer line from the Net Shed Building connected to a private sewer lift station located within the parking lot closest to the former National Oceanic and Atmospheric Administration (NOAA) site. The lift station includes two above ground grinder pumps and a below ground wet storage well 60 inches in diameter and approximately 11 feet deep. The private sewer system eventually discharges into a public sewer main in Ala Moana Boulevard from which wastewater flows are conveyed to the City’s Honouliuli Wastewater Treatment Plant, which provides secondary treatment of effluent.

The existing wastewater demand is minimal at 760 gpd or 19 gpm, as the Center currently only includes a men’s and women’s restroom. Wastewater generation is not constant like a fully occupied office building or school because Kupu’s classes currently are not conducted every day or on a set daily schedule.

Figure 2 in Appendix D shows a schematic diagram of existing infrastructure, including wastewater lines.

#### ***Potential Impacts and Mitigation Measures***

The renovations to the Kupu Green Job Training Center are expected to minimally increase wastewater flows. According to the private operator who operates and maintains the sewer lift station for HCDA, the existing pumps, if functioning properly and within design capacity, have sufficient capacity to serve Center and minimal additional wastewater generated due to the renovations.

Slight increases to wastewater flows from the Center are expected due to the installation of a commercial kitchen and the provision of office areas that will be regularly used (as opposed to the somewhat sporadic existing uses). The increase in wastewater generation may be offset by the replacement of existing restroom fixtures with new, efficient fixtures. The kitchen wastewater demand will also be minimal, as the kitchen will be only for certain occasions, not for daily meal preparation. Appropriate site hookups for a food truck will be included in the renovations, but generated wastewater is expected to be negligible.

The wastewater flow with the renovations is estimated to be 960 gpd, or approximately 24 gpm at peak flow, an increase of 200 gpd or 5 gpm at peak flow compared to existing conditions. The existing 6-inch lateral sewer line from the Net Shed Building to the sewer lift station is sufficient in size to convey the additional wastewater flows. The flow is calculated based on the wastewater generation rates listed in Chapter 11-62, Appendix F, Table 1, HAR where the rate is 20 gallons per person per day (gpd/person) for a school (with cafeteria, but without gyms or showers).

Regarding the sewer lift station capacity to accommodate the increased flow, the below ground wet storage well can hold nearly 5,000 gallons and each grinder pump can discharge 14 gpm. With the adjacent NOAA site vacant, and the comfort station in the Kewalo Basin Park providing minimal wastewater flow, the increase in flow from the Center can be accommodated by the sewer lift station as sufficient storage volume in the below ground wet to mitigate daily wastewater volume increases and the slight increase in peak wastewater discharges.

Improvements to the existing sewer line within the Net Shed Building are anticipated to include the relocation or extension of the line from the existing restrooms to the new restrooms as well as to the new kitchen. In addition, a new, minimum grease interceptor for the kitchen will be installed outside of the building.

As part of overall and ongoing master planning efforts for the entirety of Kewalo Basin, replacement of the existing sewer lift station and sewer infrastructure will be required by adjacent developments. HCDA has shown interest in developing the adjacent NOAA site with commercial, retail, and restaurant spaces, while Howard Hughes, who leases and operates the harbor, has expressed interest in installing sewer service for boaters. Such improvements would require: 1) replacement of the existing sewer lift station with a larger capacity sewer lift station in a new location; and 2) upsizing of force mains and gravity sewer lines from the lift station to the public sewer main in Ala Moana Boulevard. Funding for design and installation of any “off-site” sewer system improvements may be from State funds, State grant in aide funds, or private funds. The cost for design and installation of the “off-site” sewer improvements is estimated to be approximately \$0.7 to \$1.0 million, based on the cost of the lift station design.

Figure 4 in Appendix D shows a schematic diagram of proposed infrastructure, including sewer system improvements.

#### **4.7.3 Drainage System**

Stormwater runoff from the Center sheet flows toward the makai side of the Center. It is then collected and conveyed via concentrated flow along an existing curb and gutter that runs along the entire harbor side of the Center. Runoff is conveyed along the curb and gutter to the west toward the Kewalo Basin entrance channel, where it is conveyed over the seawall and discharges via surface flow directly to the harbor waters. Stormwater runoff from adjacent areas, including the parking lot and vacant NOAA site, discharges to other drainage facilities.

It is estimated that under a ten-year, one-hour storm event, the peak flow of stormwater runoff from the Center area would be 2.7 cubic feet per second (cfs).

Stormwater management for during-construction and post-construction stormwater discharges from new construction projects are governed by the Storm Water Management Program Plan for Kewalo Basin Harbor, September 2012 (SWMPP). Kewalo Basin also has its own Municipal Separate Storm Sewer (MS4) permit (NPDES Small MS4 Permit No. HI 03KB487).

The Center area is less than one acre, and as such, the requirements to comply with the SWMPP are the following:

- Construction BMP plan consisting primarily of the City and County of Honolulu’s Construction BMP Plan Checklist
- Any construction of a new stormwater connection will need to submit the “Kewalo Basin Private Drain Connection Permit Application.”

#### ***Potential Impacts and Mitigation Measures***

Proposed hydrology and drainage patterns for the Center are expected to mimic existing conditions, but peak flows are expected to decrease due to increased landscaped areas and installation of new LID features. Asphalt pavement generally will be replaced with large concrete pavers segmented by bands of grass or gravel to allow for stormwater infiltration. Under a ten-year, one-hour storm event, the peak flow of stormwater runoff from the Center area would be 1.69 cfs, which is 1.01 cfs less than existing conditions.

The Center’s proximity to the ocean means that it will be critical to maintain runoff onsite as much as is feasible. Existing infrastructure will be replaced with new LID Integrated Management Plans (IMPs) to manage stormwater flow permanently. IMPs are expected to include a vegetated swale within the Park

Improvement Area (between the Net Shed Building and the pedestrian promenade along the ocean) in lieu of the existing concrete curb and gutter. The majority of runoff from the Net Shed Building and the Lease Area will be directed to the vegetated swale and then to a concrete gutter that flows over the existing seawall and discharges into the Kewalo Basin entrance channel. The vegetated swale is expected to provide for infiltration as well as some level of bio-filtration and treatment of the stormwater. Additional IMPs may include planter boxes used for stormwater management within the Lease Area near the Kewalo Basin channel area that may pick up additional sheetflow from areas ‘Ewa of the Net Shed Building. Drainage from the Lease Area will meet LEED standards for Stormwater Design Quantity and Quality.

Best management practices (BMPs) will be incorporated during construction to prevent stormwater discharges and contaminants such as sediment, pollutants, petroleum products, and other debris from affecting coastal water quality. Best management practices may include phasing grading activities, installing silt fences and other structural controls, directing runoff to retention/detention basins, and installing temporary groundcover. When feasible, the contractors will schedule site work during periods of minimal rainfall to minimize contaminated runoff into the ocean. Lands denuded of vegetation will be replanted or covered as quickly as possible.

#### **4.7.4 Electrical and Communication Systems**

The Hawaiian Electric Company, Inc. provides electricity to the Center.

##### ***Potential Impacts and Mitigation Measures***

The renovations to the Center will significantly decrease the electrical demand as it will become a net zero energy facility. The renovations will include the installation of photovoltaic panels that will meet all of the energy needs of the Center.

#### **4.7.5 Solid Waste**

Currently solid waste from the Center that cannot be recycled is hauled to the Campbell Industrial Park H-POWER (Honolulu Program of Waste Energy Recovery) Plant. Residual ash and non-combustible waste is disposed of at the Waimānalo Gulch Sanitary Landfill.

##### ***Potential Impacts and Mitigation Measures***

Kupu currently recycles as many items as possible (such as bottles and cans). Renovations to the Center include a trash enclosure area for items that cannot be recycled and Kupu intends to improve its existing recycling efforts to limit the amount of waste generated from the Center. Kupu will also use reusable plates for smaller groups and find second uses for food waste (such as composting or providing to local farmers for composting) when feasible.

## 4.8 SOCIO-ECONOMIC CHARACTERISTICS

### 4.8.1 Population and Housing

The KCDD is part of the Urban Honolulu Census Designated Place and is roughly made up of 86 Census blocks (Figure 15). Population in the KCDD is increasing and is expected to continue to increase in the coming decades. According to the U.S. Census, the population of the KCDD was 7,482 people in 2000 and 10,673 people in 2010, a 42 percent increase. By contrast, during the same time period, Oahu's total population increased by only 8.9 percent. HCDA projects that by 2030 the population of the KCDD will be approximately 30,000 people.


The City and County of Honolulu's General Plan seeks to distribute between 45.1 to 49.8 percent of O'ahu's population within the Primary Urban Center Development Plan area. In 2000, the Primary Urban Center had a population of 419,333 people, or 47.9 percent of O'ahu's population. Based on projections by the City DPP, O'ahu's population is projected to increase to 969,467 people by 2020. This corresponds to a desired population of 437,230 to 487,794 people within the Primary Urban Center area.

The redevelopment of the KCDD, and the new availability of housing in this area that has been largely industrial, likely accounts for much of the increase already experienced in urban Honolulu. A 2014 study by the Department of Business, Economic Development, and Tourism (DBEDT), concluded that the redevelopment of Kaka'ako was at least partly responsible for the higher rate of population growth (0.9%) in the area of Honolulu within two miles of city hall.

Table 1 shows general demographic characteristics of the KCDD and O'ahu.

#### ***Potential Impacts and Mitigation Measures***

The renovations to the Kupu Green Job Training Center are not expected to impact the population of Kaka'ako or Honolulu as there will be no permanent residents at the Center.



PDF - Q:\Oahu\Kupu\PDF\EA Figures  
Path: Q:\Oahu\Kupu\GIS\Projects\Kupu Census Blocks.mxd

## **LEGEND**

- Lease Area
  - Park Improvement Area
  - Project Area
  - Kaka'ako Community Development District
  - Kaka'ako Census Blocks


Source: U.S. Census Bureau, 2010. City and County of Honolulu, 2014.

**Disclaimer:** This graphic has been prepared for general planning purposes only and should not be used for boundary interpretations or other spatial analysis.

## FIGURE 15

## KCDD Census Blocks

# **KUPU GREEN JOB TRAINING CENTER**



**Table 1: Demographic Characteristics of the Kaka‘ako Community Development District and O‘ahu**

	KCDD (86 Census Blocks)		O‘ahu	
	Number	Percent	Number	Percent
<b>Total Population</b>	10,673	100%	953,207	100%
<b>Age</b>				
Under 5 years	359	3.4%	61,261	6.4%
18 years and over	9,235	86.5%	742,707	77.9%
65 years and over	2,055	19.3%	138,490	14.5%
Median age	42.80*	--		--
<b>Household (By type)</b>				
Total Households	5,253	100%	311,047	100%
Average household size	2.00*	--	2.95	--
Average family size	2.60*	--	3.48	--
<b>Housing</b>				
Total housing units	6,131	100%	336,899	100%
Owner occupied	2,436	39.7%	174,387	51.8%
Renter occupied	2,817	45.9%	136,660	40.6%
Vacant units	878	14.3%	25,852	7.7%

Source: U.S. Census Bureau 2010

\*Excludes zero values.

#### **4.8.2 Economy and Employment**

In terms of income, the largest contributors to the State of Hawai‘i’s Gross Domestic Product (GDP) are “Government,” followed by “Real Estate, Rental, & Leasing,” and the “Accommodation & Food Services” industries. Combined, these industries account for about 50 percent of the GDP. As of 2014, Hawai‘i’s real GDP is \$63 billion and is expected to grow by about two percent annually through at least 2017 (DBEDT, 2014). The Hawai‘i economy is highly dependent on tourism. Although visitor arrivals declined in 2013 and were up less than one percent in 2014, the overall visitor volume was at or near record levels. The Economic Research Organization at the University of Hawai‘i (UHERO) anticipates that both visitor arrivals and spending will increase marginally in 2015 (UHERO, 2014).

In 2014, the labor market added jobs at a slower rate than in 2013 – this slowdown was sharp for the construction industry. UHERO expects payroll job gains will continue to increase at the same relatively low rate in 2015, which will push unemployment to below 4 percent by 2016. UHERO also anticipates that the construction industry may pick up some of the economic slack left by tourism’s stall and the

downturn in federal spending. In general, Hawai‘i is now in a period of much slower growth than during the tourism-centered recovery, and this makes the state more vulnerable to economic disturbances that might come from the rest of the world (UHERO, 2014).

Since 2012, the State of Hawai‘i Environmental Council has assessed the state’s Genuine Progress Indicator (GPI), which offers a framework to move beyond GDP and adjust for hidden costs and benefits of economic growth across three categories: economic, environmental, and social. According to the Environmental Council’s 2013 report, Hawai‘i has made genuine progress since 1969, but there is divergence between the GPI and GDP, suggesting that the GDP overstates the well-being of the state.

Kaka‘ako has traditionally been an industrial area, but in recent years, as residential developments have been constructed, there has been a shift toward more of a mixed use economy. According to the unemployment insurance data from the Hawai‘i Department of Labor, there were 1,260 businesses operating in Kaka‘ako in 2012. Forty-five of these businesses fit under Kaka‘ako’s traditional economic use – Maintenance and Repair, but the remainder are categorized into a diverse mix of sectors (see Table 2). More than three-quarters of businesses in Kaka‘ako have less than ten employees.

**Table 2: Kaka‘ako Businesses by Sector (2012)**

Sector	Number of Businesses	Percent of Businesses
Professional, Scientific, and Technical Services	171	13.6%
Organizations	156	12.4%
Business Organization (mostly AOAO)	(116)	9.2%
Retail Trade	134	10.6%
Food Services and Drinking Places	106	8.4%
Wholesale Trade	100	7.9%
Health Care Services (Ambulatory)	79	6.3%
Finance and Insurance	71	5.6%
Construction	62	4.9%
Real Estate and Rental and Leasing	56	4.4%
Administrative and Support Services	50	4.0%
Maintenance and Repair	45	3.6%
Information	33	2.6%
Other Sectors	197	15.6%
TOTAL	1,260	100%

Source: (DBEDT, 2014)

In 2015, unemployment in Hawai‘i is projected to be 3.9% (DBEDT, 2015). DBEDT projects that unemployment will continue to fall to 3.3% by 2018.

In 2014, median household income in Hawai‘i was \$67,402 (U.S. Census Bureau, 2014). In 2013, 7.9% of families in Hawai‘i had an income below the poverty level.

The top employment sectors in Hawai‘i are “Educational services, and health care and social assistance,” “Arts, entertainment, and recreation, accommodation, and food services,” and “Retail trade.” At \$53,213, public administration is the industry with the highest median earnings (U.S. Census Bureau, 2014).

In terms of general benefit to Hawai‘i’s economy, since its inception in 2007, Kupu has had a cumulative economic benefit of over \$42 million. Kupu has had a great deal of success in training and preparing several thousands of alumni, many of whom are considered underserved by the state, for employment. In 2013-2014, Kupu provided hundreds of paid internships and distributed nearly half a million dollars in college and continued education funds to Hawai‘i’s youth (Kupu, 2015). Of Kupu alumni surveyed, 90 percent are employed or enrolled in school, and 83 percent reported that Kupu helped them attain their current job. Sixty-two percent of Kupu youth that participated in 2013-14 indicated they would have been unemployed if they were not a part of Kupu (Kupu, 2015).

#### ***Potential Impacts and Mitigation Measures***

The renovations to the Kupu Green Job Training Center are likely to have a positive impact on the economy and employment of Honolulu and Hawai‘i.

Construction of the renovations will provide economic benefits in the form of construction jobs, construction spending, and multiplier effects on the local economy.

In addition, the Center’s goal is to equip youth with the skills needed to facilitate the growth of the green economy and to create leadership in the growing green jobs sector, one of the fastest growing sectors of the Hawai‘i economy (DLIR, Research and Statistics Office, 2010).

Kupu was developed, in part, in response to the growing needs of Hawai‘i’s communities to train the next generation in natural resource management, renewable energy, energy conservation, and other green job skill sets. The Center will be the first “green” job training center of its kind in Honolulu and will meet the demands of this growing industry and exhibit to visitors and locals alike the concept of island sustainability and stewardship in a 21<sup>st</sup> century context. In this way, the Center will lead Hawai‘i toward a more sustainable future and build partnerships that can serve as a global model of responsible stewardship and a thriving community.

## 4.9 PUBLIC SERVICES AND FACILITIES

### 4.9.1 Schools

The Project Area is located in the Department of Education’s McKinley Complex Area. Table 3 shows the present enrollment for schools in the vicinity of the Project Area.

**Table 3: 2013-2014 Enrollment for Public Schools**

School	Enrollment in 2013-2014 School Year
Ka‘ahumanu Elementary	597
Kai‘ulani Elementary	421
Kauluwela Elementary	416
Lanakila Elementary	433
Likelike Elementary	401
Royal Elementary	376
Central Middle	351
McKinley High School	1,677
Hālau Lōkahi New Century Public Charter School	176
Myron B. Thompson Academy New Century Public Charter School	525
Voyager Public Charter School	284

Source: State of Hawai‘i Department of Education, 2014

#### *Potential Impacts and Mitigation Measures*

The renovations to the Kupu Green Job Training Center will not impact student enrollment at public or private high schools as it will have no permanent residents. Therefore, no mitigation measures are warranted or planned. However, the renovations will enhance the experiential and life skill educational programs already provided by the Center to help youth and young adults succeed in life and create lifelong community servants. In particular, Kupu strives to teach youth vital life and work skills, leadership traits, social responsibility, and the value of teamwork, by incorporating vocational training, educational degree achievement, and community service. The renovations will provide more learning areas, classrooms, workshop space, and a kitchen classroom to train in culinary skills. Kupu currently provides a C-Base course to help their members obtain their diplomas while participating in Kupu programming. Renovations will better equip Kupu to assist such youth in turning their lives around. Many of Kupu’s youth are categorized as underserved by the state and would not receive the high quality training in school that they are receiving as part of Kupu.

#### **4.9.2 Police, Fire and Medical**

**Police.** The Project Area is located within the jurisdiction of the City and County of Honolulu Police Department's District 1 (Honolulu), Sector 3. The Honolulu Police Headquarters is located less than one mile mauka of the Project Area at 801 South Beretania Street.

**Fire.** Fire protection in the vicinity of the Project Area is provided by the Honolulu Fire Department's Headquarters, located less than one mile west of the Project Area at 636 South Street.

**Medical.** Within three miles of the Project Area, there are 14 medical facilities. The largest facilities are The Queen's Medical Center, Straub Clinic and Hospital, Kapi'olani Medical Center for Women and Children, Kaiser Honolulu Clinic, and Kuakini Medical Center. Emergency medical service is provided by the City's Department of Emergency Medical Services. The nearest Emergency Medical Service is at Straub Clinic and Hospital on King Street.

#### ***Potential Impacts and Mitigation Measures***

In a letter dated September 17, 2014, the Honolulu Police Department (HPD) expressed concerns about the security of the Center and construction equipment and supplies during the evening hours due to the Center's remoteness from Ala Moana Boulevard. In their comment letter on the Draft EA dated July 9, 2015, HPD reiterated their concerns about security and suggested that security controls (such as a perimeter fence, "No Trespassing" signs, secured parking and storage areas, adequate lighting, building security video surveillance, and a security guard service) to prevent vandalism and other criminal acts from occurring during construction and subsequently after completion of the renovations.

The construction contractor will be informed of these concerns and advised to implement adequate security controls during construction especially during evening hours. After construction, the renovations should address security concerns as the renovations involve enclosing the Net Shed Building with walls, thereby better controlling access to the building. If security continues to be a concern, Kupu can implement adequate security controls as needed. As suggested by HPD, Kupu will assign a person to serve as an agent and point of contact, with access to the facility, in case any emergencies or incidents take place during or after construction.

In their comment letter on the Draft EA dated July 9, 2015, HPD also expressed concerns regarding contractors and construction workers using public park areas for parking during construction. Contractors and their personnel will not be allowed to utilize Kewalo Basin Park, Ala Moana Beach Park, or parking stalls within these parks for their personal or company vehicles. Kupu currently uses six parking stalls in front of the Net Shed Building (Diamond Head side). In addition there is a large asphalt

pad between the Net Shed Building and the Kewalo Basin Harbor that could be used for construction parking. If construction parking cannot be accommodated in the six stalls that Kupu currently uses or on the asphalt pad, alternative arrangements will be made for construction parking off site.

The renovations and improvements in the Park Project Area are not expected to create an increased demand on existing fire or medical services. However, HCDA has shown interest in developing the adjacent site formerly occupied by NOAA with commercial, retail, and restaurant spaces. Such improvements may require improved fire protection, fire water service, and fire vehicle access be provided to the area to the NOAA site. Figure 4 in Appendix D shows the location of the potential fire safety improvements. Funding design, and installation of any “off-site” fire safety improvements would be provided by HCDA or others, as necessitated by adjacent development.

#### **4.9.3 Recreational Facilities**

The Project Area is adjacent to the state-owned recreational facility of Kewalo Basin Park. Other nearby public recreational facilities include Ala Moana Regional/Beach Park, Kolowalu Park, Kaka‘ako Waterfront Park, Kaka‘ako Gateway Parks, Mother Waldron Park and Playground, Sand Island State Recreation Area, and Thomas Square Park.

Kewalo Basin Park is a small park makai of Kewalo Basin Harbor that includes a short walking path, a comfort station, picnic tables, and a grassed area at the Diamond Head end with a statue of Saint Marianne Cope, who cared for people with leprosy on Moloka‘i during the late 1800s. Surfers are the primary users of Kewalo Basin Park. Ala Moana Park is adjacent to Kewalo Basin Park and has a half-mile long sandy beach, lifeguards, pedestrian trails, tennis courts, a music pavilion, food concessions, and comfort stations. Sand Island State Recreation Area offers picnicking, shore fishing, surf access, and weekend-only shoreline camping. Sand Island is physically close to the Project Area (less than one mile), but the recreation area is not directly accessible across the Honolulu Channel and requires a six-mile trip from the Project Area to access.

#### ***Potential Impacts and Mitigation Measures***

The renovations to the Kupu Green Job Training Center will not have a negative impact on nearby public recreational facilities and are expected to have a positive impact on both the Kewalo Basin area and the extended local community. Kupu’s vision is to transform not only the existing Center, but also the nearby area, into an open and inclusive space for all. The Kewalo Basin Park area has previously suffered from issues related to crime, drugs, and homelessness. Kupu’s work in revitalizing the area over the past five years has helped to alleviate these issues by providing a positive presence and through responsible stewardship and caring for the land. Kupu has restored life back to the area by caring for park gardens,

shower areas, and surrounding spaces, as well as providing professional development and educational programs to disadvantaged youth from the greater Honolulu area.

The Kupu Green Job Training Center will further Kupu's efforts to make the Kewalo Basin area a better place. Kupu's programs held at the Center will: 1) equip youth with the skills and heart to lead Hawai'i toward a more sustainable future; 2) generate and strengthen partnerships that can serve as a global model of responsible stewardship and respect of our resources, people, and culture; and 3) benefit the community with educational displays, community workshops, and will become a staging point for service and engaging locals and visitors alike to make Hawai'i better.

The Center will allow Kupu to serve more youth and increase the depth of its award-winning programs which will improve the quality of life for their participants. It will develop and equip Hawai'i's next generation of leaders with specific skills needed to move Hawai'i forward and will create a community space in the growing Kaka'ako area that will engage the hearts, minds, and efforts of the community in areas that are important for Hawai'i's long-term viability. As the first center of its kind in Hawai'i and a state-of-the-art facility, Kupu's Green Job Training Center will allow Kupu to further educate people statewide and beyond about our culture and the important issue of sustainability.

Kupu's long-term lease of the Net Shed Building and surrounding grounds (Lease Area) will not reduce the amount of park space assessable to the public relative to conditions existing since approximately 2006. Kupu has been leasing the majority of the Net Shed Building from HCDA on a month-to-month basis since November 2011. Before that—between 2006 and 2010—HCDA leased the Net Shed Building to Hālau Kū Māna, a public charter school. Thus, Kupu's long term lease of the Lease Area will not result in a significant reduction of public park facilities in the Makai Area relative to conditions existing since at least 2006. The Net Shed Building was originally constructed in 1989/1990 for use as a fishing net storage and drying area by Honolulu's fishing fleet; however due to changes in the fishing fleet at Kewalo Basin, as well as changes in equipment (nylon nets are now used), the facility is no longer needed as a net drying shed.

Further, Kupu is not seeking to lease or limit access to any shoreline/promenade area. The Lease Area, the Park Improvement Area and the Project Area do not include the: 1) the existing and defined waterfront shoreline/promenade the within Kewalo Basin Park along the open ocean; 2) area of the proposed shoreline/promenade along the Kewalo Basin harbor channel; and 3) park groin area.

Kupu anticipates funding some limited improvements, which HCDA will make, in the Park Improvement Area between the Net Shed Building and the waterfront pedestrian promenade. These improvements may include: 1) a bioswale to improve drainage; 2) a patio area made with concrete pavers (approximately

4-feet x 4-feet) segmented with grass or gravel to allow for infiltration of water; and 3) expansion of the native plant garden. The Park Improvement Area will continue to be open to and accessible by the public.

In their pre-consultation letter dated September 17, 2014, the City and County of Honolulu Department of Parks and Recreation stated that the proposed renovations will have no impact on any program or facility of their department.

[This page left blank intentionally]

## 5 LAND USE CONFORMANCE

This section describes the State of Hawai‘i and City and County of Honolulu land use plans, policies, and ordinances relevant to the renovations of the existing Kupu Green Job Training Center. Each section includes discussion of how the project conforms to the plans and requirements.

### 5.1 STATE OF HAWAI‘I

#### 5.1.1 State of Land Use Law, Chapter 205, Hawai‘i Revised Statutes

The State Land Use Law (Chapter 205, HRS), establishes the State Land Use Commission and authorizes this body to designate all lands in the State into one of four Districts: “Urban,” “Rural,” “Agricultural,” or “Conservation.”

The Project Area is within the State Land Use Urban District (Figure 5). The Center is consistent with uses permitted in the Urban District.

#### 5.1.2 Coastal Zone Management Act, Chapter 205A, Hawai‘i Revised Statutes

The U.S. Congress enacted the Coastal Zone Management (CZM) Act to assist states in better managing coastal and estuarine environments. The act provides grants to states that develop and implement federally-approved CZM plans. The State of Hawai‘i’s CZM Act Program was enacted pursuant to Chapter 205A, HRS. The program outlines management objectives centered around ten areas: 1) Recreational Resources; 2) Historic Resources; 3) Scenic and Open Space Resources; 4) Coastal Ecosystems; 5) Economic Uses; 6) Coastal Hazards; 7) Managing Development; 8) Public Participation in Coastal Management; 9) Beach Protection; and 10) Marine Resources. All lands within the State of Hawai‘i fall within the CZM area, including the Project Area.

The Project Area is located within the SMA (Figure 8). The objectives and policies of the Hawai‘i CZM Program, along with a detailed discussion of how the renovations and improvements in the Project Area conform to these objectives and policies, are discussed below.

##### (1) *Recreational resources;*

**Objective:** Provide coastal recreational opportunities accessible to the public.

##### Policies

- Improve coordination and funding of coastal recreational planning and management; and
- Provide adequate, accessible, and diverse recreational opportunities in the coastal zone management area by:

- *Protecting coastal resources uniquely suited for recreational activities that cannot be provided in other areas;*
- *Requiring replacement of coastal resources having significant recreational value including, but not limited to surfing sites, fishponds, and sand beaches, when such resources will be unavoidably damaged by development; or requiring reasonable monetary compensation to the State for recreation when replacement is not feasible or desirable;*
- *Providing and managing adequate public access, consistent with conservation of natural resources, to and along shorelines with recreational value;*
- *Providing an adequate supply of shoreline parks and other recreational facilities suitable for public recreation;*
- *Ensuring public recreational uses of county, state, and federally owned or controlled shoreline lands and waters having recreational value consistent with public safety standards and conservation of natural resources;*
- *Adopting water quality standards and regulating point and nonpoint sources of pollution to protect, and where feasible, restore the recreational value of coastal waters;*
- *Developing new shoreline recreational opportunities, where appropriate, such as artificial lagoons, artificial beaches, and artificial reefs for surfing and fishing; and*
- *Encouraging reasonable dedication of shoreline areas with recreational value for public use as part of discretionary approvals or permits by the land use commission, board of land and natural resources, and county authorities; and crediting such dedication against the requirements of section 46-6;*

**Discussion:** The renovations to the Kupu Green Job Training Center and improvements in the Park Improvement Area will not have a negative impact on recreational resources and are expected to have a positive impact. The Center renovations and improvements in the Park Improvement Area will in no way restrict the existing public access to the ocean available through the adjacent Kewalo Basin Park. Kupu's vision is to transform not only the existing Center, but also the nearby waterfront area, into an open and inclusive space to be used for the public benefit. Kupu has strived to be a catalyst in revitalizing the area by providing a positive presence and through responsible stewardship and caring for the land. In addition, in their pre-consultation letter dated September 17, 2014, the City and County of Honolulu Department of Parks and Recreation stated that the proposed renovations will have no impact on any program or facility of their department.

**(2) *Historic resources;***

**Objective:** Protect, preserve and, where desirable, restore those natural and manmade historic and prehistoric resources in the coastal zone management area that are significant in Hawaiian and American history and culture.

**Policies**

- (A) Identify and analyze significant archaeological resources;
- (B) Maximize information retention through preservation of remains and artifacts or salvage operations; and
- (C) Support State goals for protection, restoration, interpretation, and display of historic resources.

**Discussion:** SHPD's determination for the proposed project is "no historic properties affected" as stated in their letter on the draft EA dated July 14, 2015. In the same letter SHPD also stated: "No surface historic properties are present. No subsurface historic properties are likely as Kewalo Basin and Kewalo Basin Park, in which the project is located, were constructed from dredging soils and fill materials."

Renovations and improvements in the Park Project Area will not restrict the existing public access to the ocean available through the adjacent Kewalo Basin Park. In addition, Kupu has had a positive impact on the cultural heritage of the area as its programs have re-introduced cultural practices such as canoe carving and native plant cultivation.

**(3) *Scenic and open space resources;***

**Objective:** Protect, preserve and, where desirable, restore or improve the quality of coastal scenic and open space resources.

**Policies:**

- Identify valued scenic resources in the coastal zone management area;
- Ensure that new developments are compatible with their visual environment by designing and locating such developments to minimize the alteration of natural landforms and existing public views to and along the shoreline;
- Preserve, maintain, and, where desirable, improve and restore shoreline open space and scenic resources; and
- Encourage those developments which are not coastal dependent to locate in inland areas.

**Discussion:** The Center has views of the Pacific Ocean, Lē'ahi (Diamond Head), and Waikīkī. These views are somewhat obstructed by large trees planted in Kewalo Basin Park makai of the Center. The renovations and improvements in the Project Area will not alter the panoramic views identified in the

Primary Urban Center Development Plan that are currently visible from the Center. The renovations also will not alter the existing quality of any significant stationary or roadway views defined in the City and County of Honolulu's 1987 *Coastal View Study*. The majority of the renovations will be done on an existing building and will not include any height or bulk change in the building.

**(4) Coastal ecosystems;**

**Objective:** Protect valuable coastal ecosystems, including reefs, from disruption and minimize adverse impacts on all coastal ecosystems.

**Policies:**

- (A) Exercise an overall conservation ethic, and practice stewardship in the protection, use, and development of marine and coastal resources;
- (B) Improve the technical basis for natural resource management;
- (C) Preserve valuable coastal ecosystems, including reefs, of significant biological or economic importance;
- (D) Minimize disruption or degradation of coastal water ecosystems by effective regulation of stream diversions, channelization, and similar land and water uses, recognizing competing water needs; and
- (E) Promote water quantity and quality planning and management practices that reflect the tolerance of fresh water and marine ecosystems and maintain and enhance water quality through the development and implementation of point and nonpoint source water pollution control measures.

**Discussion:** The Center will itself represent a source of sustainability – it will be a place to explore and develop concepts of island sustainability for islanders and the larger ‘global’ island from which to learn. Kupu is also dedicated to coastal, nearshore, and watershed conservation. The Center is located near the Pacific Ocean specifically to provide for direct study of marine conservation. Volunteers from Kupu have learned about traditional Hawaiian marine conservation and participated in Hawaiian fishpond management and service with several native fishpond non-profits, helped remove invasive algae from Kāne‘ohe Bay, and assisted with stream restoration projects. Kupu also has an EPA grant to remove marine debris. In 2014, Kupu volunteers cleaned 2,250 meters of coastline and removed more than 2,500 pounds of debris (the majority at Kahuku Beach). In addition, renovations to the Center will reduce the amount of impervious surface area due to increased landscaping. To reduce stormwater quality/quantity impacts, renovations to the Center will mimic existing on-site drainage conditions but peak flows are likely to decrease. Existing infrastructure will be replaced with new LID IMPs to manage stormwater flow permanently in way that better protects near-shore water quality from non-point pollution.

(5) **Economic uses;**

**Objective:** Provide public or private facilities and improvements important to the State's economy in suitable locations.

**Policies:**

- Concentrate coastal dependent development in appropriate areas;
- Ensure that coastal dependent development such as harbors and ports, and coastal related development such as visitor industry facilities and energy generating facilities, are located, designed, and constructed to minimize adverse social, visual, and environmental impacts in the coastal zone management area; and
- Direct the location and expansion of coastal dependent developments to areas presently designated and used for such developments and permit reasonable long-term growth at such areas, and permit coastal dependent development outside of presently designated areas when:
  - Use of presently designated locations is not feasible;
  - Adverse environmental effects are minimized; and
  - The development is important to the State's economy.

**Discussion:** The Center is coastal dependent in that it is important to Kupu's mission to showcase and explore marine conservation and island sustainability. The renovations are being done on an existing building in an area (Kewalo Basin) that has been and will continue to be used for coastal dependent activities, including commercial fishing, pleasure boat activities, tourist-oriented charter boating, and surfing.

(6) **Coastal hazards;**

**Objective:** Reduce hazard to life and property from tsunami, storm waves, stream flooding, erosion, subsidence, and pollution.

**Policies:**

- Develop and communicate adequate information about storm wave, tsunami, flood, erosion, subsidence, and point and non-point source pollution hazards;
- Control development in areas subject to storm wave, tsunami, flood, erosion, hurricane, wind, subsidence, and point and non-point source pollution hazards;
- Ensure that developments comply with requirements of the Federal Flood Insurance Program; and
- Prevent coastal flooding from inland projects.

**Discussion:** The renovations and improvements in the Project Area will not present or exacerbate any hazard condition relating to tsunamis, hurricanes, or other coastal hazards. However, the Project Area is

located in the one percent annual flood zone (Zone AE) and may be impacted by flooding during storms. Because the Project Area is near sea level, the potential impacts from flooding will be exacerbated as sea level rises as a result of global climate change. Kupu is using the Center for Island Climate Adaptation and Policy and the University of Hawai‘i Sea Grant’s recommendations to plan for a sea level rise of one foot by 2050 and three feet by 2100. The Center is built up well above sea level on an armored shoreline that is protected from erosion, and so a sea level rise of one to three feet will not have an inundation effect. Such a sea level rise may however increase the risk of flooding at the Center.

To mitigate against increased flood damage, in accord with the Chapter \_\_, Section 1.8 “Flood fringe areas,” ROH<sup>3</sup>, renovations to the Net Shed Building will include three-foot high (minimum) waterproofed concrete masonry unit or concrete sill walls around the building along with removable flood barriers at door openings. The walls will either be newly constructed or part of the existing concrete masonry unit walls. The walls will be certified by licensed surveyor that they reach or exceed the height of the base flood elevation. Renovations to the Center will also be designed to adhere to the rules and regulations of the National Flood Insurance Program as presented in Title 44 of the Code of Federal Regulations.

The potential impacts of hurricanes will be mitigated through designing all structures in compliance with the City and County of Honolulu’s building code. Impacts from natural hazards will be further mitigated by adherence to appropriate civil defense evacuation procedures. Kupu is currently developing an Enterprise Risk Management protocol, and it periodically participates in American Red Cross disaster preparedness and emergency shelter operations training.

**(7) *Managing development;***

**Objective:** *Improve the development review process, communication, and public participation in the management of coastal resources and hazards.*

**Policies:**

- (1) *Use, implement, and enforce existing law effectively to the maximum extent possible in managing present and future coastal zone development;*
- (2) *Facilitate timely processing of applications for development permits and resolve overlapping or conflicting permit requirements; and*
- (3) *Communicate the potential short and long-term impacts of proposed significant coastal developments early in their life cycle and in terms understandable to the public to facilitate public participation in the planning and review process.*

---

<sup>33</sup> As established by Ordinance 14-9, adopted May 7, 2014 by the Honolulu City Council.

**Discussion:** The purpose of this EA is to communicate the potential short and long-term impacts of the proposed renovations to the Kupu Green Job Training Center and improvements in the Park Improvement Area at an early stage in the process. After it is published, the Draft EA will be made available to agencies and stakeholders for review. In addition, during the design process for the renovations, Kupu met with general public and stakeholders including Friends of Kewalos, Pacific Century Fellows Program, University of Hawai‘i (UH) architecture students, President Obama Library Committee, Howard Hughes Corporation, NOAA, Kamehameha Schools, UH Natural Resource Environmental Management, Alexander and Baldwin, Office of Hawaiian Affairs, McKinley Community School for Adults, and Project Youth Outreach.

**(8)     *Public participation;***

**Objective:** Stimulate public awareness, education, and participation in coastal management.

**Policies:**

- Promote public involvement in coastal zone management processes;
- Disseminate information on coastal management issues by means of educational materials, published reports, staff contact, and public workshops for persons and organizations concerned with coastal issues, developments, and government activities; and
- Organize workshops, policy dialogues, and site-specific mediations to respond to coastal issues and conflicts.

**Discussion:** Kupu is an educational organization that, in part, aims to promote youth involvement in the stewardship of the coastal zone. Kupu was developed, in part, in response to the growing needs of Hawai‘i’s communities to train the next generation in natural resource management, renewable energy, energy conservation, and other green job skill sets that are essential to coastal zone management.

**(9)     *Beach protection;***

**Objective:** Protect beaches for public use and recreation.

**Policies:**

- Locate new structures inland from the shoreline setback to conserve open space, minimize interference with natural shoreline processes, and minimize loss of improvements due to erosion;
- Prohibit construction of private erosion-protection structures seaward of the shoreline, except when they result in improved aesthetic and engineering solutions to erosion at the sites and do not interfere with existing recreational and waterline activities; and
- Minimize the construction of public erosion-protection structures seaward of the shoreline.

**Discussion:** The Kupu Green Job Training Center encompasses an existing structure and a surrounding area that is primarily paved. It will not add any erosion protection structures and will not in any way restrict the existing public access to the ocean. Although the Center is located along a shoreline, the shoreline is hardened – there is no beach in the vicinity of the Center. Because of the man-made nature of the shoreline, the Center will not interfere with natural shoreline processes.

**(10) *Marine resources;***

**Objective:** *Promote the protection, use, and development of marine and coastal resources to assure their sustainability.*

**Policies:**

- *Ensure that the use and development of marine and coastal resources are ecologically and environmentally sound and economically beneficial;*
- *Coordinate the management of marine and coastal resources and activities to improve effectiveness and efficiency;*
- *Assert and articulate the interests of the State as a partner with Federal agencies in the sound management of ocean resources within the United States exclusive economic zone;*
- *Promote research, study, and understanding of ocean processes, marine life, and other ocean resources in order to acquire and inventory information necessary to understand how ocean development activities relate to and impact upon ocean and coastal resources; and*
- *Encourage research and development of new, innovative technologies for exploring, using, or protecting marine and coastal resources.*

**Discussion:** The renovations and improvements in the Project Area will not restrict the existing public access to nearby marine and coastal resources. Kupu is dedicated to coastal, nearshore, and watershed conservation. Kupu will not directly use marine and coastal resources, but the Center is located near the Pacific Ocean specifically to allow participants in Kupu's programs to perform direct study of marine conservation. Volunteers from Kupu have learned about traditional Hawaiian marine conservation from several native fishpond non-profits, helped remove invasive algae from Kāne'ohe Bay, and assisted with stream restoration projects. Kupu also has a U.S. Environmental Protection Agency grant to remove marine debris. In 2014, Kupu volunteers cleaned 2,250 meters of coastline and removed more than 2,500 pounds of debris (the majority at Kahuku Beach).

### **5.1.3 Hawai'i State Plan**

The Hawai'i State Plan (Chapter 226, HRS), establishes goals, objectives, priorities, and priority guidelines for growth, development, and the allocation of resources throughout the state. As requested by the State Office of Planning, below is discussion regarding the ability of the Center and improvements in the Park

Improvement Area to meet Hawai‘i State Plan planning objectives, policies, and priority guidelines related to: growth of a diversified economic base, potential growth activities (jobs training programs), and sustainability.

***§226-6 Objectives and policies for the economy--in general.***

*§226-6(2) Expand Hawaii's national and international marketing, communication, and organizational ties, to increase the State's capacity to adjust to and capitalize upon economic changes and opportunities occurring outside the State.*

***§226-10 Objective and policies for the economy--potential growth and innovative activities.***

*§226-10(8) Accelerate research and development of new energy-related industries based on wind, solar, ocean, underground resources, and solid waste.*

**Discussion:** Kupu’s purpose for the Center is to equip youth with the skills needed to facilitate the growth of the green economy and to create leadership in the growing green jobs sector, one of the fastest growing sectors of both the U.S. and Hawai‘i economy (DLIR, Research and Statistics Office, 2010).

Kupu was developed, in part, in response to the growing needs of Hawai‘i’s communities to train the next generation in natural resource management, renewable energy, energy conservation, and other green job skill sets. The Center will be the first “green” job training center of its kind in Honolulu and will meet the demands of this growing industry and exhibit to visitors and locals alike the concept of island sustainability and stewardship in a 21<sup>st</sup> century context. In this way, the Center will lead Hawai‘i toward a more sustainable future and build partnerships that can serve as a global model of responsible stewardship and a thriving community.

***§226-108 Sustainability***

*§226-108 Sustainability. Priority guidelines and principles to promote sustainability shall include:*

- *Encouraging balanced economic, social, community, and environmental priorities;*
- *Encouraging planning that respects and promotes living within the natural resources and limits of the State;*
- *Promoting a diversified and dynamic economy;*
- *Encouraging respect for the host culture;*
- *Promoting decisions based on meeting the needs of the present without compromising the needs of future generations;*
- *Considering the principles of the ahupuaa system; and*

- *Emphasizing that everyone, including individuals, families, communities, businesses, and government, has the responsibility for achieving a sustainable Hawaii.*

**Discussion:** The Center will itself represent a source of sustainability, through a facility that will include photovoltaic energy panels, hydroponics for food production, waterfront preservation, and micro-enterprise entrepreneurship. It will be a place for collaboration and discussion about the topics that Hawai‘i and other Pacific islands will face in the future. It will be a scalable model of island sustainability as well as economic and energy self-sufficiency; a community of interaction, learning, growth, and cooperation; and living and breathing aloha as a demonstration to the world. One of Kupu’s goals for the renovation of the Center is that it be certified as Platinum under the standards of LEED for New Schools.

Kupu encourages respect for the host culture through several of its programs, which aim to perpetuate Native Hawaiian cultural practices such as canoe carving, practicing oli, canoe navigation, and native plant cultivation.

In addition, the Center will promote a diversified and dynamic economy as the first “green” job training center of its kind in Honolulu. Kupu was developed, in part, in response to the growing needs of Hawai‘i’s communities to train the next generation in natural resource management, renewable energy, energy conservation, and other green job skill sets. The Center will meet the demands of this growing industry and exhibit to visitors and locals alike the concept of island sustainability and stewardship in a 21<sup>st</sup> century context. In this way, the Center will lead Hawai‘i toward a more sustainable future and build partnerships that can serve as a global model of responsible stewardship and a thriving community.

#### ***§226-109 Climate change adaptation priority guidelines.***

*§226-109 Priority guidelines to prepare the State to address the impacts of climate change, including impacts to the areas of agriculture; conservation lands; coastal and nearshore marine areas; natural and cultural resources; education; energy; higher education; health; historic preservation; water resources; the built environment, such as housing, recreation, transportation; and the economy shall:*

- (1) *Ensure that Hawaii's people are educated, informed, and aware of the impacts climate change may have on their communities;*
- (2) *Encourage community stewardship groups and local stakeholders to participate in planning and implementation of climate change policies;*
- (3) *Invest in continued monitoring and research of Hawaii's climate and the impacts of climate change on the State;*
- (4) *Consider native Hawaiian traditional knowledge and practices in planning for the impacts of climate change;*

- (5) Encourage the preservation and restoration of natural landscape features, such as coral reefs, beaches and dunes, forests, streams, floodplains, and wetlands, that have the inherent capacity to avoid, minimize, or mitigate the impacts of climate change;
- (6) Explore adaptation strategies that moderate harm or exploit beneficial opportunities in response to actual or expected climate change impacts to the natural and built environments;
- (7) Promote sector resilience in areas such as water, roads, airports, and public health, by encouraging the identification of climate change threats, assessment of potential consequences, and evaluation of adaptation options;
- (8) Foster cross-jurisdictional collaboration between county, state, and federal agencies and partnerships between government and private entities and other nongovernmental entities, including nonprofit entities;
- (9) Use management and implementation approaches that encourage the continual collection, evaluation, and integration of new information and strategies into new and existing practices, policies, and plans; and
- (10) Encourage planning and management of the natural and built environments that effectively integrate climate change policy.

**Discussion:** The renovations and improvements in the Project Area will not present or exacerbate any hazard condition relating to tsunamis, hurricanes, or other coastal hazards. However, the Project Area is located in the one percent annual flood zone (Zone AE) and may be impacted by flooding during storms. Because the Project Area is near sea level, the potential impacts from flooding will be exacerbated as sea level rises as a result of global climate change. Kupu is using the Center for Island Climate Adaptation and Policy and the University of Hawai‘i Sea Grant’s recommendations to plan for a sea level rise of one foot by 2050 and three feet by 2100. The Center is built up well above sea level on an armored shoreline that is protected from erosion, and so a sea level rise of one to three feet will not have an inundation effect. Such a sea level rise may however increase the risk of flooding at the Center.

To mitigate against increased flood damage, in accord with the Chapter \_\_\_, Section 1.8 “Flood fringe areas” of the Revised Ordinances of Honolulu (ROH)<sup>4</sup>, renovations to the Net Shed Building will include three-foot high (minimum) waterproofed concrete masonry unit or concrete sill walls around the building along with removable flood barriers at door openings. The walls will either be newly constructed or part of the existing concrete masonry unit walls. The walls will be certified by licensed surveyor that they reach or exceed the height of the base flood elevation.

---

<sup>4</sup> As established by Ordinance 14-9, adopted May 7, 2014 by the Honolulu City Council.

#### **5.1.4 Kaka'ako Community Development District Makai Area Rules (§15-23, HAR)**

The KCDD Makai Area Rules (§15-23, HAR) were enacted to guide the replanning, renewal, and redevelopment of the KCDD. Among the findings supporting the Rules is that the KCDD has the potential to become blighted and deteriorated if not redeveloped. Below is a discussion of the sections of the Makai Area Rules most relevant to the Kupu Green Job Training Center renovations and improvements in the Park Improvement Area.

##### ***§15-23-11 Development permits.***

(a) A development permit certifying that the development complies with this chapter and the makai area plan shall be obtained from the authority prior to the issuance of a building permit.

**Discussion:** The renovations to the existing Kupu Green Job Training Center constitute development under the definition of development in §15-23-5 that states, in part, that development means “enlargement of an existing building or use.” Kupu is adding a second floor mezzanine, which will add floor area. Therefore, Kupu will obtain a development permit prior to construction

##### ***§15-23-40 Park areas.***

Within areas designated "Park" (P), the following uses shall be permitted:

- (1) Amphitheaters;
- (2) Performing arts centers;
- (3) Museums, art galleries and workshops;
- (4) Aquariums and [marine] research facilities;
- (5) Active and passive recreation;
- (6) Gardens, greenhouses;
- (7) Parking;
- (8) Exploratoriums; and
- (9) Uses and structures which are customarily accessory and clearly incidental and subordinate to principal uses and structures. The authority may allow other uses, provided that such other uses shall further the purpose and intent of this chapter and the makai area plan.

In circumstances where there may be uncertainty about applicable provisions, the executive director shall determine which land use zone provisions apply.

**Discussion:** While not a specifically enumerated park use, the Kupu Green Job Training Center does “further the purpose and intent of this chapter [i.e., KCDD Makai Area Rules (§15-23, HAR)] and the makai area plan” as detailed below. The proposed land use change will require HCDA approval.

### **5.1.5 Kaka'ako Community Development District Makai Area Plan**

The KCDD Makai Area Plan sets forth a number of guidelines and principles to direct development of the Makai Area so that it becomes an active, vibrant area that is dedicated and attractive to the people of Hawai‘i. The Makai Area Plan is incorporated into the Makai Area Rules by reference (§15-23-4, HAR). The Center is in the land use zone “Park” and “Waterfront Commercial” (Figure 6). According to the Makai Area Plan, “within the ‘Park’ land use zone, cultural and educational uses along with a variety of active recreation activities will be allowed and encouraged, to provide additional public resources.”

**Discussion:** As an educational facility, the Kupu Green Job Training Center is consistent with the “Park” land use zone under HCDA’s Makai Area Plan.

The renovations to the Kupu Green Job Training Center will not have a negative impact on nearby public recreational facilities and are expected to have a positive impact on both the Kewalo Basin area and the extended local community. Kupu’s vision is to transform not only the existing Center, but also the nearby area, into an open and inclusive space for all. The Kewalo Basin Park area has previously suffered from issues related to crime, drugs, and homelessness. Kupu’s work in revitalizing the area over the past five years has helped to alleviate these issues by providing a positive presence and through responsible stewardship and caring for the land. Kupu has restored life back to the area by caring for park gardens, shower areas, and surrounding spaces, as well as providing professional development and educational programs to disadvantaged youth from the greater Honolulu area.

The Kupu Green Job Training Center will further Kupu’s efforts to make the Kewalo Basin area a better place. Kupu’s programs held at the Center will: 1) equip youth with the skills and heart to lead Hawai‘i toward a more sustainable future; 2) generate and strengthen partnerships that can serve as a global model of responsible stewardship and respect of our resources, people, and culture; and 3) benefit the community with educational displays, community workshops, and will become a staging point for service and engaging locals and visitors alike to make Hawai‘i better.

The Center will allow Kupu to serve more youth and increase the depth of its award-winning programs which will improve the quality of life for their participants. It will develop and equip Hawai‘i’s next generation of leaders with specific skills needed to move Hawai‘i forward and will create a community space in the growing Kaka‘ako area that will engage the hearts, minds, and efforts of the community in areas that are important for Hawai‘i’s long-term viability. As the first center of its kind in Hawai‘i and a state-of-the-art facility, Kupu’s Green Job Training Center will allow Kupu to further educate people statewide and beyond about our culture and the important issue of sustainability.

Kupu's long-term lease of the Net Shed Building and surrounding grounds (Lease Area) will not significantly reduce the amount of park space assessable to the public relative to conditions existing since approximately 2006. Kupu has been leasing the majority of the Net Shed Building from HCDA on a month-to-month basis since November 2011. Before that—between 2006 and 2010—HCDA leased the Net Shed Building to Hālau Kū Māna, a public charter school. Thus, Kupu's long term lease of the Lease Area will not result in a significant reduction of public park facilities in the Makai Area relative to conditions existing since at least 2006. The Net Shed Building was originally constructed in 1989/1990 for use as a fishing net storage and drying area by Honolulu's fishing fleet; however due to changes in the fishing fleet at Kewalo Basin, as well as changes in equipment (nylon nets are now used), the facility is no longer needed as a net drying shed.

Kupu anticipates funding some limited improvements, which HCDA will make, in the Park Improvement Area between the Net Shed Building and the waterfront pedestrian promenade. These improvements may include: 1) a bioswale to improve drainage; 2) a patio area made with concrete pavers (approximately 4-feet x 4-feet) segmented with grass or gravel to allow for infiltration of water; and 3) expansion of the native plant garden. The Park Improvement Area will continue to be open to and accessible by the public.

### **5.1.6 Kaka'ako Makai Conceptual Master Plan (2011)**

The *Kaka'ako Makai Conceptual Master Plan* (2011) depicts a shoreline promenade along the Kewalo Basin Channel edge. The plan also contains a guiding principal that states: "Protect and sustain the coastal environment for cultural uses including fishing, ocean gathering, surfing, and ocean navigation."

**Discussion:** Kupu acknowledges and respects that the *Kaka'ako Makai Conceptual Master Plan* (2011) depicts a shoreline promenade along the Kewalo Basin Channel. Kupu has no intent to oppose this pedestrian public access. Kupu also acknowledges and respects the plan's guiding principal that states: "Protect and sustain the coastal environment for cultural uses including fishing, ocean gathering, surfing, and ocean navigation."

Kupu is not seeking to lease or limit access to any shoreline/promenade area. The Lease Area, the Park Improvement Area and the Project Area do not include the: 1) the existing and defined waterfront shoreline/promenade the within Kewalo Basin Park along the open ocean; 2) area of the proposed shoreline/promenade along the Kewalo Basin harbor channel; and 3) park groin area.

### **5.1.7 Special Management Area**

The Center is within the Special Management Area. See Figure 8. Pursuant to §206E-8.5, HRS, all requests for developments within the SMA within a community development district, for which a community

development plan has been developed and approved in accordance with §206E-5, HRS (such as the KCDD), shall be submitted and reviewed by the Office of Planning. Because the cost of the renovations to the Center will exceed \$500,000, Kupu is required to obtain SMA use approval under §15-150-11(4), HAR. Prior to construction, Kupu will obtain a SMA use approval from the Office of Planning.

### **5.1.8 Shoreline Area**

Pursuant to §15-150-20, HAR, shoreline setback lines are established in community development districts (such as the KCDD) 40 feet inland from the certified shoreline. Some proposed improvements (such as landscaping and paving) in a portion of Park Improvement Area may be in the shoreline setback area (see Figure 3B in Appendix D). These proposed improvements would not adversely affect beach process and will not artificially fix the shoreline, as the shoreline in this area is formed by a rock revetment. However, Kupu will consult with the Office of Planning regarding these proposed improvements and will apply for a shoreline setback variance if required.

## **5.2 CITY AND COUNTY OF HONOLULU**

County-specific land use plans and ordinances pertaining to the Project include the O‘ahu General Plan, Central O‘ahu Sustainable Community Plan and Land Use Ordinance.

### **5.2.1 General Plan for the City and County of Honolulu**

The General Plan for the City and County of Honolulu is the policy document for the long-range development of the Island of O‘ahu. The General Plan is a statement of social, economic, environmental, and design objectives for the general welfare and prosperity of the people of O‘ahu. These objectives contain desirable conditions to be sought in the 20-year planning horizon. The General Plan also includes policies to help direct attainment of the plan’s objectives. It was originally adopted in 1977 and most recently amended in 2002.

**Discussion:** The renovations and improvements in the Project Area are in conformance with the relevant objectives and policies of General for the City and County of Honolulu. In particular, the renovations to the Center advance the objectives related to economic activity, energy, and the natural environment. Construction of the renovations will provide economic benefits in the form of construction jobs, construction spending, and multiplier effects on the local economy. In addition, Kupu’s purpose for the Center is to equip youth with the skills needed to facilitate the growth of the green economy and to create leadership in the growing green jobs sector, one of the fastest growing sectors of the Hawai‘i economy (DLIR, Research and Statistics Office, 2010). Kupu was developed, in part, in response to the growing needs of Hawai‘i’s communities to train the next generation in natural resource management, renewable energy, energy conservation, and other green job skill sets.

In conformance with and furtherance of the General Plan’s objectives and policies on the natural environment and energy, the Center will itself represent a source of sustainability, through a facility that will include photovoltaic energy panels, hydroponics for food production, waterfront preservation, LID stormwater features, and micro-enterprise entrepreneurship. It will be a place for collaboration and discussion about the topics that Hawai‘i and other Pacific islands will face in the future. Additionally, one of Kupu’s goals for the renovation of the Center is that it be certified as Platinum under the standards of the U.S. Green Building Council’s LEED for New Schools.

### **5.2.2 Primary Urban Center Development Plan**

The Primary Urban Center (PUC) Development Plan is intended to help guide public policy, investment, and decision-making through the 2025 planning horizon. The PUC is one of two areas on O‘ahu where major growth in population and economic activity will be directed. The PUC’s Vision for Honolulu emphasizes retaining the qualities that attract both residents and visitors while encouraging growth and redevelopment to accommodate the projected increases in jobs and residential population.

**Discussion:** The renovations and improvements in the Project Area are in conformance with the relevant policies and guidelines of PUC Development Plan. In particular, the renovations further the PUC’s goal of making Honolulu “the Pacific’s leading city and travel destination.” Kupu’s vision is to transform not only the existing Center, but also the nearby waterfront area, into an open and inclusive space to be used for the public benefit. Kupu has strived to be a catalyst in revitalizing the area by providing a positive presence and through responsible stewardship and caring for the land. The Center will create a “piko,” or center, of O‘ahu with the first-of-its-kind facility for creating leadership in the growing green jobs sector, one of the fastest growing sectors of the Hawai‘i economy (DLIR, Research and Statistics Office, 2010). In addition, the Center will be a place for collaboration and discussion about the topics that Hawai‘i and other Pacific islands will face in the future.

### 5.2.3 Major Approvals Required/Responsible Agency

Permit/Approval	Responsible Agency
Lease Agreement	HCDA
Development Permit	
Special Management Area (SMA) Major Permit	State of Hawai'i Office of Planning
Shoreline Setback Variance (if needed)	
Storm Drain Connection Application (if new connection is made)	City and County of Honolulu Department of Planning and Permitting
Grading Permit	
Building Permit	
Sewer Connection Application & Wastewater System Facilities Charges	

[This page left blank intentionally]

## 6 ALTERNATIVES

### 6.1 NO ACTION

Under the No Action Alternative, the Kupu Green Job Training Center (Net Shed Building and surrounding grounds) would remain in its current condition. Kupu's goals and programs would be hampered as the existing Center is not enclosed, and the interior space is not sufficiently separated to serve Kupu's various programmatic needs. Kupu would like to increase the number of youth it serves through the Green Job Training Center, and the existing space does adequately support a larger operation. In addition, the environmental benefits of the renovations, particularly the reduced peak stormwater flow and net zero energy use, would not be realized.

The No Action Alternative would deprive the community of Kupu's vision to transform not only the existing Center, but also the nearby area, into an open and inclusive space to be used for the public benefit and serve as the heartbeat of sustainability, environmental restoration, and community and cultural collaboration. These reasons make the No Action Alternative an undesirable alternative.

### 6.2 ALTERNATIVE LOCATION: NOAA SITE

As an alternative to the renovation of the Net Shed Building and surrounding grounds (Lease Area), a potential alternative is locating the Kupu Green Job Center completely within, or on a portion of, the “NOAA Site” (TMK (1) 2-101-58-127 and TMK (1) 2-101-58-061, see Figure 2). Previously, this was not an alternative considered as HCDA had issued a request for proposal (RFP) for an entity or entities to plan, design, construct, finance, and operate a mixed use facility on the NOAA Site. In the RFP, HCDA envisioned that such a facility would provide space for both commercial and community-based uses. There may be the possibility that HCDA would consider the use of the NOAA Site (or a portion of the NOAA Site) for the Kupu Green Job Center or as part of a second phase or expansion of the Center after the Net Shed Building is renovated.

Historically, the NOAA Site served as a research facility for NOAA and also housed offices of the Kewalo Basin Harbor Master. Currently, a good portion of the Site is vacant or unused, but tenants include the Kewalo Basin Harbor Master and the City and County of Honolulu, Emergency Medical Services Lifeguard Division. There is existing building on the Site that is slightly larger than the Net Shed Building and there are also several shipping containers and other storage facilities.

Under the alternative of locating the Kupu Green Job Training Center on the NOAA Site, the existing building would likely be demolished and a new building would be built for the Kupu Green Job Training

Center. This new building could possibly also include space for one or both of the existing tenants. Based on the condition of the existing building it seems unlikely that could be renovated.

Locating the Kupu Green Job Training Center on the NOAA Site would have the same or substantially similar benefits, potential impacts, and proposed mitigation measures as renovating the Net Shed building, in that Kupu would still have the same overall positive impact on the surrounding Kewalo Basin area and the Center would be constructed in same sustainable manner as proposed for the renovations to Net Shed Building and surrounding grounds. More specifically the benefits, potential impacts, and proposed mitigation measures discussed throughout in this EA relating to the renovation of the Net Shed Building would remain the same or substantially similar. This would include the same or substantially similar benefits, potential impacts, and proposed mitigation measures related to:

- Kupu’s mission to empower Hawai‘i’s youth to serve their communities;
- Kupu’s goals to better serve its programs, participants, volunteers, and the larger community;
- Kupu’s vision to transform not only the existing Center, but also the nearby area, into an open and inclusive space for all;
- Kupu’ s vision of providing expanded workshops and community engagement activities for all;
- Sustainable planning and design, in that Kupu would still design and build the Center with the goal of seeking LEED Platinum certification;
- The natural environment, in that locating the Center on the NOAA site would not alter potential impacts and proposed mitigation measures discussed in Chapter 3 of this EA related to climate, geology and topography, soils, ground and surface water, natural hazards, and flora and fauna;
- The human environment, in that locating the Center on the NOAA site would not alter potential impacts and proposed mitigation measures discussed in Chapter 4 of this EA relating to archeological resources, cultural resources, visual resources, noise, air quality, roadways and traffic, infrastructure and utilities, socio-economic characteristics, public services and facilities, with the exception of the potential impact to a historic structure, as the existing building on the NOAA Site may be considered a historic building if it is more than 50 years old;
- Land use conformance, in that locating the Center on the NOAA Site would be consistent with relevant government land use plans, policies, and ordinances discussed in Chapter 5 of this EA, with the exception that the NOAA Site is entirely within the “Waterfront Commercial” land use zone designated under the KCDD Makai Area Rules (§15-23, HAR) and thus would not be partially within the “Park” land use zone.

Further, the analysis related to the Significance Criteria regarding what constitutes a Finding of No Significant Impact (FONSI) (discussed in Section 7.1 of this EA) would be substantially similar and it would be expected that HCDA (the Approving Authority) could make the same determination of a FONSI as with the renovation of the Net Shed Building.

However, the alternative of locating the Kupu Green Job Training Center on the NOAA Site is not the preferred alternative for several reasons, including:

- Kupu's renovation of the Net Shed Building will not result in the reduction of public park facilities in the Makai Area relative to conditions existing since at least 2006, as Kupu has leased the majority of the Net Shed Building from HCDA on a month-to-month basis since 2010 and before that—between 2006 and 2010—HCDA leased the Net Shed Building to Hālau Kū Māna, a public charter school;
- Kupu's presence and work in revitalizing the area over the past five years has helped to alleviate issues related to crime, drugs, and homelessness by providing a positive presence and through responsible stewardship and caring for the land;
- Kupu's activities at the Net Shed Building over the past five years have been consistent with HCDA guidelines and goals to activate Kewalo Basin Park ;
- Kupu has expended extensive time and donated funds to plan for the renovation of the Net Shed Building, including securing significant funding commitments in the form of State funding, grants, and other contributions which could be placed in serious jeopardy if the location were changed. Kupu's fundraising for the Center has specifically focused on the renovation of the Net Shed Building; thus changing locations at this point, could endanger funding already committed;
- Kupu's efforts to expand its facilities and programs would be significantly delayed (perhaps by many years) with the relocation to the NOAA Site, as current plans and designs would have to be scrapped and initiation of entirely new plans and designs would be necessary;
- Funds already expended for plans and designs would essentially be “squandered” if current plans and designs were scrapped;
- Additional fundraising would be necessary for completely new plans and designs;
- The costs to build the Center on the NOAA Site would likely be much more than renovating the Net Shed Building as it may be necessary to demolish the existing building on the NOAA Site and build a completely new facility;
- Building a completely new facility may impact the goal of LEED Platinum certification as a new facility would not qualify as adaptive reuse an existing building under the LEED certification criteria; and
- Revenue generation opportunities for HCDA associated with the “Waterfront Commercial” land use designation of the NOAA Site may be substantially diminished.

### **6.3 OTHER ALTERNATE LOCATIONS**

Kupu explored several other sites as potential locations for its Green Job Training Center. The other sites were not as centrally located to the youth that Kupu serves as the existing Center. In addition, they did not

have the proximity to public transportation services on which most of Kupu’s youth rely. Finally, renovations to the buildings on the alternative sites would have been cost prohibitive. These reasons make the Other Alternate Locations Alternative an undesirable alternative.

## 7 FINDINGS AND DETERMINATION

To determine whether the renovations to the existing Kupu Green Job Training Center may have a significant impact on the physical and human environment, all phases and expected consequences of the proposed project have been evaluated, including potential primary, secondary, short-range, long-range, and cumulative impacts. Based on this evaluation, the Approving Agency (State of Hawai‘i HCDA) has issued a Finding of No Significant Impact (FONSI). The supporting rationale for this finding is presented below.

### 7.1 SIGNIFICANCE CRITERIA

The discussion below evaluates the significance of the Project’s impacts based upon the Significance Criteria set forth in Hawai‘i Administrative Rules section 11-200-12.

- (1) *Involves an irrevocable commitment to loss or destruction of any natural or cultural resource;*

**Discussion:** The renovations and improvements in the Project Area will not involve an irrevocable commitment to, loss, or destruction of any natural or cultural resource. The renovations and improvements are being done on an existing building and within an existing park that are located on dredged land that did not exist in place until 1955.

The Center will itself represent a source of sustainability, through a facility that will include photovoltaic energy panels, hydroponics for food production, waterfront preservation, and micro-enterprise entrepreneurship. One of Kupu’s goals for the renovation of the Center is that it be certified as Platinum under the standards of the LEED for New Schools.

SHPD’s determination for the proposed project is “no historic properties affected” as stated in their letter on the draft EA dated July 14, 2015. In the same letter SHPD also stated: “No surface historic properties are present. No subsurface historic properties are likely as Kewalo Basin and Kewalo Basin Park, in which the project is located, were constructed from dredging soils and fill materials.”

The Project Area has likely not been used for cultural purposes in recent times except potentially for fishing. However, the Center renovations and park improvements will not restrict the existing public access to the ocean available through the adjacent Kewalo Basin Park. In fact, Kupu has had a positive impact on the cultural heritage of the area as its programs have re-introduced cultural practices such as canoe carving and native plant cultivation.

(2) *Curtails the range of beneficial uses of the environment;*

**Discussion:** The renovations and improvements in the Project Area will not curtail the range of beneficial uses of the environment. The renovations are being done on an existing building and within an existing park that are located on dredged land that did not exist in place until 1955. The Center renovations and park improvements will not restrict the existing public access to the ocean available through the adjacent Kewalo Basin Park. The renovations will allow Kupu to better use the environment, particularly through reduced peak stormwater flow and net zero energy use.

(3) *Conflicts with the State's long term environmental policies or goals and guidelines as expressed in Chapter 344, HRS; and any revisions thereof and amendments thereto, court decisions, or executive orders;*

**Discussion:** The environmental policies enumerated in Chapter 344, HRS promote conservation of natural resources, and an enhanced quality of life for all citizens. The renovations and improvements in the Project Area are not expected to significantly impact any natural resources. The Center will itself represent a source of sustainability, through a facility that will include photovoltaic energy panels, hydroponics for food production, waterfront preservation, and micro-enterprise entrepreneurship. It will be a place for collaboration and discussion about the topics that Hawai‘i and other Pacific islands will face in the future, thereby reaching beyond the youth it serves directly to enhance quality of life for all citizens of Hawai‘i.

(4) *Substantially affects the economic or social welfare of the community or State;*

**Discussion:** The renovations to the Kupu Green Job Training Center are likely to have a positive impact on the economic and social welfare of the community and state. Construction of the renovations will provide economic benefits in the form of construction jobs, construction spending, and multiplier effects on the local economy. In addition, Kupu’s purpose for the Center is to equip youth with the skills needed to facilitate the growth of the green economy and to create leadership in the growing green jobs sector, one of the fastest growing sectors of the Hawai‘i economy (DLIR, Research and Statistics Office, 2010). Kupu was developed, in part, in response to the growing needs of Hawai‘i’s communities to train the next generation in natural resource management, renewable energy, energy conservation, and other green job skill sets. The Center will be the first “green” job training center of its kind in Honolulu and will meet the demands of this growing industry. In this way, the Center will lead Hawai‘i toward a more sustainable future and build partnerships that can serve as a global model of responsible stewardship and a thriving community.

The renovated Center also will allow Kupu to better serve its programs, participants, volunteers, and the larger community. In 2013-2014, Kupu provided hundreds of paid internships, engaged over 11,000 volunteers, and provided benefits to Hawai‘i valued at nearly \$7 million. Kupu’s volunteers provided over

230,000 service hours. Kupu distributed nearly half a million dollars in college and continued education funds to Hawai‘i’s youth. Since its inception in 2007, Kupu has had a cumulative economic benefit of over \$42 million (Kupu, 2015).

(5) *Substantially affects public health;*

**Discussion:** The renovations and improvements in the Project Area are envisioned to have a substantially positive affect on public health. The renovations are critical in multiplying and expanding the impact of Kupu’s programs statewide. From the Center, Kupu will develop the next generation of local talent to take the helm of the new “green” industries moving in Hawai‘i. The Center will equip youth with the skills and heart to lead the state toward a more sustainable future. Kupu’s vision is to transform not only the existing Center, but also the surrounding waterfront area, into an open and inclusive space to be used for the public benefit and serve as a model of sustainability, environmental restoration, and community and cultural collaboration.

(6) *Involves substantial secondary impacts, such as population changes or effects on public facilities;*

**Discussion:** The renovations and improvements in the Project Area will not have substantial secondary impacts. The renovations will not include residential use and thus will not add any permanent population. Proposed hydrology and drainage patterns for the Center are expected to mimic existing conditions, but peak flows are expected to decrease due to increased landscaped areas and installation of new LID features.

The renovated Center is not expected to have a negative impact on nearby public recreational facilities and may in fact have a positive impact. Kupu’s vision is to transform not only the existing Center, but also the nearby waterfront area, into an open and inclusive space to be used for the public benefit. Kupu has strived to be a catalyst in revitalizing the area by providing a positive presence and through responsible stewardship and caring for the land.

The renovations to the Kupu Green Job Training Center will not have a negative impact on nearby public recreational facilities and are expected to have a positive impact on both the Kewalo Basin area and the extended local community. Kupu’s vision is to transform not only the existing Center, but also the nearby area, into an open and inclusive space for all. The Kewalo Basin Park area has previously suffered from issues related to crime, drugs, and homelessness. Kupu’s work in revitalizing the area over the past five years has helped to alleviate these issues by providing a positive presence and through responsible stewardship and caring for the land. Kupu has restored life back to the area by caring for park gardens, shower areas, and surrounding spaces, as well as providing professional development and educational programs to disadvantaged youth from the greater Honolulu area.

The Kupu Green Job Training Center will further Kupu's efforts to make the Kewalo Basin area a better place. Kupu's programs held at the Center will: 1) equip youth with the skills and heart to lead Hawai'i toward a more sustainable future; 2) generate and strengthen partnerships that can serve as a global model of responsible stewardship and respect of our resources, people, and culture; and 3) benefit the community with educational displays, community workshops, and will become a staging point for service and engaging locals and visitors alike to make Hawai'i better.

The Center will allow Kupu to serve more youth and increase the depth of its award-winning programs which will improve the quality of life for their participants. It will develop and equip Hawai'i's next generation of leaders with specific skills needed to move Hawai'i forward and will create a community space in the growing Kaka'ako area that will engage the hearts, minds, and efforts of the community in areas that are important for Hawai'i's long-term viability. As the first center of its kind in Hawai'i and a state-of-the-art facility, Kupu's Green Job Training Center will allow Kupu to further educate people statewide and beyond about our culture and the important issue of sustainability.

Kupu's long-term lease of the Net Shed Building and surrounding grounds (Lease Area) will not reduce the amount of park space assessable to the public relative to conditions existing since approximately 2006. Kupu has been leasing the majority of the Net Shed Building from HCDA on a month-to-month basis since November 2011. Before that—between 2006 and 2010—HCDA leased the Net Shed Building to Hālau Kū Māna, a public charter school. Thus, Kupu's long term lease of the Lease Area will not result in the reduction of public park facilities in the Makai Area relative to conditions existing since at least 2006. The Net Shed Building was originally constructed in 1989/1990 for use as a fishing net storage and drying area by Honolulu's fishing fleet; however due to changes in the fishing fleet at Kewalo Basin, as well as changes in equipment (nylon nets are now used), the facility is no longer needed as a net drying shed.

Further, Kupu is not seeking to lease or limit access to any shoreline/promenade area. The Lease Area, the Park Improvement Area and the Project Area do not include the: 1) the existing and defined waterfront shoreline/promenade the within Kewalo Basin Park along the open ocean; 2) area of the proposed shoreline/promenade along the Kewalo Basin harbor channel; and 3) park groin area.

(7) *Involves a substantial degradation of environmental quality;*

**Discussion:** The renovations and improvements in the Project Area will not involve a substantial degradation of environmental quality. In many ways, the renovations and improvements will improve the environmental quality of the area. The renovations and improvements are being done on an existing building existing park that are located on dredged land that did not exist in place until 1955. The Center will itself represent a source of sustainability, through a facility that will include photovoltaic energy

panels, hydroponics for food production, waterfront preservation, and micro-enterprise entrepreneurship. One of Kupu’s goals for the renovation of the Center is that it be certified as Platinum under the standards of the LEED for New Schools.

- (8) *Is individually limited but cumulatively has considerable effect on the environment, or involves a commitment for larger actions;*

**Discussion:** The renovated Center is envisioned to contribute toward a considerable positive effect on the environment by allowing Kupu to better train the next generation in natural resource management, renewable energy, energy conservation, and other green job skill sets. The Center will be the first “green” job training center of its kind in Honolulu and will meet the demands of the growing green jobs industry. In this way, the Center will lead Hawai‘i toward a more sustainable future and build partnerships that can serve as a global model of responsible stewardship and a thriving community.

- (9) *Substantially affects a rare, threatened or endangered species or its habitat;*

**Discussion:** No rare, threatened, or endangered plants or animals are known to exist in the Project Area. As such, no mitigation measures are warranted or planned. The renovations and improvements in the Park Project Area are not anticipated to have any significant impact to existing flora onsite as the plants do not naturally occur in the area (given the man-made nature of the land), and the fauna is likely exclusively non-native. Following the USFWS’s recommendations to protect Hawaiian seabirds and specifically White fairy Terns, the contractor for the Center renovations will examine all trees slated to be cut for signs that White fairy Terns are present. Signs include an accumulation of white feathers or white droppings underneath the tree or structure.

- (10) *Detrimentally affects air or water quality or ambient noise levels;*

**Discussion:** No state or federal air quality standards will be violated during or after the renovations and improvements in the Project Area. The only anticipated issues related to air quality may be during construction; however, construction activities would be temporary. Long-term negative impacts related to air quality are not expected.

No state or federal water quality standards will be violated during or after the Center renovation or park improvements. Proposed hydrology and drainage patterns for the Center are expected to mimic existing conditions, but peak flows are expected to decrease due to increased landscaped areas and installation of new LID features.

Construction activities will inevitably create temporary noise impacts. If necessary, contractors will employ mitigation measures to minimize those temporary noise impacts including the use of mufflers and

implementing construction curfew periods. Pursuant to Chapter 11-46, HAR, all construction activities must comply with all community noise controls. Long-term noise impacts are expected to return to preconstruction levels.

(11) *Affects or is likely to suffer damage by being located in an environmentally sensitive area, such as a flood plain, tsunami zone, beach, erosion-prone area, geologically hazardous land, estuary, fresh water, or coastal waters;*

**Discussion:** The renovations and improvements in the Project Area are not likely to affect an environmentally sensitive area. According to the FIRM prepared by FEMA, National Flood Insurance Program, the Project Area is designated as Zone AE, inundation by the one-percent-annual-chance flood. To mitigate against increased flood damage, in accord with Chapter \_\_, Section 1.8 “Flood fringe areas,” ROH<sup>5</sup>, renovations to the existing Net Shed Building will include three-foot high (minimum) waterproofed concrete masonry unit or concrete sill walls around the building along with removable flood barriers at door openings. The walls will either be newly constructed or part of the existing concrete masonry unit walls. The walls will be certified by licensed surveyor that they reach or exceed the height of the base flood elevation.

(12) *Substantially affects scenic vistas and view planes identified in County or State plans or studies; or,*

**Discussion:** The renovations and improvements in the Project Area will not substantially affect scenic vistas and view planes identified in county or state plans or studies. Specifically, the renovations and improvements will not alter the panoramic views identified in the Primary Urban Center Development Plan that are currently visible from the Project Area. The renovations also will not alter the existing quality of any significant stationary or roadway views defined in the City and County of Honolulu’s 1987 *Coastal View Study*. The renovations will be done on an existing building and will not include any height or bulk change in the building. Existing trees in the Project Area will remain, and no additional trees that could potentially block views are proposed.

(13) *Requires substantial energy consumption.*

**Discussion:** The renovations to the Center and improvements in the Park Improvement Area will not require substantial energy consumption. In fact, the renovations will significantly decrease the electrical demand from existing conditions as the Center will become a net zero energy facility. The renovations will include the installation of photovoltaic panels that will meet all of the energy needs of the Center.

---

<sup>55</sup> As established by Ordinance 14-9, adopted May 7, 2014 by the Honolulu City Council.

## **7.2 DETERMINATION**

Pursuant to Chapter 343, HRS, the State of Hawai‘i HCDA has issued a Finding of No Significant Impact (FONSI) based on this Environmental Assessment. This finding is founded on the basis of impacts and mitigation measures examined in this document, public comments received during the pre-consultation and public review phases, and analyzed under the above criteria.

[This page left blank intentionally]

## 8 CONSULTATION

In the course of planning for the renovations to the existing Kupu Green Job Training Center, a pre-consultation letter was mailed out to government agencies and community stakeholders.

### 8.1 PRE-CONSULTATION

A pre-consultation letter regarding renovations to the Center was provided to following individuals, community organizations, private groups, and government agencies. The information notified them that an EA was being prepared and solicited concerns or comments. Those with an asterisk provided comments. The comments received and corresponding responses are reproduced in Appendix A.

#### STATE

- Office of Environmental Quality Control
- Department of Accounting and General Services\*
- HCDA
- Department of Business, Economic Development & Tourism (DBEDT)
- DBEDT - Energy Division
- DBEDT - Office of Planning\*
- Department of Defense
- Department of Education
- Department of Hawaiian Home Lands
- Department of Health\*
- Department of Human Services\*
- Department of Labor and Industrial Relations\*
- Department of Land and Natural Resources (DLNR)\*
- DLNR - Historic Preservation Division\*
- Department of Transportation\*
- Hawai‘i Housing Finance and Development Corporation
- Office of Hawaiian Affairs\*
- UH Water Resources Research Center

#### FEDERAL

- U.S. Army - Engineer Division\*
- U.S. Fish and Wildlife Service\*
- National Marine Fisheries Service\*
- Federal Emergency Management Agency

## CITY AND COUNTY OF HONOLULU

- Department of Community Services
- Department of Environmental Services
- Department of Design and Construction\*
- Department of Facility Maintenance\*
- Department of Parks and Recreation\*
- Department of Community Services\*
- Board of Water Supply\*
- Fire Department\*
- Department of Planning and Permitting\*
- Police Department\*
- Department of Transportation Services\*

## ELECTED OFFICIALS

- Senator Brickwood Galuteria
- Representative Tom Brower
- Representative Scott Saiki
- Councilmember Stanley Chang
- Chair Larry Hurst, Neighborhood Board No. 11

## CITIZEN GROUPS/INDIVIDUALS, CONSULTED PARTIES

- Hawaiian Electric Company, Inc.\*
- Friends of Kewalos\*
- Kewalo Keiki Fishing Conservancy
- The Howard Hughes Corporation
- Obama Library Committee\*
- Kewalo Basin Harbor Master

## 8.2 DRAFT ENVIRONMENTAL ASSESSMENT

The Draft EA underwent a 30-day public comment period (from June 23, 2015 to July 23, 2015). The Draft EA was distributed to the following agencies, organizations, and individuals. The State Office of Environmental Quality Control (OEQC) also published a link to the document in *The Environmental Notice* on July 23, 2015. Those with an asterisk provided comments. Comments received on the Draft EA and responses are reproduced in Appendix A.

## **STATE**

- Office of Environmental Quality Control
- Department of Accounting and General Services\*
- HCDA
- Department of Business, Economic Development & Tourism (DBEDT)
- DBEDT - Energy Division
- DBEDT - Office of Planning\*
- Department of Defense\*
- Department of Education\*
- Department of Hawaiian Home Lands
- Department of Health, Environmental Planning Office\*
- Department of Health, Clean Water Branch\*
- Department of Human Services\*
- Department of Labor and Industrial Relations
- Department of Land and Natural Resources (DLNR)\*
- DLNR - Historic Preservation Division\*
- Department of Transportation, Airports Division\*
- Department of Transportation, Highways Division\*
- Hawai‘i Housing Finance and Development Corporation
- Office of Hawaiian Affairs\*
- UH Water Resources Research Center

## **FEDERAL**

- U.S. Army - Engineer Division
- U.S. Fish and Wildlife Service
- National Marine Fisheries Service
- Federal Emergency Management Agency

## **CITY AND COUNTY OF HONOLULU**

- Department of Community Services\*
- Department of Environmental Services
- Department of Design and Construction\*
- Department of Facility Maintenance\*
- Department of Parks and Recreation\*
- Department of Community Services

- Board of Water Supply
- Fire Department\*
- Department of Planning and Permitting\*
- Police Department\*
- Department of Transportation Services\*

## **LIBRARIES**

- Hawai‘i State Library

## **NEWS MEDIA**

- Honolulu Star Advertiser

## **ELECTED OFFICIALS**

- Senator Brickwood Galuteria
- Representative Tom Brower
- Representative Scott Saiki
- Councilmember Stanley Chang
- Chair Larry Hurst, Neighborhood Board No. 11

## **CITIZEN GROUPS/INDIVIDUALS, CONSULTED PARTIES**

- Hawaiian Electric Company, Inc.\*
- Friends of Kewalos\*
- Kewalo Keiki Fishing Conservancy
- The Howard Hughes Corporation
- Obama Library Committee
- Kewalo Basin Harbor Master

## 9 REFERENCES

- Department of Business, Economic Development and Tourism (DBEDT). (2014, June). Kaka‘ako, Urban Core Living.
- Department of Labor and Industrial Relations (DLIR), Research and Statistics Office. (2010). *Hawai‘i's Green Workforce: A Baseline Assessment*.
- Helbert Hastert & Fee, Planners, Inc. (2011). *Kewalo Basin Harbor Repair Final Environmental Impact Statement*. Hawai‘i Community Development Authority.
- Kupu. (2015). *2013-2014 Annual Report*.
- National Oceanic and Atmospheric Administration. (2014). *Sea Level Trends*. Retrieved December 15, 2014, from Tides and Currents: <http://tidesandcurrents.noaa.gov/slrends/slrends.html>
- Office of Hawaiian Affairs. (2013). *Kaka‘ako Makai Land Management and Development Design Services*.
- The Economic Research Organization at the University of Hawai‘i. (2014, October 24). UHERO State Forecast Update, Public Summary: Hawaii's Economy in Need of an Engine. <http://www.uhero.hawaii.edu/assets/14Q4StateUpdatePublicSummary.pdf>.
- The Limtiaco Consulting Group and EnviroServices & Training Center, LLC. (2009). *Environmental Hazard Evaluation: Kakaako Makai District*. Hawai‘i Community Development Authority.
- U.S. Census Bureau. (2014). *2009-2013 American Community Survey 5-Year Estimates*.
- University of Hawai‘i at Mānoa. (2010). *Remembering Kaka‘ako: 1910-1950*. Retrieved December 15, 2014, from College of Social Sciences Center for Oral History: <http://www.oralhistory.hawaii.edu/pages/community/kakaako.html>
- University of Hawai‘i Coastal Geology Group. (2013). *Oahu*. Retrieved December 15, 2014, from School of Ocean and Earth Science and Technology Coastal Geology Group Coastal Imagery and Data: <http://www.soest.hawaii.edu/coasts/publications/hawaiiCoastline/oahu.html>
- Voss, O., & Slater, C. (2010, December). *Oahu*. Retrieved December 15, 2014, from Hawaii Highways: <http://www.hawaiihighways.com/oahu.htm#table1>
- Wiegel, R. (2008). Waikiki Beach, Oahu, Hawaii: History of its transformation from a natural to an urban shore. *Shore & Beach*, 3-30.
- Wu, N. (2007, August 3). Kakaako rich with Hawaiian history. *Honolulu Star Bulletin*, p. <http://archives.starbulletin.com/2007/08/03/business/story02.html>.
- Young, P. T. (2013, June 2). *Kewalo Basin*. Retrieved December 15, 2014, from Ho‘okuleana: <http://totakeresponsibility.blogspot.com/2013/06/kewalo-basin.html>

[This page left blank intentionally]

**APPENDIX A:**  
**CONSULTATION CORRESPONDENCE**



**CONSULTATION COMMENTS & RESPONSES**

<b>Agencies/Organizations/Individuals</b>	<b>Pre-Consultation Sent</b>	<b>Comment Date</b>
Hawai'i Community Development Authority	Yes	
Office of Environmental Quality Control	Yes	
<b>STATE</b>		
Department of Accounting and General Services	Yes	9/4/2014
Department of Business, Economic Development & Tourism (DBEDT)	Yes	
DBEDT - Energy Division	Yes	
DBEDT - Office of Planning	Yes	9/19/2014
Department of Defense	Yes	
Department of Education	Yes	
Department of Hawaiian Home Lands	Yes	
Department of Health	Yes	9/30/2014
Department of Human Services	Yes	9/5/2014
Department of Labor and Industrial Relations	Yes	9/8/2014
Department of Land and Natural Resources	Yes	9/25/2014
DLNR - Historic Preservation Division	Yes	9/9/2014
Department of Transportation	Yes	9/17/2014
Hawai'i Housing Finance and Development Corporation	Yes	
Office of Hawaiian Affairs	Yes	9/26/2014
UH Water Resources Research Center	Yes	
<b>FEDERAL</b>		
U.S. Army - Engineer Division	Yes	9/03/2014
U.S. Fish and Wildlife Service	Yes	9/30/2014
National Marine Fisheries Service	Yes	9/16/2014
Federal Emergency Management Agency	Yes	
<b>COUNTY OF HONOLULU</b>		
Department of Community Services	Yes	9/16/2014
Department of Environmental Services	Yes	
Department of Design and Construction	Yes	10/1/2014
Department of Facility Maintenance	Yes	9/9/2014
Department of Parks and Recreation	Yes	9/17/2014
Department of Customer Services	Yes	
Board of Water Supply	Yes	9/12/2014
Fire Department	Yes	9/17/2014
Department of Planning and Permitting	Yes	10/1/2014
Police Department	Yes	9/17/2014
Department of Transportation Services	Yes	9/24/2014
<b>LIBRARIES</b>		
Hawai'i State Library	No	
<b>NEWS MEDIA</b>		
Honolulu Star Advertiser	No	
<b>ELECTED OFFICIALS</b>		
Rep. Tom Brower	Yes	
Rep. Scott Saiki	Yes	
Sen. Brickwood Galuteria	Yes	
Council Member Stanley Chang	Yes	
Chair Larry Hurst, Neighborhood Board No. 11	Yes	
<b>CITIZEN GROUPS/INDIVIDUALS, CONSULTED PARTIES</b>		
Hawaiian Electric Company, Inc.	Yes	9/25/2014
Friends of Kewalos	Yes	9/26/2014
Kewalo Keiki Fishing Conservancy	Yes	
The Howard Hughes Corporation	Yes	
Obama Library Committee	Yes	9/22/2014
Kewalo Basin Harbor Master	Yes	



## BOARD OF WATER SUPPLY

CITY AND COUNTY OF HONOLULU  
630 SOUTH BERETANIA STREET  
HONOLULU, HI 96843



September 12, 2014

## PBR HAWAII

& ASSOCIATES, INC.



KIRK CALDWELL, Mayor

DIANE P. MIYASHIRO, Chair  
MAHEALANI CYRUS, Vice Chair  
THERESA C. MAMURDO  
DAVID C. HULIHEE

ROSS S. SASABURA, Ex-Officio  
FORD N. FUCHIGAMI, Ex-Officio  
ERNEST Y. W. LAU, P.E., Manager and Chief Engineer  
ELLEN E. KITAHURA, P.E., Deputy Manager and Chief Engineer  
VINCENT MURAKAMI, Vice President  
GRANT T. MURAKAMI, Vice President  
TOM SCHNELL, AICP, Principal  
W. FRANK BRANDT, AIA, Chairman Emeritus

Mr. Tom Schnell, Principal  
PBR Hawaii & Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484

Dear Mr. Schnell:

Subject: Your Letter Dated August 27, 2014 on the Environmental Assessment Pre-Consultation for the Kupu Green Training Center – Tax Map Key: 2-1-058-128

Thank you for your letter regarding the proposed training center development.

The existing water system is adequate to accommodate the proposed development. However, please be advised that this information is based upon current data, and therefore, the Board of Water Supply reserves the right to change any position or information stated herein up until the final approval of the building permit application. The final decision on the availability of water will be confirmed when the building permit application is submitted for approval.

When water is made available, the applicant will be required to pay our Water System Facilities Charges for resource development, transmission and daily storage.

The on-site fire protection requirements should be coordinated with the Fire Prevention Bureau of the Honolulu Fire Department.

If you have any questions, please contact Robert Chun, Project Review Branch of our Water Resources Division at 748-5443.

Very truly yours,

ERNEST Y. W. LAU, P.E.  
Manager and Chief Engineer

Very truly yours,

Tom Schnell

Principal

Copy: John Leong, Kupu

Printed on recycled paper

OJ-030304101 Kupu Building EA/EPA Pre-consultation Responses/BWS.docx

**DEPARTMENT OF DESIGN AND CONSTRUCTION  
CITY AND COUNTY OF HONOLULU**  
650 SOUTH KING STREET, 11<sup>th</sup> FLOOR  
HONOLULU, HAWAII 96813  
Phone: (808) 768-8480 • Fax: (808) 768-4567  
Web site: [www.honolulu.gov](http://www.honolulu.gov)



October 1, 2014

KIRK CALDWELL  
MAYOR

ROBERT J. KRONING, P.E.  
DIRECTOR DESIGNEE

MARK YONAMINE, P.E.  
DEPUTY DIRECTOR

ROBERT J. KRONING, P.E., Director  
City and County of Honolulu  
Department of Design and Construction  
650 South King Street, 11<sup>th</sup> Floor  
Honolulu, HI 96813

ROBERT J. KRONING, P.E., Director  
City and County of Honolulu  
Department of Design and Construction  
650 South King Street, 11<sup>th</sup> Floor  
Honolulu, HI 96813

April 14, 2015

**PRINCIPALS**

THOMAS WITTEN, ASLA  
*Chairman*

MARK DUNCAN, ASLA  
*President*

RUSSELL Y. LICHING, ASLA, LEED AP BD+C  
*Executive Vice-President*

VINCENT MIGLIANI  
*Vice President*

GRANT T. MURAKAMI, ASLA, LEED AP BD+C  
*Vice President*

TYSON SCHWELL, AICP  
*Principal*

WILLIAM BRANDT, ASLA  
*Chairman Emeritus*

ASSOCIATES

RAYMOND T. HIGA, ASLA  
*Senior Associate*

KIMI MIRAMYIEN, LEED AP BD+C  
*Senior Associate*

SCOTT ALBA, AIA, LEED AP BD+C  
*Managing Director - Kapiolani*

ROY TAKEMOTO  
*Managing Director - Hilao*

MICHAEL MURAKAMI, ASLA, LEED AP  
*Associate*

DONALD PONG, LEED AP  
*Associate*

MARC SHIMATSU, ASLA  
*Associate*

CATIE CULLISON, AICP  
*Associate*

PBR HAWAII

PBR Hawaii & Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813

Subject: Pre-consultation for an Environmental Assessment  
Kupu Green Jobs Training Center  
Tax Map Key: (1) 2-10-58-128. (1) 2-10-58-127

Attn: Tom Schnell

Dear Mr. Schnell:

Subject: Pre-consultation for an Environmental Assessment  
Kupu Green Jobs Training Center  
Tax Map Key: (1) 2-10-58-128. (1) 2-10-58-127

The Department of Design and Construction does not have comments to offer on the pre-consultation environmental assessment.

Thank you for the opportunity to review and comment. Should there be any questions, please contact me at 768-8480.

Sincerely,

*Robert J. Kroning*

Robert J. Kroning, P.E.  
Director Designee

RJK: cf (577928)

**PRINCIPALS**

Mr. Robert J. Kroning, P.E., Director  
City and County of Honolulu  
Department of Design and Construction  
650 South King Street, 11<sup>th</sup> Floor  
Honolulu, HI 96813

**SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT  
- KUPU GREEN JOBS TRAINING CENTER – PORTIONS OF TMK  
(1) 2-10-58-128. (1) 2-10-58-127**

Dear Mr. Kroning,

Thank you for your letter dated October 1, 2014 regarding our request for pre-consultation comments on the Kupu Green Jobs Training Center, which involves renovations of the “Net Shed Building” and ancillary outdoor areas adjacent to Kewalo Basin Park, Honolulu, Oahu.

We acknowledge that your Department has no comments to offer at this time.

We appreciate your participation in the environmental review process and will inform you when the Draft EA is available.

*Tom Schnell*  
Tom Schnell  
Principal

Copy: John Leong, Kupu

**HONOLULU OFFICE**  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3244  
Tel: (808) 524-5601  
Fax: (808) 525-1402  
E-mail: [syndeling@pbrhawaii.com](mailto:syndeling@pbrhawaii.com)

**KAPOLEI OFFICE**  
1001 Bishop Street, Suite 313  
Kapolei, Hawaii 96707-2005  
Tel: (808) 524-5601  
Fax: (808) 335-3161

**HILAO OFFICE**  
1719 Halalau Street  
Hilo, Hawaii 96720-1583  
Tel/C/F: (808) 933-0878

O:\Jobs\50303401.01\Kupu Building EA\EA\Pre-consultationResponses\CCH DDC.docx

*Printed on recycled paper*

DEPARTMENT OF COMMUNITY SERVICES  
CITY AND COUNTY OF HONOLULU

715 SOUTH KING STREET, SUITE 311 • HONOLULU, HAWAII 96813 • AREA CODE 808 • PHONE: 768-7762 • FAX: 768-7762



KIRK CALDWELL,  
MAYOR



PBR HAWAII  
& ASSOCIATES, INC.

Mr. Tom Schnell, Principal

Mr. Tom Schnell, Principal  
PBR HAWAII  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813

Dear Mr. Schnell:

SUBJECT: Pre-Consultation for an Environmental Assessment  
Kupu Green Jobs Training Center  
Portions of TMK (1) 2-10-58-128 and (1) 2-10-58-127

We have reviewed your letter dated August 27, 2014, and the information and map provided regarding the Pre-Consultation for an Environmental Assessment – Kupu Green Jobs Training Center.

Our review of the information provided indicates that the proposed Kupu Green Jobs Training Center will have no adverse impacts on any Department of Community Services' activities or projects at this time.

Thank you for providing us with the opportunity to comment on this matter.

Sincerely,

Pamela A. Witty-Oakland  
Director

PAW:sgk

PRINCIPALS

THOMAS WITTEN, ASLA  
*Chairman*

R. STAN DUNCAN, ASLA  
*President*

BONNIE Y. LICHING, ASLA, LEED AP BD+C  
*Executive Vice-President*

VINCENT MURAKAMI  
*Vice President*

GRANT MURAKAMI, LEED AP BD+C  
*Vice President*

THOMAS SCHNELL, AICP  
*Principal*

W. FRANK BRANDT, ASLA  
*Chairman Emeritus*

ASSOCIATES

RAYMOND T. HIGA, ASLA  
*Senior Associate*

KIMI MIRAMATSU, LEED AP BD+C  
*Senior Associate*

SCOTT ALBA, AIA, LEED AP BD+C  
*Managing Director - Kupu*

ROY TAKAHITO  
*Managing Director - Hill*

MICHAEL MURAKAMI, LEED AP  
*Associate*

DON CHUNG, LEED AP  
*Associate*

MARC SHIMATSU, ASLA  
*Associate*

CARIN CULLISON, AICP  
*Associate*

April 14, 2015

Ms. Pamela A. Witty-Oakland, Director

City and County of Honolulu  
Department of Community Services

715 South King Street, Suite 311  
Honolulu, HI 96813

SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT  
– KUPU GREEN JOBS TRAINING CENTER – PORTIONS OF TMK  
(1) 2-10-58-128, (1) 2-10-58-127

Dear Ms. Witty-Oakland,

Thank you for your letter dated September 16, 2014, regarding our request for pre-consultation comments on the Kupu Green Jobs Training Center, which involves renovations of the “Net Shed Building” and ancillary outdoor areas adjacent to Kewalo Basin Park, Honolulu, Oahu.

We acknowledge that, in your estimation, the Kupu Green Jobs Training Center will have no adverse impacts on any of your Department's activities or projects at this time.

We appreciate your participation in the environmental review process and will inform you when the Draft EA is available.

Sincerely,

PBR HAWAII

Tom Schnell  
Principal

Copy: John Leong, Kapu

O:\Jobs\3041.01 Kapu Building ENEA\Pre-consultationResponses\CCH Dept. of Community Services.docx

Printed on recycled paper

DEPARTMENT OF FACILITY MAINTENANCE  
**CITY AND COUNTY OF HONOLULU**

1000 Ulu'ohia Street, Suite 215, Kapolei, Hawaii 96707  
Phone: (808) 768-3343 • Fax: (808) 768-3381  
Website: [www.honolulu.gov](http://www.honolulu.gov)



September 9, 2014

Mr. Tom Schnell, AICP  
Principal

PBR Hawaii and Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484

Dear Mr. Schnell:

SUBJECT: Pre-Consultation for an Environmental Assessment - Kipu Green Jobs Training Center – Portions of TMK (1) 2-10-58-128, (1) 2-10-58-127

Thank you for the opportunity to review and comment on your letter dated August 27, 2014, regarding the above subject project.

We have no comments, as we do not have any facilities or easements on the subject property.

If you have any questions, please contact Mr. Kyle Oyasato of the Division of Road Maintenance at 768-3697.

Sincerely,

  
Ross S. Sasamura, P.E.  
Director and Chief Engineer

HONOLULU OFFICE  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484  
Tel: (808) 524-5601  
Fax: (808) 524-1402  
E-mail: [systech@hrr.hawaii.com](mailto:systech@hrr.hawaii.com)

KAPOLEI OFFICE  
1400 Iwilei Road, Suite 313  
Kapolei, Hawaii 96707-2005  
Tel: (808) 524-5601  
Fax: (808) 335-3161

Hilo Office  
1719 Haladale Street  
Hilo, Hawaii 96720-1583  
Tel/C.O.: (808) 967-2078

Printed on recycled paper



& ASSOCIATES, INC.

**PBR HAWAII**

PRINCIPALS

ROSS S. SASAMURA, P.E.  
*Chairman*

EDUARDO P. MANGALAN  
*President*

DEPUTY DIRECTOR

IN REPLY REFER TO:  
DRM 14-807

April 14, 2015

Mr. Ross Sasamura, P.E., Director and Chief Engineer

City and County of Honolulu

Department of Facility Maintenance

1000 Ulu'ohia Street, Suite 215

Kapolei, HI 96707

SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT

- KIPU GREEN JOBS TRAINING CENTER – PORTIONS OF TMK

(1) 2-10-58-128, (1) 2-10-58-127

Your reference: DRM 14-807

ASSOCIATES

RAYMOND T. HIGA, AIA  
*Senior Associate*

KIMI MIRAMI-YIEN, LEED® AP BD+C  
*Senior Associate*

SCOTT ALBA ABROGIO, LEED® AP BD+C  
*Managing Director - Kipolei*

ROY TAKEMOTO  
*Managing Director - Hilo*

MICHAEL MURAKAMI, LEED® AP  
*Associate*

DONCHENG DONG, LEED® AP  
*Associate*

MARC SHIMATSU, AIA  
*Associate*

CARIB CULLISON, AICP  
*Associate*

Mr. Tom Schnell, AICP

Principal  
PBR Hawaii and Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484

Dear Mr. Schnell:

SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT  
- KIPU GREEN JOBS TRAINING CENTER – PORTIONS OF TMK

Thank you for your letter dated September 9, 2014 regarding our request for pre-consultation comments on the Kipu Green Jobs Training Center, which involves renovations of the "Net Shed Building" and ancillary outdoor areas adjacent to Kewalo Basin Park, Honolulu, O'ahu.

We acknowledge that your Department has no comments to offer at this time.

We appreciate your participation in the environmental review process and will inform you when the Draft EA is available.

Sincerely,

PBR HAWAII

  
Tom Schnell  
Principal

Copy: John Leong, Kipu

DEPARTMENT OF PLANNING AND PERMITTING  
**CITY AND COUNTY OF HONOLULU**  
650 SOUTH KING STREET, 7TH FLOOR • HONOLULU, HAWAII 96813  
PHONE: (808) 768-8000 • FAX: (808) 768-5041  
DEPT. WEB SITE: [www.honoluludppe.org](http://www.honoluludppe.org) • CITY WEB SITE: [www.honolulu.gov](http://www.honolulu.gov)

KIRK CALDWELL  
MAYOR



Mr. Tom Schnell  
October 1, 2014  
Page 2

GEORGE I. ATTÀ, FAICP  
DIRECTOR  
ARTHUR D. CHALLACOMBE  
DEPUTY DIRECTOR

2014/ELOG-1608(ms4)

October 1, 2014

Mr. Tom Schnell  
Principal  
PBR Hawaii & Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484  
Dear Mr. Schnell:

SUBJECT: Draft Environmental Assessment for  
Kupu Green Jobs Training Center  
Tax Map Key: 2-10-058: 127 and 128

Thank you for your letter dated August 27, 2014, regarding a request for comments in anticipation of preparation of a Draft Environmental Assessment (DEA) for the project listed above.

We have the following comments:

1. The DEA should include a discussion of the consistency of the project with the Oahu General Plan and the Primary Urban Center Development Plan.
2. The DEA should address drainage and storm water quality impacts.
3. The DEA should list all permits required from the City and County.
4. An existing connection to the City sewer system could not be verified. A sewer connection application is required.
5. The DEA should include a discussion of how the risk of flooding due to sea level rise will be incorporated in the design of the project and proposed operations at the project site.

The Army Corps of Engineers (COE) has issued an Engineering Circular (EC 1165-2-212) which provides guidance on likely ranges of sea level rise through 2100 which they require to be used in evaluating projects in shoreline areas subject to COE review.

More recently they have provided online tools which can be used to adapt the circular's guidance to reflect historic sea level rise conditions measured at the closest local tidal gauge.

Using the circular as adapted to reflect the local sea level rise rate, the elevation above sea level at the project site, and the estimated life of the structures involved in the project, determination can be made as to whether sea level rise is likely to increase the risk of flooding at the project site during the life of the project structures.

Such a determination should be made for the proposed training center, and if it is likely that sea level rise will increase the risk of flooding during the life of the structure, the DEA should discuss how the design and operation of the project will address that risk and provide resilience in recovering from any flooding.

A practical example of how the COE circular and the tidal gauge adjustments can be incorporated into a Honolulu area study is provided by the Army Corps of Engineers Ala Wai Canal Study.

For further details on how the Engineering Circular and local tidal gauge information could be used to assess sea level rise risk for a local project, contact Mr. Michael Wong, Chief, Engineering and Construction Technical Branch, Army Corps of Engineers, Honolulu District (808-635-4138).

Thank you for the opportunity to provide comments prior to preparation of your DEA. Should you have any questions, please contact Bob Stanfield of our staff, at 768-8051.

Very truly yours,

George I. Attà, FAICP  
Director

GIA:bkg  
118062



& ASSOCIATES, INC.

**PRINCIPALS**

THOMAS WITTEN, ASLA  
*Chairman*

R. STAN DUNCAN, ASLA  
*President*

ROSELYN LICHING, ASLA, LEED AP BD+C  
*Executive Vice President*

VINCENT MURAKAMI  
*Vice President*

W. FRANK BRANDT, ASLA  
*Chairman Emeritus*

April 14, 2015

Mr. George I. Atta, FAICP  
City and County of Honolulu

Department of Planning and Permitting  
650 South King Street, 7<sup>th</sup> Floor  
Honolulu, HI 96813

**ASSOCIATES**

RAYMOND HIGA, ASLA  
*Senior Associate*

KIMI MIRAMYIEN, LEED AP BD+C  
*Senior Associate*

SCOTT ALBA, LEED AP BD+C  
*Managing Director - Kapu*

ROY TAKAHASHI  
*Managing Director - Hilo*

MARC SHIBATA, ASLA, LEED AP  
*Associate*

CATE CULLISON, AICP  
*Associate*

**SUBJECT:** PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT  
- KUPU GREEN JOBS TRAINING CENTER – PORTIONS OF TMK  
(1) 2-10-58-128, (1) 2-10-58-127  
Your reference: 2014/ELOG-1608(rm4)

Dear Mr. Atta,

**ASSOCIATES**

DAICHENG DONG, LEED AP  
*Associate*

MARC SHIBATA, ASLA  
*Associate*

CATE CULLISON, AICP  
*Associate*

Copy: John Leong, Kupu

Or: Job#303041.01 Kupu Building EA/EAPre-consultationResponses/CCH DPP.docx

We appreciate your participation in the environmental review process and will inform you when the Draft EA is available.

Sincerely,

Tom Schnell  
Principal

1. The Draft Environmental Assessment (EA) will include a discussion of the Kupu Green Jobs Training Center's consistency with the State and County plans, policies, and controls, including the O'ahu General Plan and the Primary Urban Center Development Plan.
2. The Draft EA will include a description of the potential drainage and stormwater quality impacts resulting from the renovations as well as anticipated mitigation measures.
3. The Draft EA will list permits required from the City and County of Honolulu.
4. The applicant will complete a connection application to the City and County of Honolulu's sewer system.
5. The Draft EA will include a discussion of the likelihood that sea level rise will increase the risk of flooding during the life of the structure. Kupu is using the Center for Island Climate Adaptation and Policy and the University of Hawaii Sea Grant's recommendations to plan for a sea level rise of one foot by 2050 and three feet by 2100. The Center is built up well above sea level on an armored shoreline that is protected from erosion, and so a sea level rise of one to three feet will not have an inundation effect. Such a sea level rise may however increase the risk of flooding at the Center. Kupu will mitigate for potential flood damage in accordance with the Chapter 1.8 "Flood fringe areas" of the Revised Ordinances of Honolulu (ROH).

**HONOLULU OFFICE**  
1000 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484  
Tel: (808) 524-5631  
Fax: (808) 524-1402  
E-mail: [syndication@pbrihawaii.com](mailto:syndication@pbrihawaii.com)

**KAPOLEI OFFICE**  
1000 Diamond Head Boulevard  
Kapolei, Hawaii 96737-29005  
Tel: (808) 524-5631  
Fax: (808) 524-3169

**HILO OFFICE**  
1719 Hilo-Dole Street  
Hilo, Hawaii 96720-1353  
Tel/Cel: (808) 315-0878

*Printed on recycled paper.*

**DEPARTMENT OF TRANSPORTATION SERVICES  
CITY AND COUNTY OF HONOLULU**

650 SOUTH KING STREET, 3RD FLOOR  
HONOLULU, HAWAII 96813

Phone: (808) 768-8305 • Fax: (808) 768-4730 • Internet: [www.honolulu.gov](http://www.honolulu.gov)



KIRK CALDWELL  
MAYOR

MICHAEL D. FORMBY  
DIRECTOR  
MARK N. GARRETT, AICP  
DEPUTY DIRECTOR

MICHELE K. NEKOTA  
DIRECTOR  
JEANNE C. ISHIKAWA  
DEPUTY DIRECTOR

September 24, 2014

TPB/14-577938R

Mr. Tom Schnell  
Principal  
PBR Hawaii & Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484

Dear Mr. Schnell:

SUBJECT: Pre-Consultation for Environmental Assessment (EA) Kupu Green  
Jobs Training Center, Kewalo Basin Park, Oahu, Hawaii

In response to your letter dated August 27, 2014, we have the following  
comments:

1. The Draft EA should include a Traffic Impact Assessment Report to evaluate the existing traffic conditions of the surrounding roadways, possible increase in traffic and pedestrian volumes as a result of the project, including short-term impacts during construction, and measures to mitigate these impacts applying complete streets principles;
2. The area Neighborhood Board, as well as the area residents, businesses, emergency personnel, Oahu Transit Services, Inc. (TheBus), etc., should be kept apprised of the details of the proposed project and the impacts, particularly during construction, the project may have on the adjoining local street area network;
3. Any construction materials and equipment should be transferred to and from the project site during off-peak traffic hours (8:30 a.m. to 3:30 p.m.) to minimize any possible disruption to traffic on the local streets;
4. On-site bicycle facilities for the project should be anticipated and accommodated; and

DEPARTMENT OF PARKS & RECREATION

**CITY AND COUNTY OF HONOLULU**

1000 Iihiha Street, Suite 203, Kapolei, Hawaii 96707  
Phone: (808) 768-8003 • Fax: (808) 768-3053  
Website: [www.honolulu.gov](http://www.honolulu.gov)



MICHELE K. NEKOTA  
DIRECTOR  
JEANNE C. ISHIKAWA  
DEPUTY DIRECTOR

September 17, 2014

Mr. Tom Schnell, Principal  
PBR Hawaii & Associates  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813

Dear Mr. Schnell:

SUBJECT: Pre-Consultation for an Environmental Assessment  
Kupu Green Jobs Training Center  
Portions of TMK (1) 2-10-58-128, (1) 2-10-58-127

Thank you for the opportunity to review and comment at the pre-consultation stage of an environmental assessment for the Kupu Green Jobs Training Center.

The Department of Parks and Recreation has no comment. As the proposed project will have no impact on any program or facility of the department, you may remove us as a consulted party to the balance of the EIS process.

Should you have any questions, please contact Mr. John Reid, Planner, at 768-3017.

Sincerely,

Michele K. Nekota  
Director

MKN:jr  
(677908)





PRINCIPALS  
THOMAS WITTEN, ASLA  
*Chairman*  
R. STAN DUNCAN, ASLA  
*President*

Mr. Michael D. Formby, Director  
City and County of Honolulu  
Department of Transportation Services  
650 South King Street, 3rd Floor  
Honolulu, HI 96813

**RESUME LICHING, TAGA, LEED AP BD+C**

Executive Vice President  
VINCENT MURAKAMI  
*Vice President*  
GRANT MURAKAMI, AICP, LEED AP BD+C  
*Vice President*

TONSCHINN, AICP  
*Principal*  
W. FRANK BRANDT, AIA, LEED AP BD+C  
*Chairman Emeritus*

**ASSOCIATES**

RAMOND HIGA, AIA  
*Senior Associate*

KIMI MIRAMYEN, LEED AP BD+C  
*Senior Associate*

SCOTT ALIKA ABRECO, LEED AP BD+C  
*Managing Director - Kapolei*

ROY TAKAHASHI  
*Managing Director - Hilo*

SCOTT MURAKAMI, ASLA, LEED AP

DACHENG DONG, LEED AP

*Associate*

MARC SUBMATSI, ASLA

*Associate*

CATE CULLISON, AICP

*Associate*

Mr. Michael D. Formby  
PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT – KUPU GREEN  
JOBS TRAINING CENTER – PORTIONS OF TMK (I) 2-10-58-128, (I) 2-10-58-127  
April 7, 2015  
Page 2 of 2

We appreciate your participation in the environmental review process and will inform you when the Draft EA is available.

Sincerely,

Tom Schnell  
Principal

Copy: John Leong, Kupu

O:\Job\303041.01\Kupu Building EA\EA Pre-consultation Responses\CC\DT5.docx

Dear Mr. Formby,  
Thank you for your letter dated September 24, 2014 regarding our request for pre-consultation comments on the Kupu Green Jobs Training Center, which involves renovations of the “Net Shed Building” and ancillary outdoor areas adjacent to Kewalo Basin Park, Honolulu, O’ahu. As the planning consultant for Kupu, we offer the following responses in the order of your comments:

1. The proposed renovations to the Kupu Green Jobs Training Center will take place at an existing facility and the renovations are not expected to significantly impact traffic or road conditions in the vicinity. In addition, nearly all Kupu program participants are under driving age and thus do not drive to the facility. Further Kupu encourages alternative transportation use by providing bus passes to program participants. For these reasons, the Draft Environmental Assessment (EA) will not include a Traffic Impact Assessment Report.
2. During the renovations of the Kupu Green Jobs Training Center, Kupu or its contractor will inform the area Neighborhood Board, residents, businesses, emergency personnel, and O’ahu Transit Services, Inc. of the impacts the proposed renovations will have on the adjoining local street network. A copy of the Draft EA will be made available to the Neighborhood Board.
3. As practical, the contractor will transfer construction materials and equipment to and from the site during off-peak traffic hours (8:30 a.m. to 3:30 p.m.).
4. The Kupu Green Jobs Training Center renovations will include on-site facilities to accommodate bicycles.
5. We acknowledge that all access driveways to the site should be kept safe for pedestrians and bicyclists to cross.

**HONOLULU OFFICE**  
100 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484  
Tel: (808) 523-5631  
Fax: (808) 523-1402  
E-mail: [syndication@pbrhawaii.com](mailto:syndication@pbrhawaii.com)

**KAPOLEI OFFICE**  
100 Ward Avenue, 2nd Floor  
Kapolei, Hawaii 96707-29005  
Tel: (808) 523-5631  
Fax: (808) 523-4163

**HILO OFFICE**  
1719 Hilo-Dole Street  
Hilo, Hawaii 96720-1353  
Tel/Cel: (808) 315-0878

*Printed on recycled paper.*



NEIL ABERCROMBIE  
GOVERNOR

# PBR HAWAII

& ASSOCIATES, INC.

Dean H. Seki  
Comptroller  
Mark E. Zellnerki  
Deputy Comptroller

## STATE OF HAWAII DEPARTMENT OF ACCOUNTING AND GENERAL SERVICES

P.O. BOX 118, HONOLULU, HAWAII 96810-0118

SEP - 4 2014

(P)1284.4

Mr. Tom Schnell, Principal  
PBR Hawaii & Assoc., Inc.  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813

Dear Mr. Schnell:

Subject: Environmental Assessment  
Kupu Green Jobs Training Center  
Portions of TMK: (1) 2-10-58-128, (1) 2-10-58-127

Thank you for the opportunity to provide comments for the subject project. This project does not impact any of the Department of Accounting and General Services projects or existing facilities in this area, and we have no comments to offer at this time.

If you have any questions, your staff may call Mr. Alva Nakamura of the Public Works Division at 586-0488.

Sincerely,

DEAN H. SEKI  
Comptroller

Tom Schnell  
Principal

Copy: John Leong, Kupu

HONOLULU OFFICE  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3444  
Tel: (808) 524-5601  
Fax: (808) 524-1402  
E-mail: sysadmin@pbrhawaii.com

c: Mr. John Leong, Kupu  
Mr. Carson Schultz, DBEDT/HCDA

KAPOLEI OFFICE  
1400 Iwilei Road, Box 200  
Kapolei, Hawaii 96707-2005  
Tel: (808) 524-5601  
Fax: (808) 335-3161

Hilo Office  
1719 Haladale Street  
Hilo, Hawaii 96720-1583  
Tel/Cx: (808) 961-2078

*Printed on recycled paper*

O:\Job303041.01 Kupu Building EA\EA\Pre-consultation Responses\DAGS.docx



## OFFICE OF PLANNING STATE OF HAWAII

NEIL ABERCROMBIE  
GOVERNOR  
**LEO R. ASUNCION**  
ACTING DIRECTOR  
OFFICE OF PLANNING  
235 South Beretania Street, 6th Floor, Honolulu, Hawaii 96813  
Mailing Address: P.O. Box 2359, Honolulu, Hawaii 96804  
Telephone: (808) 587-2846  
Fax: (808) 587-2824  
Web: <http://planning.hawaii.gov>

Ref. No. P-14511

September 19, 2014

Mr. Tom Schnell, AICP  
PBR Hawaii & Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484

Dear Mr. Schnell:

Subject: Early Consultation for a Draft Environmental Assessment for the Kupu Green Jobs Training Center, TMK: (1) 2-1-058-128, (1) 2-1-058-127

Thank you for the opportunity to provide early consultation comments on the Kupu Green Jobs Training Center. We have reviewed the documents sent to us by letter dated August 27, 2014, and have the following comments to offer:

1. The Office of Planning (OP) provides technical assistance to state and county agencies in administering the statewide planning system in Hawaii Revised Statutes (HRS) Chapter 226, the Hawaii State Plan. The Hawaii State Planning Act provides goals, objectives, priorities, and priority guidelines for growth, development, and the allocation of resources throughout the State. The Hawaii State Plan includes diverse policies and objectives of state interest, including but not limited to the economy, agriculture, the visitor industry, federal expenditure, the physical environment, facility systems, and socio-cultural advancement.

Because this project intends to develop a jobs training center, please include a discussion on how this project's ability to meet the planning objectives, policies and priority guidelines of the Hawaii State Plan, including but not limited to, HRS § 226-6(2) growth of a diversified economic base, HRS § 226-10(8) potential growth activities (job training programs), as well as the priority guidelines on sustainability listed in HRS § 226-108 sustainable development and resource conservation. The Draft Environmental Assessment (Draft EA) should include an analysis on the Hawaii State Plan, HRS Chapter 226, in a section that addresses the project's consistency to state and county plans, policies, and controls.

2. OP is the lead agency for the Hawaii Coastal Zone Management (CZM) Program. The coastal zone management area is defined as "all lands of the State and the area extending seaward from the shoreline to the limit of the State's police power and management authority, including the U.S. territorial sea" see HRS § 205A-1 (definition of "coastal zone management area"). The Draft EA should include a

Mr. Tom Schnell, AICP  
September 19, 2014  
Page 2

discussion of the proposed project's ability to meet all of the objectives and policies set forth in HRS § 205A-2. These objectives and policies include: recreational resources, historic resources, scenic and open space resources, coastal ecosystems, economic uses, coastal hazards, managing development, public participation, and marine resources. The Draft EA should include the Coastal Zone Management Act, HRS Chapter 205A, in a section that addresses the project's conformance with state and county plans, policies, and controls.

3. The proposed project is located within the makai area of Kakaako area. Pursuant to HRS § 206E-8.5, all requests for developments within a special management area (SMA) and shoreline setback variances for developments within a community development district, for which a community development plan has been developed and approved in accordance with HRS § 206E-5, shall be submitted to and reviewed by OP. Please consult with our office and refer to Hawaii Administrative Rules Chapter 15-150 for the requirements of SMA use and shoreline setbacks.

4. Although this project is situated in an area that is typically dry and sunny, the entire island of Oahu, in general, is subject to flashy and unstable weather during the winter and tropical storms throughout the year. Please consider utilizing OP's *Stormwater Impact Assessment* to identify and evaluate information on hydrology, stressors, sensitivity of aquatic and riparian resources, and management measures to control runoff occurrences. In particular, please examine the section on Low-Impact Development Concepts, which include decentralized micro-scale controls that infiltrate, filter, store, reuse, evaporate, and detain runoff close to its source. This guidance document will assist in integrating stormwater impact assessment within your review process. The purpose of this document is to provide guidance on assessing stormwater impacts in the planning phase of project development. The goal is to provide a suggested framework and various tools for integrating stormwater impacts assessment. These concepts are listed on pages 14 through 16 of the *Stormwater Impact Assessment* guidance. This can be found at [http://files.hawaii.gov/dbedt/op/czm/initiative/stormwater\\_impact/final\\_stormwater\\_i\\_mpact\\_assessments\\_guidance.pdf](http://files.hawaii.gov/dbedt/op/czm/initiative/stormwater_impact/final_stormwater_i_mpact_assessments_guidance.pdf).

If you have any questions regarding this comment letter, please contact Josh Helekia of our office at 587-2845.

Sincerely,

Leo R. Asuncion  
Acting Director



& ASSOCIATES, INC.

April 14, 2015

Mr. Leo R. Asuncion  
State of Hawai'i, Office of Planning  
P.O. Box 2359  
Honolulu, HI 96804

PRINCIPALS

THOMAS WITTEN, ASLA  
*Chairman*  
R. STAN DUNCAN, ASLA  
*President*  
ROSELL L. LICHING, TAGA, LEED AP, PBD+C  
*Executive Vice President*

VINCENT MIGAKANI  
*Vice President*  
GRANT T. MURAKAMI, AICP, LEED AP, PBD+C  
*Vice President*

TOM SCHNELL, AICP  
*Principal*

W. FRANK BRANDT, P.E.  
*Chairman Emeritus*

ASSOCIATES

RAYMOND HIGA, ASLA  
*Senior Associate*  
KIMI MIRAMOTO, LEED AP, PBD+C  
*Senior Associate*

SCOTT ALIKA ABRECO, LEED AP, PBD+C  
*Managing Director - Kapolei*  
YOSHIAKI TAKAHASHI, AIA, LEED AP  
*Managing Director - Hilo*

SCOTT MURAKAMI, ASLA, LEED AP  
*Associate*  
DAICHI DONG, LEED AP  
*Associate*

MARC SUBMATSI, ASLA  
*Associate*  
CATIE CULLISON, AICP  
*Associate*

SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT  
– KUPU GREEN JOBS TRAINING CENTER – PORTIONS OF TMK  
(1) 2-10-58-128, (1) 2-10-58-127  
Your reference: P-14511

Dear Mr. Asuncion,

Thank you for your letter dated September 19, 2014 regarding our request for pre-consultation comments on the Kupu Green Jobs Training Center, which involves renovations of the "Net Shed Building" and ancillary outdoor areas adjacent to Kewalo Basin Park, Honolulu, O'ahu. As the planning consultant for Kupu, we offer the following responses in the order of your comments:

1. The Draft Environmental Assessment (EA) will include a discussion of the ability of the Kupu Green Jobs Training Center to meet Hawaii State Plan planning objectives, policies, and priority guidelines related to: growth of a diversified economic base, potential growth activities (jobs training programs), and sustainability. The Draft EA also will include a discussion of consistency with other State and County plans, policies, and controls.
2. The Draft EA will include a discussion of the Kupu Green Jobs Training Center's ability to meet the objectives and policies set forth in §205A-2 Hawaii Revised Statutes (HRS). The Draft EA also will include the Coastal Management Act, Chapter 205A, HRS in a section titled "Relationship to Land Use Plans, Policies, and Controls," which addresses the project's conformance with state and county plans, policies, and controls.
3. Following the anticipated Finding of No Significant Impact for the EA, a Special Management Area Use Approval Application will be prepared and submitted to the Office of Planning in accordance with §206E-8.5, HRS. In preparing that application, we will refer to Chapter 15-150, Hawaii's Administrative Rules.
4. We will review the Office of Planning's *Stormwater Impact Assessment* to ensure that the Kupu Green Jobs Training Center incorporates best practices related to stormwater design and low-impact development.

We appreciate your participation in the environmental review process and will inform you when the Draft EA is available.

Sincerely,

Tom Schnell

Mr. Leo R. Asuncion  
PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT – KUPU GREEN JOBS TRAINING CENTER – PORTIONS OF TMK (1) 2-10-58-128, (1) 2-10-58-127  
April 7, 2015  
Page 2 of 2

Principal  
Copy: John Leong, Kupu  
(PBRFS04\Shared\Admin\Job303041.01\Kupu Building EA\EA\Pre-consultation Responses\OP.docx)

HONOLULU OFFICE  
100 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484  
Tel: (808) 524-5631  
Fax: (808) 524-5402  
E-mail: [systech@pbrfhawaii.com](mailto:systech@pbrfhawaii.com)

KAPOLEI OFFICE  
100 Ward Avenue, Suite 113  
Kapolei, Hawaii 96737-29005  
Tel: (808) 524-5631  
Fax: (808) 524-5163  
Tel/Cel: (808) 315-0878

Printed on recycled paper.

NEIL ABERCROMBIE  
GOVERNOR



PATRICIA McMANAMAN  
DIRECTOR  
BARBARA A. YAMASHITA  
DEPUTY DIRECTOR

# PBR HAWAII

& ASSOCIATES, INC.

STATE OF HAWAII  
DEPARTMENT OF HUMAN SERVICES  
Benefit, Employment & Support Services Division  
820 Miliani Street, Suite 606  
Honolulu, Hawaii 96813

September 5, 2014

Refer to 14-0556

PRINCIPALS

THOMAS WITTEN, ASLA  
*Chairman*  
R. STANDUNCAN, ASLA  
*President*  
ROSELYN Y. LICHING, ASLA, LEED AP BD+C  
*Executive Vice-President*  
VINCENT MURAKAMI  
*Vice President*  
GRANT T. MURAKAMI, ASCE LEED AP BD+C  
*Vice President*  
TOM SCHNELL, AICP  
*Principal*

ASSOCIATES

W. FRANKLIN FAJALA  
*Chairman Emeritus*  
RAYMOND T. HIGA, ASLA  
*Senior Associate*  
KIMI MIRAMIVEN, LEED AP BD+C  
*Senior Associate*  
SCOTT ALBA ABREGO, LEED AP BD+C  
*Managing Director - Kauai*  
ROY TAKAHITO  
*Managing Director - Maui*  
SCOTT MURAKAMI, ASCE LEED AP  
*Associate*  
DOUQING DONG, LEED AP  
*Associate*  
MARC SHUMATE, ASLA  
*Associate*  
CATIE CULLISON, AICP  
*Associate*

SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT  
- KUPU GREEN JOBS TRAINING CENTER - PORTIONS OF TMK  
(1) 2-10-58-128, (1) 2-10-58-127  
Your reference: 14-0556

Dear Mr. Nakasone,

Dear Mr. Schnell:

Thank you for your letter dated August 27, 2014 that requests the Department of Human Services (DHS) review the Pre-Consultation for an Environmental Assessment (EA) on the Kupu Green Jobs Training Center project. We understand that renovations would be for the area commonly known as the "Net Shed Building" and surrounding outdoor areas.

The DHS has reviewed the EA of the proposed project. As there are currently no child care facilities in the immediate vicinity, the DHS has no comment at this time.

If you have any questions or need further information, please contact Ms. Dayna Luka, Child Care Program Specialist, at (808) 586-7058.

Sincerely,

Scott Nakasone  
Assistant Division Administrator

PBR HAWAII

Tom Schnell  
Principal

PRINCIPALS

HONOLULU OFFICE  
1001 Bishop Street, Suite 1500  
Honolulu, Hawaii 96813-3444  
Tel: (808) 524-5601  
Fax: (808) 524-1402  
E-mail: sysadmin@pbrhawaii.com

KAPOLEI OFFICE  
1400 Iwilei Road, Suite 213  
Kapolei, Hawaii 96707-2005  
Tel: 808 324-5601  
Fax: (808) 335-3161

MAUI OFFICE  
1719 Halalau Street  
Kailua-Kona, Hawaii 96740-1583  
Tel: (808) 335-0878

Printed on recycled paper

O:\Job\303941.01 Kupu Building EA EA Pre-consultationResponses\DHIS.docx



NEIL ABERCROMBIE  
GOVERNOR

# PBR HAWAII

& ASSOCIATES, INC.

DWIGHT TAKAMINE  
DIRECTOR

JADE T. BUTAY  
DEPUTY DIRECTOR

## STATE OF HAWAII

DEPARTMENT OF LABOR AND INDUSTRIAL RELATIONS  
830 PUNCHBOWL STREET, ROOM 321  
HONOLULU, HAWAII 96813

www.hawaii.gov/labor

Phone: (808) 586-8844; fax: (808) 586-9098

September 8, 2013

Tom Schnell  
Principal

PBR Hawaii and Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484

Dear Mr. Tom Schnell:

This is in response to your request for comments dated August 27, 2014  
on the Environmental Assessment report for the Kapi'ulani Jobs Training  
Center project in Kewalo Basin Park on the Island of Oahu.

The Department of Labor and Industrial Relations has no comments, and  
we foresee no impact on our existing or proposed programs. Should you have  
any questions, please call me at (808) 586-8844.

Sincerely,

DWIGHT TAKAMINE  
Director



April 14, 2015

### PRINCIPALS

THOMAS WITTEN, ASLA  
*Chairman*

R. STANDUNGAN, ASLA  
*President*

RUSSELL Y. LICHING, ASLA, LEED AP BD+C  
*Executive Vice-President*

VINCENT MURAKAMI  
*Vice President*

GRANT T. MURAKAMI, ASCE LEED AP BD+C  
*Vice President*

TOM SCHNELL, AICP  
*Principal*

W. FRANK BRANDEI, ASLA  
*Chairman Emeritus*

ASSOCIATES

RAYMOND T. HIGA, ASLA  
*Senior Associate*

KIMI MIRAMATSU, LEED AP BD+C  
*Senior Associate*

SCOTT ALBA, AIA, LEED AP BD+C  
*Managing Director - Kapi'olani*

ROY TAKAHITO  
*Managing Director - Hill*

MARC SHIMATSU, ASLA  
*Associate*

CATIE CULLISON, AICP  
*Associate*

DOCHENG DONG, LEED AP  
*Associate*

MARC SHIMATSU, ASLA  
*Associate*

CATIE CULLISON, AICP  
*Associate*

PRINCIPALS

April 14, 2015

Mr. Dwight Takamine, Director  
State of Hawaii<sup>1</sup>  
Department of Labor and Industrial Relations  
830 Punchbowl Street, Room 321  
Honolulu, HI 96813

SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT  
-KUPU GREEN JOBS TRAINING CENTER – PORTIONS OF TMK  
(1) 2-10-58-128, (1) 2-10-58-127

Dear Mr. Takamine,

Thank you for your letter dated September 8, 2014 regarding our request for pre-consultation comments on the Kapi'ulani Jobs Training Center, which involves renovations of the "Net Shed Building" and ancillary outdoor areas adjacent to Kewalo Basin Park, Honolulu, Oahu.

We acknowledge that your Department has no comments to offer at this time.  
We appreciate your participation in the environmental review process and will inform you when the Draft EA is available.

Sincerely,

Tom Schnell  
Principal

HONOLULU OFFICE  
1001 Bishop Street, Suite 1500  
Honolulu, Hawaii 96813-3244  
Tel: (808) 524-5601  
Fax: (808) 523-1402  
E-mail: systemsinfo@pbrhawaii.com

KAPOLEI OFFICE  
1400 Iwilei Road, Suite 213  
Kapolei, Hawaii 96707-2005  
Tel: (808) 524-5601  
Fax: (808) 335-3161

HILLO OFFICE  
1719 Halaukeke Street  
Hilo, Hawaii 96720-1583  
Tel/C/F: (808) 967-0078

O:\job30\3041.01 Kapu Building EA\EA\Pre-consultation Responses\DIR.docx

Printed on recycled paper



NEIL ABERCROMBIE  
GOVERNOR OF HAWAII  
IN AGENT OF LAND AND NATURAL RESOURCES  
IN THE STATE OF HAWAII, DATED THIS 11TH DAY OF NOVEMBER,

STATE OF HAWAII  
DEPARTMENT OF LAND AND NATURAL RESOURCES  
LAND DIVISION

POST OFFICE BOX 621  
HONOLULU, HAWAII 96809

Land and Natural Resources  
Department of  
State of Hawaii

September 25, 2014

PBR Hawaii & Associates, Inc.

Attn: Tom Schnell,  
1001 Bishop Street, Suite 650  
Honolulu, HI 96813-3484

Dear Mr. Schnell,

SUBJECT: Pre-Consultation for an Environmental Assessment – Kupu Green Jobs  
Training Center

Thank you for the opportunity to review and comment on the subject matter. The Department of Land and Natural Resources (DLNR) Land Division distributed or made available a copy of your report pertaining to the subject matter to DLNR Divisions for their review and comments.

At this time, enclosed are comments from (1) Land Division – Oahu District; (2) Division of Forestry & Wildlife; (3) Division of Boating and Ocean Recreation; (4) Commission on Water Resource Management; and (5) Division of Aquatic Resources. No other comments were received as of our suspense date. Should you have any questions, please feel free to call Supervising Land Agent Steve Molmen at 587-0439. Thank you.

Sincerely,

Handwritten signature of Russell Y. Tsuji.

Russell Y. Tsuji  
Land Administrator



WILLIAM J. MCLAIR  
CHIEF OF STAFF  
DEPARTMENT OF LAND AND NATURAL RESOURCES  
IN THE STATE OF HAWAII, DATED THIS 11TH DAY OF NOVEMBER,

STATE OF HAWAII  
DEPARTMENT OF LAND AND NATURAL RESOURCES  
LAND DIVISION

POST OFFICE BOX 621  
HONOLULU, HAWAII 96809

Land and Natural Resources  
Department of  
State of Hawaii

September 4, 2014

MEMORANDUM

DLNR Agencies:

- Div. of Aquatic Resources  
 Div. of Boating & Ocean Recreation  
 Engineering Division  
 Div. of Forestry & Wildlife  
 Div. of State Parks  
 Commission on Water Resource Management  
 Office of Conservation & Coastal Lands  
 Land Division – Oahu District  
 Historic Preservation

FROM: Russell Y. Tsuji, Land Administrator Pre-Consultation for an Environmental Assessment – Kupu Green Jobs Training Center  
SUBJECT: Portions of TMK (1) 2-10-58-128, (1) 2-10-58-127  
LOCATION: Kupu Green Jobs Training Center by its consultant, PBR HAWAII & Associates

Transmitted for your review and comment on the above-referenced document. We would appreciate your comments on this document.

Please submit any comments by September 24, 2014. If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Supervising Land Agent Steve Molmen at (808) 587-0439. Thank you.

- () We have no objections.  
() We have no comments.  
() Comments are attached.

Signed:  
Print Name: John G. Tsuji  
Date: 10/9/14

Enclosure(s)



RECEIVED  
WILLIAM A. JR.  
L. AND DIVISION  
HAWAII LAND AND NATURAL RESOURCES  
STATE OF HAWAII  
2014 SEP -8 PM 2:38

STATE OF HAWAII  
DEPARTMENT OF LAND AND NATURAL RESOURCES  
LAND DIVISION  
POST OFFICE BOX 621  
HONOLULU, HAWAII 96809

2014 SEP -8 PH 2: 38

RECEIVED  
AHD DIVISION  
4 SEP -8 PN 2:38  
WILLIAM ALIA, JR.  
CHARLES N.  
HEAD OF LAND AND WATER RESOURCES  
COMMISSIONER OF WATER RESOURCES

The seal of the State of Hawaii, featuring a central shield with a rising sun over mountains and a sea turtle, surrounded by a circular border with the words "THE GREAT SEAL OF THE STATE OF HAWAII".

WILLIAM J. ALIA, JR.  
41 HARRISON  
BOARD OF LAND AND NATURAL RESOURCES  
MISSION IN WAIKIKI SUITE 150  
MANAJA MUNICIPAL BLDG

RECEIVED  
LAND DIVISION

2014 SEP -9 AM 9:59

DEPT. OF LAND &  
NATURAL RESOURCES  
STATE OF HAWAII

**STATE OF HAWAII**  
**DEPARTMENT OF LAND AND NATURAL RESOURCES**  
**LAND DIVISION**  
POST OFFICE BOX 621  
HONOLULU, HAWAII 96801-0621

September 4, 2014

MEMORANDUM

DLNR Agencies:

DLNR Agencies:

TO:

**DLNR Agencies:**

- Div. of Aquatic Resources
- Div. of Boating & Ocean Recreation
- Engineering Division
- Div. of Forestry & Wildlife
- Div. of State Parks
- Commission on Water Resource Management
- Office of Conservation & Coastal Lands
- Land Division – Oahu District
- Historic Preservation

Russell Y. Tsuji, Land Administrator  
Pre-Consultation for an Environmental Assessment – Kupu Green Jobs Training Center  
Portions of TMK (1) 2-105-58-128, (1) 2-105-58-127  
Kupu Green Jobs Training Center by its consultant, PBR HAWAII & Associates

**DNR Agencies:**

Div. of Aquatic  
 Div. of Boating  
 Engineering Division  
 Div. of Forestry  
 Div. of State Parks  
 Commission on  
 Office of Conservation  
 Land Division –  
 Historic Preservation

**For: Fann:**

**FROM:** To: f Russell Y. Tsuji, Lead  
**SUBJECT:** Pre-Consultation for  
Training Center  
**LOCATION:** Portions of TMK (1)  
**APPLICANT:** Kupu Green Jobs  
**Associate:** Associates

FROM: *Tv.*  
SUBJECT:  
LOCATION:  
APPLICANT

Transmitted for your review and comment on the above-referenced document. We would appreciate your comments on this document.

Please submit any comments by September 24, 2014. If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Supervising Agent Steve Molmen at (808) 587-0439. Thank you.

Transmitted for your review and comment on the above-referenced document. We would appreciate your comments on this document.

Attachments  
We have no objections.  
 We have no comments.  
 Comments are attached.

Signed: Edward R. Anderson  
Print Name: Edward R. Anderson  
Date: 9-5-14

Signed: J. H. New  
Print Name: John H. New  
Date: 9/15/13



WILLIAM A. ALA, JR.  
GOVERNOR OF HAWAII  
REDACTED

**STATE OF HAWAII**  
**DEPARTMENT OF LAND AND NATURAL RESOURCES**  
**LAND DIVISION**

POST OFFICE BOX 621  
HONOLULU, HAWAII 96809

September 4, 2014

**MEMORANDUM**

To: DLNR Agencies:

- Div. of Aquatic Resources
- Div. of Boating & Ocean Recreation
- Engineering Division
- Div. of Forests & Wildlife
- Div. of State Parks
- Commission on Water Resource Management
- Office of Conservation & Coastal Lands
- Land Division – Oahu District
- Historic Preservation

FROM: Russell Y. Tsui, Land Administrator  
SUBJECT: Pre-Consultation for an Environmental Assessment – Kupu Green Jobs Training Center  
LOCATION: Portions of TMK (1) 2-10-58-128, (1) 2-10-58-127  
APPLICANT: Kupu Green Jobs Training Center by its consultant, PBR HAWAII & Associates

Transmitted for your review and comment on the above-referenced document. We would appreciate your comments on this document.

Please submit any comments by September 24, 2014. If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Supervising Land Agent Steve Molmen at (808) 587-0439. Thank you.

Attachments

- We have no objections.
- We have no comments.
- Comments are attached.

Signed: Leno N. Ohye, Acting Deputy Director  
Print Name: LENOKE N. OHYE, Acting Deputy Director  
Date: Sept 10, 2014

FILE ID: PFD 4047.3  
DOC ID: 11772/



WILLIAM J. ALA, JR.  
GOVERNOR  
KANNA BEAMER  
MICHAEL G. BUCK  
MILTON D. PAVO  
LINDA ROSEN, M.D., M.P.H.  
DOROTHY STARRETT  
WILLIAM M. TAM  
DEPARTMENT OF LAND AND NATURAL RESOURCES  
COMMISSION ON WATER RESOURCE MANAGEMENT  
PO BOX 621  
HONOLULU, HAWAII 96809

September 10, 2014

REF: 4047.3

TO: Russell Tsui, Administrator  
Land Division

FROM: William M. Tam, Deputy Director  
Commission on Water Resource Management

SUBJECT: Kupu Green Jobs Training Center, Keawalo Basin Park, Ala Wai Watershed

FILE NO.:  
TMK NO.: (1) 2-10-58-128, (1) 2-10-58-127

Thank you for the opportunity to review the subject document. The Commission on Water Resource Management (CWRM) is the agency responsible for administering the State Water Code (Code). Under the Code, all waters of the State are held in trust for the benefit of the citizens of the State; therefore, all water use is subject to legally protected water rights. CWRM strongly promotes the efficient use of Hawaii's water resources through conservation measures and appropriate resource management. For more information, please refer to the State Water Code, Chapter 174C, Hawaii Revised Statutes, and Hawaii Administrative Rules, Chapters 13-167 to 13-171. These documents are available via the Internet at <http://www.hawaii.gov/dlnr/cwrm>.

Our comments related to water resources are checked off below.

- 1. We recommend coordination with the respective Planning Department and/or Department of Water Supply for further information.
- 2. Resources to incorporate this project into the county's Water Use and Development Plan. Please contact the respective Planning Department and/or Department of Water Supply for further information.
- 3. We recommend coordination with the Engineering Division of the State Department of Land and Natural Resources to incorporate this project into the State Water Projects Plan.
- 4. We recommend that water efficient fixtures be installed and water efficient practices implemented throughout the development to reduce the increased demand on the area's freshwater resources. Reducing the water usage of a home or building may earn credit towards LEED certification is available at <http://www.usgbc.org/leed>. A listing of fixtures certified by the EPA as having high water efficiency can be found at <http://www.epa.gov/watertSense/>.
- 5. We recommend the use of best management practices (BMP) for stormwater management to minimize the impact of the project to the existing area's hydrology while maintaining on-site infiltration and preventing polluted runoff from storm events. Stormwater management BMPs may earn credit toward LEED certification. More information on stormwater BMPs can be found at <http://hawaii.gov/dbedt/czmn/initiative/lid.php>.
- 6. We recommend the use of alternative water sources, wherever practicable.
- 7. We recommend participating in the Hawaii Green Business Program, that assists and recognizes businesses that strive to operate in an environmentally and socially responsible manner. The program description can be found online at <http://energy.hawaii.gov/green-business-program>

DRF-JA 03/20/2013

Russell Tsui, Administrator  
Page 2  
September 10, 2014

NEIL ABERCROMBIE  
GOVERNOR OF HAWAII

WILLIAM J. ILLA, JR.  
DEPARTMENT OF LAND AND NATURAL RESOURCES  
LAND DIVISION  
LAW OFFICES OF WATSON & MOLMEN



8. We recommend adopting landscape irrigation conservation best management practices endorsed by the Landscape Industry Council of Hawaii. These practices can be found online at [http://www.hawaiandscape.com/wm-content/uploads/2013/04/LICH\\_Irrigation\\_Conservation\\_BMPs.pdf](http://www.hawaiandscape.com/wm-content/uploads/2013/04/LICH_Irrigation_Conservation_BMPs.pdf)

9. There may be the potential for ground or surface water degradation/contamination and recommend that approvals for this project be conditioned upon a review by the State Department of Health and the developer's acceptance of any resulting requirements related to water quality.

Permits required by CWRM:

Additional information and forms are available at [http://hawaii.gov/dlnr/cwmw/info\\_permits.htm](http://hawaii.gov/dlnr/cwmw/info_permits.htm).

10. The proposed water supply source for the project is located in a designated water management area, and a Water Use Permit is required prior to use of water. The Water Use Permit may be conditioned on the requirement to use dual line water supply systems for new industrial and commercial developments.

11. A Well Construction Permit(s) is (are) required before any well construction work begins.

12. A Pump Installation Permit(s) is (are) required before ground water is developed as a source of supply for the project.

13. There is (are) well(s) located on or adjacent to this project. If wells are not planned to be used and will be affected by any new construction, they must be properly abandoned and sealed. A permit for well abandonment must be obtained.

14. Ground water withdrawals from this project may affect streamflows, which may require an instream flow standard amendment.

15. A Stream Channel Alteration Permit(s) is (are) required before any alteration(s) can be made to the bed and/or banks of a stream channel.

16. A Stream Diversion Works Permit(s) is (are) required before any stream diversion works is (are) constructed or altered.

17. A Petition to Amend the Interim Instream Flow Standard is required for any new or expanded diversion(s) of surface water.

18. The planned source of water for this project has not been identified in this report. Therefore, we cannot determine what permits or petitions are required from our office, or whether there are potential impacts to water resources.

- OTHER:  
The EA should disclose the projected water requirements, both potable and non-potable, the calculations used to derive the projections, and the planned water source to serve the project.


If there are any questions, please contact Lenore Ohye at 587-0216.

Please submit any comments by September 24, 2014. If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Supervising Land Agent Steve Molmen at (808) 587-0439. Thank you.

Attachments

- ( ) We have no objections.  
( ) We have no comments.  
(X) Comments are attached.

Signed: William J. Illa, Jr.  
Print Name: William J. Illa, Jr.  
Date: 9/1/2014



MEMORANDUM

TO: *Frazer McGilvray, Administrator*  
DATE: September 19, 2014  
FROM: Amnette Tagawa, Aquatic Biologist  
SUBJECT: Pre-consultation for an Environmental Assessment

Comment Date Request Receipt Referral Due Date  
Sept. 4, 2014 Sept. 4, 2014 Sept. 24, 2014

Requested by: Russell Y. Tsui, Land Administrator

Summary of Proposed Project

Title: Pre-Consultation for an Environmental Assessment – Kupu Green Jobs  
Training Center

Project by: Kupu Green Jobs Training Center by its consultant, PBR HAWAII & Associates

Location: Kewalo Basin Park, portions of TMK (1) 2-10-58-128, (1) 2-10-58-127

Brief Description: Proposed renovations of a building (commonly called the "Net Shed Building") and ancillary outdoor areas within Kewalo Basin Park. Renovations to the building interior will provide an improved environment to deliver services to Honolulu's youth. Improvements within the ancillary outdoor areas include parking, a garden area, and a paved plaza.

Comments: The Division has no objections to this request since the proposed project is not expected to have significant adverse impact on aquatic resource values in this area. However, with the project site being adjacent to the Kewalo Harbor entrance, we recommend that mitigation measures be taken during construction and renovation activities, including Best Management Practices, to prevent contaminants such as sediment, pollutants, petroleum products, and other debris from possibly entering the aquatic environment. We also suggest that site work be scheduled during periods of minimal rainfall and lands denuded of vegetation be replanted or covered as quickly as possible to control erosion.

Thank you for providing DAR the opportunity to review and comment on the proposed project. Should there be any changes to the project plans, DAR requests the opportunity to review and comment on those changes.

WILLIAM J. AILA, JR.  
CHIEF OF STAFF  
STATE OF HAWAII  
GOVERNOR OF HAWAII  
FAX: (808) 587-0439  
E-MAIL: [waila@doa.hawaii.gov](mailto:waila@doa.hawaii.gov)



STATE OF HAWAII  
DEPARTMENT OF LAND AND NATURAL RESOURCES  
LAND DIVISION  
POST OFFICE BOX 621  
HONOLULU, HAWAII 96809



Date: September 19, 2014

DAR # 5015

via email: [tschnell@pbrhawaii.com](mailto:tschnell@pbrhawaii.com)

PBR Hawaii & Associates, Inc.  
Attn: Tom Schnell  
1001 Bishop Street, Suite 650  
Honolulu, HI 96813-3484

Date: September 26, 2014  
SUBJECT: Pre-Consultation for an Environmental Assessment – Kupu Green Jobs  
Training Center

Sincerely,

Russell Y. Tsui  
Land Administrator

Enclosure(s)

Thank you for the opportunity to review and comment on the subject matter. In addition to the comments sent to you dated September 25, 2014, enclosed are additional comments from the Engineering Division on the subject matter. Should you have any questions, please feel free to call Supervising Land Agent Steve Molmen at (808) 587-0439. Thank you.

NEIL ABERCROMBIE  
GOVERNOR OF HAWAII



STATE OF HAWAII  
DEPARTMENT OF LAND AND NATURAL RESOURCES  
LAND DIVISION

POST OFFICE BOX 621  
HONOLULU, HAWAII 96809

September 4, 2014

**MEMORANDUM**

To: *[Signature]*

**DLNR Agencies:**

- Div. of Aquatic Resources  
 Div. of Boating & Ocean Recreation  
 Engineering Division  
 Div. of Forestry & Wildlife  
 Div. of State Parks  
 Commission on Water Resource Management  
 Office of Conservation & Coastal Lands  
 Land Division – Oahu District  
 Historic Preservation

From: *[Signature]*  
SUBJECT: Pre-Consultation for an Environmental Assessment – Kupu Green Jobs Training Center

LOCATION: Portions of TMK (1) 2-10-58-128, (1) 2-10-58-127  
APPLICANT: Kupu Green Jobs Training Center by its consultant, PBR HAWAII & Associates

Transmitted for your review and comment on the above-referenced document. We would appreciate your comments on this document.

Please submit any comments by September 24, 2014. If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Supervising Land Agent Steve Molmen at (808) 587-0439. Thank you.

Attachments

- We have no objections.  
 We have no comments.  
 Comments are attached.

Signed: *[Signature]*  
Print Name: *[Signature]*  
Date: *[Signature]*

Should you have any questions, please call Mr. Dennis Imada of the Planning Branch at 587-0257.  
Signed: *[Signature]*  
CARTY S CHANG, CHIEF ENGINEER  
Date: *[Signature]*

DEPARTMENT OF LAND AND NATURAL RESOURCES  
ENGINEERING DIVISION

LD/Russell Y. Tsuji  
REF: Pre-Consultation for EA for Kupu Green Jobs Training Center  
Oahu, 084

**COMMENTS**


- ( ) We confirm that the project site, according to the Flood Insurance Rate Map (FIRM), is located in Zone \_\_\_\_\_  
Please take note that the project site according to the Flood Insurance Rate Map (FIRM), is located in Zone AE. The National Flood Insurance Program regulates developments within Zone AE.  
( ) Please note that the correct Flood Zone Designation for the project site according to the Flood Insurance Rate Map (FIRM) is \_\_\_\_\_.  
Please note that the project must comply with the rules and regulations of the National Flood Insurance Program (NFIP) presented in Title 44 of the Code of Federal Regulations (44CFR), whenever development within a Special Flood Hazard Area is undertaken. If there are any questions, please contact the State NFIP Coordinator, Ms. Carol Tyau-Beam, of the Department of Land and Natural Resources, Engineering Division at (808) 587-0267.  
Please be advised that 44CFR indicates the minimum standards set forth by the NFIP. Your Community's local flood ordinance may prove to be more restrictive and thus take precedence over the minimum NFIP standards. If there are questions regarding the local flood ordinances, please contact the applicable County NFIP Coordinators below:  
(X) Mr. Mario Siu Li at (808) 768-5008 of the City and County of Honolulu, Department of Planning and Permitting.  
( ) Mr. Frank DeMarco at (808) 961-8042 of the County of Hawaii, Department of Public Works.  
( ) Mr. Carolyn Cortez at (808) 270-7253 of the County of Maui, Department of Planning.  
( ) Mr. Stanford Iwamoto at (808) 241-4896 of the County of Kauai, Department of Public Works.  
(X) The applicant should include water demands and infrastructure required to meet project needs. Please note that projects within State lands requiring water service from the Honolulu Board of Water Supply system will be required to pay a resource development charge, in addition to Water Facilities Charges for transmission and daily storage.  
(X) The applicant should provide the water demands and calculations to the Engineering Division so it can be included in the State Water Projects Plan Update.  
( ) Additional Comments: \_\_\_\_\_  
( ) Other: \_\_\_\_\_

RECEIVED  
LAND DIVISION

2014 SEP 25 PM 3:59  
DEPT. OF LAND &  
NATURAL RESOURCES  
STATE OF HAWAII



**State of Hawaii  
FLOOD HAZARD ASSESSMENT REPORT**



**NATIONAL FLOOD INSURANCE PROGRAM**

**FLOOD ZONE DEFINITIONS**

**SPECIAL FLOOD HAZARD AREA SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD** - The 1% annual chance flood (base flood) also known as the base flood, is the flood that has a 1% chance of being equaled or exceeded in any given year. The Special Flood Hazard is the areas subject to flooding by the 1% annual chance flood. Areas of Special Flood Hazard include Zone A, AE, AH, V, and VE. The Base Flood Elevation (BFE) is the water surface elevation of the 1% annual chance flood. Mandatory flood insurance purchase applies in these areas:

Zone A: No BFE determined.

Zone AH: Flood depths of 1 to 3 feet (usually areas of ponding). BFE determined. Average depths determined.

Zone AC: Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without increasing the BFE.

Zone VE: Coastal flood zone with velocity hazard (wave action); BFE determined. Non-mandatory flood insurance purchase requirements apply, but coverage is available in participating communities.

Zone AE: Floodway areas in Zone AE. The floodway is the channel of stream that is the flood that has a 1% chance of being equaled or exceeded in any given year. An area in a low-to-moderate risk flood zone.

**NON-SPECIAL FLOOD HAZARD AREA** - An area in a low-to-moderate risk flood zone. No mandatory flood insurance purchase requirements apply, but coverage is available in participating communities.

Zone AS (X shaded): Areas of 0.2% annual chance flood; areas of 0% annual chance flood with average depths of less than 1 foot or with drainage areas less than 1 square mile, and areas protected by levees from 1% annual chance flood.

Zone X: Areas determined to be outside the 0.2% annual chance floodplain.

**OTHER FLOOD AREAS**

Zone D: Undesignated areas where flood hazards are undetermined, but flooding is possible. No mandatory flood insurance purchase requirements apply, but coverage is available in participating communities.

**PROPERTY INFORMATION**

COUNTY: HONOLULU

TMN NO.: (1) 2-1-058-128

PARCEL ADDRESS:

JANUARY 19, 2011

FIRM INDEX DATE:

LETTER OF MAP CHANGE(S): NONE

FEMA FIRM PANEL(S): 15003/C0362G

PANEL EFFECTIVE DATE: JANUARY 19, 2011

**PARCEL DATA FROM:  
IMAGERY DATA FROM:**

APRIL 2014

MAY 2006

**IMPORTANT PHONE NUMBERS**

County NFIP Coordinator:

City and County of Honolulu

State NFIP Coordinator:

Carol Tye-Bram, P.E., CFM

(808) 768-4098

(808) 587-7027

**Disclaimer:** The Department of Land and Natural Resources (DLNR) assumes no responsibility arising from the use of the information contained in this report. Viewer/User are responsible for verifying the accuracy of the information and agree to indemnify the DLNR from any liability, which may arise from use of this map.

This map has been identified as "PRELIMINARY" or "UNOFFICIAL"; it is not an official map produced for informational purposes and is not to be used as an official map for planning, zoning, or land management regulations.

PRINCIPALS

THOMAS WITTEN, ASLA  
*Chairman*

R. STANDUNCA, ASLA  
*President*

RUSSELL Y. LICHING, ASLA, LEED AP BD+C  
*Executive Vice-President*  
VINCENT MURAKAMI  
*Vice President*  
GRANT MURAKAMI, ASLA, LEED AP BD+C  
*Vice President*  
TOMSCHELL, AICP  
*Principal*

ASSOCIATES

RAYMOND T. HIGA, ASLA  
*Senior Associate*

KIMI MIRAMIVEN, LEED AP BD+C  
*Senior Associate*

SCOTT ALIKA ABRUGGELLO, AP BD+C  
*Managing Director - Kajiwaki*

ROY TAKEMOTO  
*Managing Director - Hill*

MOTT MURAKAMI, ASLA, LEED AP  
*Associate*

DONCHING DONG, LEED AP  
*Associate*

MARC SHUMATE, ASLA  
*Associate*

CARIB CULLISON, AICP  
*Associate*

April 14, 2015

Mr. Russell Y. Tsuiji, Land Administrator

State of Hawaii  
Department of Land and Natural Resources

Land Division  
P.O. Box 621  
Honolulu, HI 96809

**SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT  
- KUPU GREEN JOBS TRAINING CENTER - PORTIONS OF TMK  
(1) 2-10-58-128, (1) 2-10-58-127**

Dear Mr. Tsuiji,

Thank you for your emails dated September 25 and 26, 2014 regarding our request for pre-consultation comments on the Kupu Green Jobs Training Center, which involves renovations of the "Net Shed Building" and ancillary outdoor areas adjacent to Kewalo Basin Park, Honolulu, Oahu.

As the planning consultant for Kupu, we are responding to comments received from the following Department of Land and Natural Resources (DLNR) divisions: (1) Land Division - O'ahu District; (2) Division of Forestry and Wildlife; (3) Division of Boating and Ocean Recreation; (4) Commission on Water Resource Management; (5) Division of Aquatic Resources; and (6) Engineering Division.

**(1) Land Division - O'ahu District**

We acknowledge that your Division has no comments to offer at this time.

**(2) Division of Forestry and Wildlife**

We acknowledge that your Division has no comments to offer at this time.

**(3) Division of Boating and Ocean Recreation**

We acknowledge that your Division has no comments to offer at this time.

**(4) Commission on Water Resource Management**

The Draft Environmental Assessment (EA) will include: 1) a preliminary engineering report which will describe projected water requirements as compared to existing conditions based on existing and proposed water supply fixture units; and 2) the planned water source, which will be the City and County of Honolulu's municipal water system.

**(5) Division of Aquatic Resources**

We acknowledge that, in your estimation, the Kupu Green Jobs Training Center will not have a significant adverse impact on aquatic resource values in this area.

Mr. Russell Y. Tsuji  
PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT – KUPU GREEN  
JOBS TRAINING CENTER – PORTIONS OF TMK (1) 2-10-58-128, (1) 2-10-58-127  
April 7, 2015  
Page 2 of 2

The Draft EA will include a description of the mitigation measures to be taken during construction and renovation to prevent contaminants from possibly entering the aquatic environment and specifically Kewalo Harbor. The Draft EA will include the suggestion that, as feasible, the contractors schedule site work during periods of minimal rainfall and that lands denuded of vegetation be replanted or covered as quickly as possible.

**(6) Engineering Division**

We acknowledge that the Kupu Green Jobs Training Center is in Zone AE according to the Flood Insurance Rate Map. As such, the Draft EA will include a description of how the Kupu Green Jobs Training Center complies with the rules and regulations of the National Flood Insurance Program as presented in Title 44 of the Code of Federal Regulations. The Draft EA will also describe the water demands and infrastructure required to meet the needs of the Center. When the renovations are complete, Kupu will be prepared to pay a Water Facilities Charge for water service from the Board of Water Supply. Finally, the Draft EA will include a preliminary engineering report which will describe projected water requirements as compared to existing conditions based on existing and proposed water supply fixture units.

We appreciate your participation in the environmental review process and will inform you when the Draft EA is available.

Sincerely,

PBR HAWAII

  
Tom Schnell  
Principal

Copy: John Leong, Kupu

**Attachments:** 14-200\_KUPU-Green-jobs-TC\_Project.pdf

**From:** McIntyre, Laura [mailto:[Laura.McIntyre@doh.hawaii.gov](mailto:Laura.McIntyre@doh.hawaii.gov)]  
**Sent:** Tuesday, September 30, 2014 2:01 PM

**To:** Tom Schnell  
**Cc:** matthew.kurano@doh.hawaii.gov

**Subject:** PC for EA for Kupu Green Jobs  
NEW ABERCROMBIE  
GOVERNOR OF HAWAII



STATE OF HAWAII

DEPARTMENT OF HEALTH  
P. O. BOX 3378  
HONOLULU, HI 96801-3378

September 30, 2014

Mr. Tom Schnell, Principal  
PBR Hawaii  
Email: [tschnell@pbrihawaii.com](mailto:tschnell@pbrihawaii.com)

Dear Mr. Schnell:

**SUBJECT:** Pre-Consultation for an Environmental Assessment  
KUPU Green Jobs Training Center, Portions of TMK (1) 2-10-58-128, (1) 2-10-58-127

The Department of Health (DOH), Environmental Planning Office (EPO), acknowledges receipt of your letter dated August 27, 2014. Thank you for allowing us to review and comment on the subject document. EPO recommends that you discuss the project with the Clean Water Branch and Hazard Evaluation and Emergency Response Office to ensure the maintenance of pristine waters. They can provide specific comments to you if necessary. EPO recommends that you review the standard comments at: <http://eha.hawaii.gov/epo/home/landuse-planning-review-program/>. You are required to adhere to all applicable standard comments.

We encourage you to examine and utilize the Hawaii Environmental Health Portal. The portal provides links to our e-Permitting Portal, Environmental Health Warehouse, Groundwater Contamination Viewer, Hawaii Emergency Response Exchange, Hawaii State and Local Emission Inventory System, Water Pollution Control Viewer, Water Quality Data, Warnings, Advisories and Postings. The Portal is continually updated. Please visit it regularly at: <http://eha.cloud.doh.hawaii.gov>.

You may also wish to review the recently revised Water Quality Standards Maps that have been updated for all islands. The new Water Quality Standards Maps can be found at: <http://health.hawaii.gov/cwlb/site-map/clean-water-branch-home-page/water-quality-standards/>.

The EPO suggests that you examine the many sources available on strategies to support the sustainable and healthy design of communities and buildings, including the:  
2014 National Climate Change Report – Highlights for Hawaii:  
[http://fccc.wg2.gov/AR5/images/uploads/WGIIAR5\\_Chap29\\_FGDAll.pdf](http://fccc.wg2.gov/AR5/images/uploads/WGIIAR5_Chap29_FGDAll.pdf),  
U.S. Health and Human Services: [www.hhs.gov/about/sustainability/](http://www.hhs.gov/about/sustainability/)

# PBR HAWAII

& ASSOCIATES, INC.

U.S. Environmental Protection Agency's sustainability programs: [www.epa.gov/sustainability/](http://www.epa.gov/sustainability/)

U.S. Green Building Council's LEED program: [www.usgbc.org/leed/](http://www.usgbc.org/leed/)

Smart Growth America: [www.smartgrowthamerica.org/](http://www.smartgrowthamerica.org/)

International Well Building Standard: <http://www.internationalwellsstandard.org/>; and

Intergovernmental Panel on Climate Change (IPCC): [http://ipcc-wg2.gov/AR5/images/uploads/WGI/AR5-Chap29\\_FGDall.pdf](http://ipcc-wg2.gov/AR5/images/uploads/WGI/AR5-Chap29_FGDall.pdf)

We request you share all of this information with others to increase community awareness on sustainable, innovative, inspirational, and healthy community design.

Mahalo,

Laura Leialoha Phillips McIntyre, AICP  
Program Manager, Environmental Planning Office

C. CWB, HEER

Laura Leialoha Phillips McIntyre AICP  
Program Manager, Environmental Planning Office  
Hawaii State Department of Health  
919 Ala Moana Blvd. Rm. 312  
Honolulu, Hawaii 96814  
Direct Phone: (808) 586-4338  
Email: [laura.mcintyre@ddoh.hawaii.gov](mailto:laura.mcintyre@ddoh.hawaii.gov)  
Website: <http://health.hawaii.gov/edo>  
*Ua mau ke ea o ka aina / ka pono*

14 AUG 28 P2:29  
August 27, 2014

SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT - KUPU GREEN JOBS TRAINING CENTER – PORTIONS OF TMK (1) 2-10-58-128, (1) 2-10-58-127

## ASSOCIATES

RAYMOND HIGA, ASLA  
*Senior Associate*

KIMIAKAMI TSUNENI, LEED AP BD+C  
*Senior Associate*

SCOTT AUKA ABRIGO, LEED AP BD+C  
*Managing Director, Kapolei*

ROY TAKAMOTO  
*Managing Director - Hilo*

SCOTT MURAKAMI, ASLA, LEED AP  
*Associate*

DACHENG DONG, LEED AP  
*Associate*

MARSHMATSU, ASLA  
*Associate*

CATIE CULLISON, AICP  
*Associate*

Dear Ms. Rosen,

Kupu has contracted PBR HAWAII & Associates, Inc. to prepare an environmental assessment for proposed renovations of a building (commonly called the "Net Shed Building") and ancillary outdoor areas within Kewalo Basin Park, Ala Wai Watershed, Honolulu Judicial District, Oahu. The attached figure shows the building and related areas.

The building was originally constructed in the mid-1980's as a net shed for Honolulu's fishing fleet. In recent years, with the demise of the fishing industry, Kupu has leased the building from the Hawaii Community Development Authority for its Green Jobs Training Center. The Green Jobs Training Center offers services to youth including education to complete high school diplomas and training in the field of conservation and land stewardship.

Currently, the "Net Shed Building" is an open, covered structure. The interior space is not divided except for restroom facilities and a small kitchen area. Renovations to the building interior will provide an improved environment in which to deliver services to Honolulu's youth. Improvements within the ancillary outdoor areas include parking, a garden area, and a paved plaza.

When the renovations are complete, possible improvements to the Kupu Green Training Center may include:

- Renovated ground floor interior spaces, demised for classrooms/meeting rooms, gathering spaces, and administrative offices
- A new interior mezzanine for classroom/meeting room spaces (no changes to roof or roofline proposed)
- Renovated men's and women's restrooms
- A commercial kitchen
- A snack bar, configured to serve the Kewalo Basin Park, which would be

14-202357

- 9 SEP 2014

PLANNING • LANDSCAPE ARCHITECTURE • ENVIRONMENTAL STUDIES • ENTITLEMENTS PERMITTING • GRAPHIC DESIGN  
*printed on recycled paper*

SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT –  
KUPU GREEN JOBS TRAINING CENTER – PORTIONS OF TMK (1) 2-10-58-128, (1) 2-10-  
58-127  
August 27, 2014  
Page 2 of 2

- an addition to the existing building
- Garden plantings refreshed with edible and native vegetation
- Grass and other landscaping in place of an asphalt plaza
- A photovoltaic system to power Kupu facilities
- Low-impact stormwater collection and disposal techniques
- Reconfigured parking spaces

With this letter, we seek input regarding: 1) the proposed renovations; 2) whether these changes may have an impact on any of your existing or proposed projects, plans, policies, or programs; and 3) if there are any specific issues that you think should be addressed in the environmental assessment. Please send us any comments you may have by **September 26, 2014**.

Please contact me by phone at (808) 521-5631 or email at [tschnell@pbrhawaii.com](mailto:tschnell@pbrhawaii.com) if you have any questions or require any additional information.

Sincerely,



PBR HAWAII  
Tom Schnell  
Principal

CC: John Leong, Kupu  
Carson Schultz, HCDA

End. Location Map

O:\Nob30\304101 Kupu Building EA\EA Pre-consultation\Preconsultation Letter Kupu EA-02.docx



Legend



KUPU



TMK

Project Area



**Kupu: Green Jobs Center**

DATE: 8/14/2014



# PBR HAWAII

& ASSOCIATES, INC.

## PRINCIPALS

THOMAS WITTEN, ASLA  
*Chairman*

R. STANDUNCA, ASLA  
*President*

BESSIE Y. LICHING, ASLA, LEED AP BD+C  
*Executive Vice-President*

VINCENT MURAKAMI  
*Vice President*

GRANT MURAKAMI, AIA, LEED AP BD+C  
*Vice President*

THOMAS NELL, AICP  
*Principal*

W. FRANK BRANDT, FASLA  
*Chairman Emeritus*

RAYMOND T. HIGA, ASLA  
*Senior Associate*

KIMI MIRAMYIEN, LEED AP BD+C  
*Senior Associate*

SCOTT ALBA, AIA, LEED AP BD+C  
*Managing Director - Kailua*

ROY TAKAHASHI  
*Managing Director - Hilo*

SCOTT MURAKAMI, ASLA, LEED AP  
*Associate*

DOUQING DONG, LEED AP  
*Associate*

MARC SHIMATSU, ASLA  
*Associate*

CATIE CULLISON, AICP  
*Associate*

April 14, 2015

Ms. Laura Leialoha Phillips McIntyre, AICP  
State of Hawai'i  
Department of Health  
Environmental Planning Office  
919 Ala Moana Boulevard, Room 312  
Honolulu, HI 96814

SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT  
- KUPU GREEN JOBS TRAINING CENTER - PORTIONS OF TMK  
(1) 2-10-58-128, (1) 2-10-58-127  
Your reference: EPO/14-200

## ASSOCIATES

Dear Ms. McIntyre,

RAYMOND T. HIGA, ASLA  
*Senior Associate*

KIMI MIRAMYIEN, LEED AP BD+C  
*Senior Associate*

SCOTT ALBA, AIA, LEED AP BD+C  
*Managing Director - Kailua*

ROY TAKAHASHI  
*Managing Director - Hilo*

SCOTT MURAKAMI, ASLA, LEED AP  
*Associate*

DOUQING DONG, LEED AP  
*Associate*

MARC SHIMATSU, ASLA  
*Associate*

CATIE CULLISON, AICP  
*Associate*

Thank you for your email dated September 30, 2014 regarding our request for pre-consultation comments on the Kupu Green Jobs Training Center, which involves renovations of the "Net Shed Building" and ancillary outdoor areas adjacent to Kewalo Basin Park, Honolulu, Oahu.

1. We have reviewed the standard comments on your Department's website for applicability to this project.

2. We will review the Hawaii Environmental Health Portal and the Water Quality Standards Maps in reference to the Kupu Green Jobs Training Center. The Draft Environmental Assessment will include any relevant information from these two sources.

3. We appreciate the references to the many sources available on strategies to support the sustainable design of buildings and communities. The Kupu Green Jobs Training Center is being designed to meet the requirements to be certified under LEED.

We appreciate your participation in the environmental review process and will inform you when the Draft EA is available.

Sincerely,

  
Tom Schnell  
Principal

Copy: John Leong, Kupu

*Printed on recycled paper*

HONOLULU OFFICE  
1001 Bishop Street, Suite 1500  
Honolulu, Hawaii 96813-2444  
Tel: (808) 524-5601  
Fax: (808) 524-1402  
E-mail: systemsinfo@pbrhawaii.com

KAPOLEI OFFICE  
1400 Iwilei Road, Suite 213  
Kapolei, Hawaii 96707-2005  
Tel: (808) 524-5601  
Fax: (808) 335-3161

HILo OFFICE  
1719 Haladale Street  
Hilo, Hawaii 96720-1583  
Tel/C.O.: (808) 967-5078

NEIL ABERCROMBIE  
GOVERNOR



# PBR HAWAII

& ASSOCIATES, INC.

FORD N. FUCHIGAMI  
INTERNAL DIRECTOR

Deputy Directors  
RANDY GRUNE  
AUDREY HIJANO  
ROSS M. HIGASHI  
JAIME URSAKI

IN REPLY REFER TO:

STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
869 PUNCHBOWL STREET  
HONOLULU, HAWAII 96813-5097

September 17, 2014

Mr. Tom Schnell, AICP  
PBR HAWAII & Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484

Dear Mr. Schnell:

Subject: Kupu Green Jobs Training Center  
Pre-Consultation for Environmental Assessment  
TMK: (1) 2-10-058:127 & 128

Our Department of Transportation's (DOT) comments on the subject project are as follows:

The Draft Environmental Assessment (DEA) should discuss and evaluate the project's contribution to the cumulative traffic impacts on State highways facilities in the area.

If there are any questions, please contact Mr. Norren Kato of the DOT Statewide Transportation Planning Office at telephone number (808) 831-7976.

Very truly yours,

FORD N. FUCHIGAMI  
Interim Director of Transportation

Sincerely,

PBR HAWAII

Tom Schnell  
Principal

Copy: John Leong, Kupu

HONOLULU OFFICE  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484  
Tel: (808) 524-5601  
Fax: (808) 524-1402  
E-mail: systemsinfo@pbrihawaii.com

KAPOLEI OFFICE  
1400 Iwilei Road, Suite 213  
Kapolei, Hawaii 96737-2005  
Tel: (808) 524-5601  
Fax: (808) 335-3161

Hilo Office  
1719 Haladale Street  
Hilo, Hawaii 96720-1583  
Tel/Cx: (808) 315-4678

Printed on recycled paper

Mr. Leo R. Asuncion  
PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT – KUPU GREEN  
JOBS TRAINING CENTER – PORTIONS OF TMK (1) 2-10-58-128, (1) 2-10-58-127  
April 7, 2015  
Page 2 of 2

**From:** Ron Iwami [mailto:[ronald@kewalo.org](mailto:ronald@kewalo.org)]  
**Sent:** Friday, September 26, 2014 9:25 PM  
**To:** Tom Schnell  
**Subject:** pre-consultation for EA for KUPU

Aloha Tom,

O:\Leo\50\304\01 Kupu Building EA\EA\Pre-consultation\Responses\DOT.docx

This email is in response to your letter dated August 27, 2014 asking for our input regarding the Pre-consultation for an EA – Kupu Green Jobs Training Center.

Our comments based on the facts of the letter are as follows:

- Friends of Kewalo would like an opportunity to be interviewed in the future by PBR Hawaii for inclusion in the EA.
  - More information on the snack bar as an addition to the existing building.
  - Grass and other landscaping in place of an asphalt plaza. We were told by KUPU that they would use that area for parking. Parking at Kewalo Basin Park is a premium and any additional parking area needs to be preserved such as the asphalt plaza.
  - Additional parking for the snack bar would be needed.
  - No waste material to be disposed of into the harbor or surfing areas.
  - Expand on the low-impact stormwater collection and disposal techniques
  - Our main concern is the park user parking will not be compromised by the proposed renovation.
- Please provide us a rendering or other details of the project.
- Mahalo for this opportunity to provide our input.

Ron Iwami  
President, Friends of Kewalo  
222-6645



& ASSOCIATES, INC.

April 14, 2015

PRINCIPALS

THOMAS. WITTEN, ASLA  
*Chairman*

R. STAN DUNCAN, ASLA  
*President*

RUSSELL LICHING, ASLA, LEED AP, PBD+C  
*Executive Vice President*

VINCENT MURAKAMI  
*Vice President*

GRANT T. MURAKAMI, AIA, LEED AP BD+C  
*Vice President*

TOM SCHNELL, AICP  
*Principal*

W. FRANK BRANDY, ASLA  
*Chairman Emeritus*

ASSOCIATES

RAMOND HIGA, ASLA  
*Senior Associate*

KIMI MIRAMOTO, LEED AP BD+C  
*Senior Associate*

SCOTT ALIKA ABRECO, LEED AP BD+C  
*Managing Director - Kauai*

YOSHIAKI HIRANO  
*Managing Director - Maui*

SCOTT MURAKAMI, ASLA, LEED AP  
*Associate*

DAICHI NISHIDA, LEED AP  
*Associate*

MARC SHIBUYA, ASLA  
*Associate*

CATE CULLISON, AICP  
*Associate*

SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT  
- KUPU GREEN JOBS TRAINING CENTER – PORTIONS OF TMK  
(1) 2-10-58-128, (1) 2-10-58-127

Dear Mr. Iwami,

Thank you for your email dated September 26, 2014 regarding our request for pre-consultation comments for the proposed renovations of a building (commonly called the “Net Shed Building”) and ancillary outdoor areas within Kewalo Basin Park, Ala Wai Watershed, Honolulu Judicial District, O’ahu. As the planning consultant for Kupu, we offer the following responses in the respective order of your comments:

1. Thank you for meeting representatives of Kupu and PBR HAWAII on DATE to discuss the Net Shed Building renovation plans.

2. A snack bar is no longer part of the renovations to the Net Shed Building. Instead, exterior building hookups (such as connections for water, wastewater, and electricity) for use by a food truck are planned. The option for a mobile food truck, rather than a permanent snack bar, gives Kupu the option to move the truck if it creates too much congestion. However it is envisioned that park users would be the primary food truck customers.

3. Regarding parking, no stalls from the existing Kewalo Basin Park parking lot will be used for any Kupu parking. Kupu recognizes that this lot serves the Kewalo Basin Park and is reserved for park users.

Seven parking stalls in front of the Net Shed Building (Diamond Head side) are reserved for Kupu’s exclusive use as part of its current agreement with the Hawaii Community Development Authority (HCDA). As part of the renovations, these existing seven parking stalls will be reconfigured into five regular parking stalls plus one Americans with Disabilities Act (ADA) accessible stall and an access aisle. Bicycle parking will also be provided near the Net Shed Building entrance.

For any additional stalls that may be required for Kupu, HCDA and Howard Hughes (which has an existing lease to operate the harbor, boat slips, and parking immediately adjacent to the harbor) have committed to working with Kupu to provide for the remaining required parking, as well as event parking. The additional parking will be provided either closer to Ala Moana Boulevard or within Howard Hughes lease areas. It should be noted that Kupu encourages alternative transportation use by subsidizing bus passes for program participants, most of who

Mr. Ron Iwami  
PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT - KUPU GREEN JOBS TRAINING CENTER – PORTIONS OF TMK ((1) 2-10-58-128, (1) 2-10-58-127  
April 14, 2015  
Page 2 of 2

are under the driving age.

4. Regarding the asphalt plaza between the Net Shed Building and the Kewalo Basin Harbor channel, Kupu would like to renovate this area to be more inviting and sustainable and also to be more functional for Kupu’s programs and events. The renovated area will include large concrete pavers (approximately 12-feet x 12-feet) segmented by bands of grass or gravel to allow for stormwater infiltration. Planter boxes and tanks for hydroponics may also be added to the renovated area. In addition, a new rain garden and/or a vegetated swale along the harbor channel edge will allow for additional infiltration as well as some bio-filtration and treatment of stormwater before it enters the ocean.

5. No waste material will be disposed of in the harbor or surf areas. In fact, the renovations will improve stormwater quality of the site.

6. The Draft EA will contain a detailed description of the low impact stormwater control measures.

We appreciate your participation in the environmental review process. We will inform you when the Draft EA is available for review.

Sincerely,

PBR HAWAII

Tom Schnell  
Principal

Copy: John Leong, Kupu  
03-Job303041.01 Kupu Building EEA/Pre-consultation Responses/Friends of Kewalo docx  
1000 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484  
Tel: (808) 524-5633  
Fax: (808) 524-1402  
E-mail: [syndication@pbrhawaii.com](mailto:syndication@pbrhawaii.com)

KAPOLEI OFFICE  
1000 Diamond Head Boulevard  
Kapolei, Hawaii 96737-29005  
Tel: (808) 524-5633  
Fax: (808) 524-3163

HILU OFFICE  
1711-19 Haliole Street  
Hilo, Hawaii 96720-1353  
Tel/Cel: (808) 315-0878



From: Liu, Rouen [mailto:rouen.liu@hawaiianelectric.com]

Sent: Thursday, September 25, 2014 4:48 PM

To: Tom Schnell

Cc: sysadmin

Subject: FW: Pre assessment Consultation for Environmental Assessment- Kupu Green Jobs training center

Dear Mr. Schnell,

Thank you for the opportunity to comment on the subject project. Hawaiian Electric Company has no objections to the project. Should HEKO have existing easements and facilities on the subject property, we will need continued access for maintenance of our facilities.

We appreciate your efforts to keep us apprised of the subject project in the planning process. As the Kupu Green Jobs Training Center comes to fruition, please continue to keep us informed. Further along in the design, we will be better able to evaluate the effects on our system facilities.

If you have any questions, please call me at 543-7245.

Sincerely,  
Rouen Q. W. Liu  
Permits Engineer

CONFIDENTIALITY NOTICE: This e-mail message, including any attachments, is for the sole use of the intended recipient(s) and may contain confidential and/or privileged information. Any unauthorized review, use, copying, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender immediately by reply e-mail and destroy the original message and all copies.

April 14, 2015

**PRINCIPALS**

THOMAS WITTEN, ASLA  
*Chairman*

R. DUNCAN, ASLA  
*President*

BETSY Y. LICHING, ASLA, LEED AP BD+C  
*Executive Vice-President*

VINCENT MIGLIANI  
*Vice President*  
GRANT MURAKAMI, LEED AP BD+C  
*Vice President*

ROBERT FASL, AICP  
*Principal*

W. THOMAS CULLISON, AICP  
*Chairman Emeritus*

ASSOCIATES

RAYMOND T. HIGA, ASLA  
*Senior Associate*

KIMI MIRAMYIEN, LEED AP BD+C  
*Senior Associate*

SCOTT ALBA, AIA, LEED AP BD+C  
*Managing Director - Kupu*

ROY TAKEMOTO  
*Managing Director - Hilo*

MICHAEL MURAKAMI, LEED AP  
*Associate*

DONIENG PONG, LEED AP  
*Associate*

MARC SHUMATE, ASLA  
*Associate*

CATIE CULLISON, AICP  
*Associate*

DEAR MR. SCHNELL,  
SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT  
- KUPU GREEN JOBS TRAINING CENTER – PORTIONS OF TMK  
(1) 2-10-58-128; (1) 2-10-58-127

Dear Mr. Liu,

Thank you for your email dated September 25, 2014 regarding our request for pre-consultation comments on the Kupu Green Jobs Training Center, which involves renovations of the "Net Shed Building" and ancillary outdoor areas adjacent to Kewalo Basin Park, Honolulu, Oahu.

We acknowledge that you have no objections to the project but that HEKO will need continued access if there are existing easements and facilities on the Kupu property.

We appreciate your participation in the environmental review process and will inform you when the Draft EA is available so that you will be better able to evaluate the effects on your system facilities.

Sincerely,

PBR HAWAII

Tom Schnell  
Principal

HONOLULU OFFICE  
1001 Bishop Street, Suite 1500  
Honolulu, Hawaii 96813-2444  
Tel: (808) 524-5601  
Fax: (808) 523-1402  
E-mail: sysadmin@pbrhawaii.com

KAPOLEI OFFICE  
1400 Iwilei Road, Suite 213  
Kapolei, Hawaii 96707-2005  
Tel: (808) 524-5601  
Fax: (808) 335-3161

HILo OFFICE  
1719 Halalau Street  
Hilo, Hawaii 96720-1583  
Tel/C/F: (808) 967-0778

O:\job303041\01 Kupu Building EA\EA\Pre-consultationResponses\HECO.docx

Printed on recycled paper

HONOLULU FIRE DEPARTMENT  
CITY AND COUNTY OF HONOLULU

Phone: 808-723-7139      636 South Street, Honolulu, Hawaii 96813-5007  
Fax: 808-723-7111      Internet: www.honolulu.gov/nd



KIRK CALDWELL  
MAYOR

MANUEL P. NEVES  
FIRE CHIEF  
LIONEL CANARA, JR.  
DEPUTY FIRE CHIEF

fire apparatus access road, as measured by an approved route around the exterior of the facility or building, on-site fire hydrants and mains capable of supplying the required fire flow shall be provided when required by the AHJ [Authority Having Jurisdiction]. (NFPA 1, UFC™, 2006 Edition, Section 18.3.1, as amended.)

September 17, 2014

Mr. Tom Schnell, AICP  
Principal  
PBR Hawaii & Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484

Dear Mr. Schnell:

Subject: Preconsultation for an Environmental Assessment  
Kupu Green Jobs Training Center  
Tax Map Keys: 2-1-058-128 and 2-1-058-127

In response to your letter dated August 27, 2014, regarding the above-mentioned subject, the Honolulu Fire Department (HFD) requires that the following be complied with:

1. Fire department access roads shall be provided such that any portion of the facility or any portion of an exterior wall of the first story of the building is located not more than 150 feet from fire department access roads as measured by an approved route around the exterior of the building or facility. (National Fire Protection Association [NFPA] 1, Uniform Fire Code [UFC]™, 2006 Edition, Section 18.2.3.2.2.)

A fire department access road shall extend to within 50 feet of at least one exterior door that can be opened from the outside and that provides access to the interior of the building. (NFPA 1, UFC™, 2006 Edition, Section 18.2.3.2.1.)

2. A water supply approved by the county, capable of supplying the required fire flow for fire protection, shall be provided to all premises upon which facilities or buildings, or portions thereof, are hereafter constructed, or moved into or within the county. When any portion of the facility or building is in excess of 150 feet from a water supply on a

Mr. Tom Schnell, AICP  
Page 2  
September 17, 2014

MANUEL P. NEVES  
FIRE CHIEF  
LIONEL CANARA, JR.  
DEPUTY FIRE CHIEF

3. The unobstructed width and unobstructed vertical clearance of a fire apparatus access road shall meet county requirements. (NFPA 1, UFC™, 2006 Edition, Section 18.2.3.4.1.1, as amended.)
4. Submit civil drawings to the HFD for review and approval.

Should you have questions, please contact Battalion Chief Terry Seelig of our Fire Prevention Bureau at 723-7151 or tseelig@honolulu.gov.

Sincerely,

SOCRATES D. BRATAKOS  
Assistant Chief

SDB/DB:bh



POLICE DEPARTMENT  
**CITY AND COUNTY OF HONOLULU**  
801 SOUTH BERETANIA STREET - HONOLULU, HAWAII 96813  
TELEPHONE: (808) 528-5111 - INTERNET: [www.honolulupd.org](http://www.honolulupd.org)

**PRINCIPALS**

THOMAS WITTEN, ASLA  
*Chairman*  
R. STADNICK, ASLA  
*President*  
ROSELYN LICHING, TAGL, LEED AP BD+C  
*Executive Vice President*  
VINCENT MURAKAMI  
*Vice President*  
GRANT MURAKAMI, AICP, LEED AP BD+C  
*Vice President*

April 14, 2015

Assistant Chief Socrates D. Bratakos

City and County of Honolulu  
Honolulu Fire Department  
801 South Beretania Street  
Honolulu, HI 96813

PETER B. CARLISLE  
MAYOR



OUR REFERENCE EO-WS

September 17, 2014

ASSOCIATES

RAMOND HIGA, ASLA

*Senior Associate*

KIMIKI AMIYEN, LEED AP BD+C

*Senior Associate*

SCOTT ALBA BRISCOE, LEED AP BD+C

*Managing Director - Kapiolani*

RYO TAKAHITO

*Managing Director - Hilo*

SCOTT MURAKAMI, ASLA, LEED AP

*Associate*

DACHENG DONG, LEED AP

*Associate*

MARC SUBMATI, ASLA

*Associate*

CATE CULLISON, AICP

*Associate*

SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT  
- KUPU GREEN JOBS TRAINING CENTER – PORTIONS OF TMK  
(1) 2-10-58-128, (1) 2-10-58-127

Dear Assistant Chief Bratakos,

Thank you for your letter dated September 17, 2014 regarding our request for pre-consultation comments on the Kupu Green Jobs Training Center, which involves renovations of the "Net Shed Building" and ancillary outdoor areas adjacent to Kewalo Basin Park, Honolulu, O'ahu.

Group 70, Kupu's architect and civil engineer, will work with the Honolulu Fire Department to ensure that the renovations to the Kupu Green Jobs Training Center meet the Uniform Fire Code requirements. We note that representatives from Group 70 met with Fire Department Captain Sheldon Yasso on December 5, 2014, to better understand fire protection requirements.

We appreciate your participation in the environmental review process and will inform you when the Draft EA is available.

Sincerely,

PBR HAWAII

Tom Schnell  
Principal

Copy: John Leong, Kupu

**HONOLULU OFFICE**  
100 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-2484  
Tel: (808) 523-5631  
Fax: (808) 523-1402  
E-mail: [syndrom@pbrhawaii.com](mailto:syndrom@pbrhawaii.com)

**KAPOLEI OFFICE**  
1000 Kamailoa Place, Building 113  
Kapolei, Hawaii 96737-29005  
Tel: (808) 523-5631  
Fax: (808) 535-3163

**HILO OFFICE**  
1719 Hilo-Dole Street  
Hilo, Hawaii 96720-1353  
Tel/Cel: (808) 315-0878

*Printed on recycled paper*

LOUIS M. KEALOHA  
Chief of Police  
By   
RANDAL K. MACADANGDANG  
Assistant Chief  
Support Services Bureau



PRINCIPALS  
THOMAS. WITTEN, ASIA  
*Chairman*  
R. STAN DUNCAN, ASIA  
*President*

RUSSELL LICHING, TAGA, LEED AP BD+C  
*Executive Vice President*  
VINCENT MURAKAMI  
*Vice President*  
GRANT MURAKAMI, AICP, LEED AP BD+C  
*Vice President*

TOM SCHNELL, AICP  
*Principal*  
W. FRANK BRANDT, FASA  
*Chairman Emeritus*

ASSOCIATES  
RAMONDE HIGA, ASLA  
*Senior Associate*  
KIMI MIRAMOTO, LEED AP BD+C  
*Senior Associate*  
SCOTT ALIKA ABRECO, LEED AP BD+C  
*Managing Director - Kapolei*

ROY TAKAHASHI  
*Managing Director - Hilo*  
SCOTT MURAKAMI, ASIA, LEED AP  
*Associate*  
DAHENG DONG, LEED AP  
*Associate*  
MARC SUBMATSI, ASIA  
*Associate*  
CATE CULLISON, AICP  
*Associate*

& ASSOCIATES, INC.

April 14, 2015

Mr. Leo R. Asuncion  
PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT - KUPU GREEN  
JOBS TRAINING CENTER - PORTIONS OF TMK (1) 2-10-58-128, (1) 2-10-58-127  
April 7, 2015  
Page 2 of 2

O:\Job\30\3041\01 Kupu Building EA\EA\Pre-consultation Responses\IPD.docx

Chief Louis M. Kealoha  
City and County of Honolulu  
Honolulu Police Department  
801 South Beretania Street  
Honolulu, HI 96813

SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT  
- KUPU GREEN JOBS TRAINING CENTER - PORTIONS OF TMK  
(1) 2-10-58-128, (1) 2-10-58-127  
Your reference: EO-WS

Dear Chief Kealoha,

Thank you for your letter dated September 17, 2014 regarding our request for pre-consultation comments on the Kupu Green Jobs Training Center, which involves renovations of the "Net Shed Building" and ancillary outdoor areas adjacent to Kewalo Basin Park, Honolulu, O'ahu.

We acknowledge your concerns about security during and after construction of the Kupu Green Jobs Training Center. The Draft EA will include the Honolulu Police Department's recommendations to: (a) provide adequate security for storage of construction-related equipment and supplies in the evening hours and (b) hire adequate security to patrol the area, especially in the evening, around the Green Jobs Training Center once the renovations are complete.

Kupu strives to be a catalyst in revitalizing the area by providing a positive presence and through responsible stewardship and caring for the land.

We appreciate your participation in the environmental review process and will inform you when the Draft EA is available.

Sincerely,

PBR HAWAII  
  
Tom Schnell  
Principal

Copy: John Leong, Kupu

HONOLULU OFFICE  
1000 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-2484  
Tel: (808) 523-5631  
Fax: (808) 523-5402  
E-mail: [systech@pbrhawaii.com](mailto:systech@pbrhawaii.com)

KAPOLEI OFFICE  
1000 Diamond Head Boulevard  
Kapolei, Hawaii 96707-29005  
Tel: (808) 523-5631  
Fax: (808) 523-5169

HILO OFFICE  
1719 Hiloade Street  
Hilo, Hawaii 96720-1353  
Tel/Cel: (808) 315-0878

Printed on recycled paper.



To: Tom Schnell  
Subject: RE: Pre-consultation for the Kupu Green Jobs Training Center Renovations

From: Richard Hall - NOAA Federal [mailto:richard.hall@noaa.gov]

Sent: Tuesday, September 16, 2014 4:09 PM

To: Tom Schnell

Cc: Danielle Jayewardene - NOAA Affiliate

Subject: Pre-consultation for the Kupu Green Jobs Training Center Renovations

Dear Mr. Schnell,

On August 27th, PBR Hawaii sent a letter to the NOAA Fisheries Pacific Islands Regional Office seeking pre-consultation for an Environmental Assessment (EA) for the proposed renovations of the Kupu Green Jobs Training Center. The training center is located within Kewalo Basin Park, Ala Wai Watershed, Honolulu, Hawaii. Your letter indicates several possible improvements including:

- ☒ Grass and other landscaping in place of an asphalt plaza.
- ☒ Low-impact stormwater collection and disposal techniques, and
- ☒ Reconfigured parking spaces.

I have reviewed the document provided by PBR for NOAA Fisheries Habitat Conservation Division, and would like to offer the following comments for your consideration for inclusion in the EA for this project.

1. Consider describing in detail the nature of the low-impact stormwater collection and disposal techniques, and if possible provide information on the effectiveness in preventing stormwater runoff.
2. Depending on the scope of the reconfigured parking spaces, consider including details on the measures to prevent stormwater runoff if necessary and different from comment number 1).
3. Consider providing details on the best management practices that will be used to prevent pollution and spills from the equipment that will be required to perform the work for this proposed project.

NOAA Fisheries applauds the proposed effort to make the Kupu Training Center more "green" by proposing to install a photovoltaic system to power the facility, the replacement of the asphalt plaza with grass and other landscaping, and the aforementioned stormwater collection and disposal techniques.

NOAA Fisheries would like to thank you for contacting our office for a pre-consultation on this project, and for the opportunity to provide our comments and suggestions. Please feel free to contact me with any questions or comments, or to engage our office at any point during the process for this project.

Richard Hall  
Fishery Policy Analyst  
Pacific Islands Regional Office  
NOAA Inouye Regional Center  
1845 Wasp Blvd., Building 176  
Honolulu, HI 96818  
808-725-5018

Richard Hall  
Fishery Policy Analyst  
Pacific Islands Regional Office  
NOAA Inouye Regional Center  
1845 Wasp Blvd., Building 176  
Honolulu, HI 96818  
808-725-5018

April 14, 2015

PRINCIPALS  
THOMAS WITTEN, ASLA  
*Chairman*  
R. STANDIFER, ASLA  
*President*  
ROSELYN Y. LICHING, ASLA, LEED AP BD+C  
*Executive Vice-President*  
VINCENT MURAKAMI  
*Vice President*  
GRANT MURAKAMI, LEED AP BD+C  
*Vice President*  
TOM SCHNELL, AICP  
*Principal*  
W. FRANK BRADLEY, ASLA  
*Chairman Emeritus*

SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT  
-KUPU GREEN JOBS TRAINING CENTER – PORTIONS OF TMK  
(1) 2-10-58-128, (1) 2-10-58-127

Dear Mr. Hall,

☒ Thank you for your email dated September 16, 2014 regarding our request for pre-consultation comments on the Kupu Green Jobs Training Center, which involves renovations of the "Net Shed Building" and ancillary outdoor areas adjacent to Kewalo Basin Park, Honolulu, O'ahu. As the planning consultant for Kupu, we offer the following responses in the order of your comments:

1. The Draft Environmental Assessment (EA) will include a discussion of the low-impact stormwater collection and disposal techniques planned for the Kupu Green Jobs Training Center.
2. Regarding parking, there are currently seven parking stalls in front of the Net Shed Building (Diamond Head side) reserved for Kupu's exclusive use. These seven stalls will be reconfigured into five regular parking stalls plus one Americans with Disabilities Act (ADA) accessible stall. This will not result in an increase in impervious area or an increase in stormwater runoff.
3. The Draft EA will describe best management practices that will be used to prevent pollution and spills from the equipment used during renovation of the Green Jobs Training Center.

We appreciate your participation in the environmental review process and will inform you when the Draft EA is available.

Sincerely,

Tom Schnell  
Principal

Copy: John Leong, Kupu

Printed on recycled paper

Mr. Leo R. Asuncion  
PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT – KUPU GREEN  
JOBS TRAINING CENTER – PORTIONS OF TMK (1) 2-10-58-128, (1) 2-10-58-127  
April 7, 2015  
Page 2 of 2

PHONE (808) 594-1888

FAX (808) 594-1865



**STATE OF HAWAII'**  
**OFFICE OF HAWAIIAN AFFAIRS**  
560 N. NIMITZ HWY., SUITE 200  
HONOLULU, HAWAII 96817

O:\Jobs\304101 Kupu Building EA\EA Pre-consultation Responses\NOAA.docx

FAX (808) 594-1865

HRD 14/7256

September 26, 2014

Mr. Tom Schnell  
Principal  
PBR & Associates  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484

Re: Comments on Pre-Consultation for an Environmental Assessment-Kupu Green Jobs Training Center  
TMK: (1) 2-1-058-128; (1) 2-1-058-127

Dear Mr. Schnell:

The Office of Hawaiian Affairs (OHA) received your August 27, 2014 letter requesting comments to assist in the pre-consultation for an environmental assessment (EA) for the Kupu Green Jobs Training Center. The Green Jobs Training Center offers services to youth including education to complete high school diplomas and training in the field of conservation and land stewardship. The EA is required because of the use of State lands.

The proposed improvements may include the renovation of ground floor interior spaces, renovation of men's and women's restrooms, construction of a commercial kitchen, planting of a garden with native vegetation, implementation of low-impact storm water collection, and reconfiguration of parking spaces.



We have no specific comments at this time. We look forward to the opportunity to review the EA and provide comments at that time. Should you have any questions, please contact Jerry B. Norris at 594-0227 or by email at jerry@oha.org.

'O wau iho nō me ka 'oia 'i'o,

Kamana'opono M. Crabbe, Ph.D.  
Ka Pouhana, Chief Executive Officer

KC:jbn

C: John Leong, Kupu  
Carson Schulz, HCDA

April 14, 2015

PRINCIPALS

THOMAS WITTEN, ASLA  
*Chairman*

R. DUNCAN, ASLA  
*President*

RUSSELL Y. LICHING, ASLA, LEED AP BD+C  
*Executive Vice-President*

VINCENT MURAKAMI  
*Vice President*

GRANT MURAKAMI, ASCE LEED AP BD+C  
*Vice President*

TOM SCHNELL, AICP  
*Principal*

W. FRANK BRANDT, ASLA  
*Chairman Emeritus*

Dr. Kamana'opono M. Crabbe, Ka Pouhana, CEO

State of Hawai'i  
Office of Hawaiian Affairs

560 Nimitz Highway, Suite 200  
Honolulu, HI 96817

SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT

-KUPU GREEN JOBS TRAINING CENTER - PORTIONS OF TMK

(1) 2-10-58-128, (1) 2-10-58-127

Your reference: HHD 14/7256

ASSOCIATES

RAYMOND T. HIGA, ASLA  
*Senior Associate*

KIMI MIRAMATSU, LEED AP BD+C  
*Senior Associate*

SCOTT ALBA, AIA, LEED AP BD+C  
*Managing Director - Kupolu*

ROY TAKEMOTO  
*Managing Director - Hilo*

MICHAEL MURAKAMI, ASCE LEED AP  
*Associate*

DON CHENG, LEED AP  
*Associate*

MARC SHIMATSU, ASLA  
*Associate*

CARIB CULLISON, AICP  
*Associate*

DR. KAMANA'OPONO M. CRABBE, KA POUHANA, CEO  
*Chairman Emeritus*

STATE OF HAWAII  
OFFICE OF HAWAIIAN AFFAIRS  
560 NIMITZ HIGHWAY, SUITE 200  
HONOLULU, HI 96817

Dear Dr. Crabbe,

Thank you for your letter dated September 26, 2014 regarding our request for pre-consultation comments on the Kupu Green Jobs Training Center, which involves renovations of the "Net Shed Building" and ancillary outdoor areas adjacent to Kewalo Basin Park, Honolulu, O'ahu.

We acknowledge that the Office of Hawaiian Affairs has no comments to offer at this time.

We appreciate your participation in the environmental review process and will inform you when the Draft EA is available.

Sincerely,

PBR HAWAII

HONOLULU OFFICE

1001 Bishop Street, Suite 1500  
Honolulu, Hawaii 96813-3244  
Tel: (808) 524-5601  
Fax: (808) 525-1402  
E-mail: systemsinfo@pbrhawaii.com

COPY: John Leong, Kupu

KAPOLEI OFFICE

1400 Iwilei Road, Suite 213  
Kapolei, Hawaii 96707-2005  
Tel: 808 324-5601  
Fax: (808) 335-3161

HILo OFFICE

1719 Haladale Street  
Hilo, Hawaii 96720-1583  
Tel: (808) 961-5078  
Fax: (808) 961-5078

Printed on recycled paper

OrJob30304101 Kupu BuildingEA/EAPre-consultationResponsesOHA.docx



**From:** Jessica.L.Puff@hawaii.gov [mailto:[Jessica.L.Puff@hawaii.gov](mailto:Jessica.L.Puff@hawaii.gov)]

**Sent:** Tuesday, September 09, 2014 2:53 PM

**To:** Tom Schnell

**Subject:** Pre-consultation for Kupu Green Jobs Training Center

Aloha Tom,

Thank you for your letter. I wanted to touch base with you really quickly about your project. Upon review of your letter (dated August 27, 2014) and attached map indicating the proposed project area, it's difficult to assess what kind of pre-consultation we can assist you with. Without knowledge of a footprint for new additions and specifics regarding alterations to the property it's difficult to advise you on the project's scope of work and the potential effects it may have on historic resources. Perhaps it may be best to schedule a meeting to discuss the project further in person. In addition, it appears that the project may fall under the federal Section 106 review process. It will be helpful to better understand the funding sources associated with this project, as well as if there is any federal involvement in terms of issuing permits, licenses, etc. to determine which reviews the project would be subject to.

I appreciate the opportunity you've given us to pre-consult. Please advise me on how best to proceed to be of better service to you and your project.

Mahalo and best wishes,

Jess

Jessica Puff  
Architectural Historian  
Hawaii State Historic Preservation Division

**PRINCIPALS**

THOMAS WITTEN, ASLA  
*Chairman*

R. DUNCAN, ASLA  
*President*

BESSIE Y. CHUNG, ASLA, LEED AP BD+C  
*Executive Vice-President*

VINCENT MIGLIANI  
*Vice President*

GRANT MURAKAMI, AIA, LEED AP BD+C  
*Vice President*

THOMAS S. NELL, AICP  
*Principal*

W. FRANK BRADLEY, ASLA  
*Chairman Emeritus*

**April 14, 2015**

Ms. Jessica Puff

State of Hawai'i, Department of Land and Natural Resources

Historic Preservation Division

Jessica.L.Puff@hawaii.gov

**SUBJECT:** PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT  
- KUPU GREEN JOBS TRAINING CENTER - PORTIONS OF TMK  
(1) 2-10-58-128; (1) 2-10-58-127

Dear Ms. Puff,

Thank you for your email dated September 9, 2014 regarding our request for pre-consultation comments for the proposed "Net Shed Building" and ancillary outdoor areas within Kewalo Basin Park, Ala Wai Watershed, Honolulu Judicial District, O'ahu. As the planning consultant for Kupu, we offer the following responses in the respective order of your comments:

1. The renovations to the Net Shed Building will not change the building's footprint. Specifics regarding alterations to the property will be included in the Draft EA.

2. Kupu is not using federal funds or lands for the renovations. Therefore, it is not subject to the Section 106 review process. The project is being funded with state grants and donations from corporations and private individuals. No federal permits are anticipated to be required.

We appreciate your participation in the environmental review process. We will inform you when the Draft EA is available so that you can provide comments on a more detailed description of the renovations.

**HONOLULU OFFICE**  
1001 Bishop Street, Suite 1500  
Honolulu, Hawaii 96813-2444  
Tel: (808) 524-5601  
Fax: (808) 524-1402  
E-mail: [syndeling@pbrhawaii.com](mailto:syndeling@pbrhawaii.com)

**KAPOLEI OFFICE**  
1400 Iwilei Road, Suite 213  
Kapolei, Hawaii 96737-2005  
Tel: (808) 324-5601  
Fax: (808) 335-3161

**Hilo Office**  
1719 Halalau Street  
Hilo, Hawaii 96720-1583  
Tel/Cx: (808) 967-2078

Copy: John Leong, Kupu

*Printed on recycled paper*

O:\job30\3041.01 Kupu Building EA\EA Pre-consultation Responses\SHPD.docx



From: Maria Simon [mailto:simonnm@hawaii.edu]  
Sent: Monday, September 22, 2014 1:27 PM

To: Tom Schnell  
Subject: Kupu Green Jobs Center

Dear Tom,

I am the Site and Architectural Advisor for the UH Presidential Center Initiative project. I was given a letter to follow up with that you addressed to Daniela Kittinger who is one of our office managers.

We do not foresee any issues with your proposed renovations. We find that there might be opportunity to collaborate with the Kupu programs.

Please let me know if you need anything further regarding this or other topics in the future.

On another topic, I am trying to track down some existing topographic maps for Kakaako Makai. Seeing as you are working on the HCDA master plan as well, do you have any topographic information that you would be willing to share with our project until we are able to get a more current topographic survey completed later on this fall?

Thank You for your help.

Mahalo,

--  
Maria Simon NCARB

Visiting Assistant Professor  
University of Hawaii at Manoa  
School of Architecture

**PRINCIPALS**

THOMAS WITTEN, ASLA  
*Chairman*

R. STANDUNCAN, ASLA  
*President*

RUSSELL YI CHUNG, ASLA, LEED AP BD+C  
*Executive Vice-President*

VINCENT MURAKAMI  
*Vice President*

GRETCHEN MURAKAMI, LEED AP BD+C  
*Vice President*

TOM SCHNELL, AICP  
*Principal*

WILLIAM BRANDT, ASLA  
*Chairman Emeritus*

ASSOCIATES

RAYMOND TIGUA, ASLA  
*Senior Associate*

KIMI MIRAMYIEN, LEED AP BD+C  
*Senior Associate*

SCOTT ALBA, AIA, LEED AP BD+C  
*Managing Director - Kupu*

ROY TAKEMOTO  
*Managing Director - Hilo*

MICHAEL MURAKAMI, LEED AP  
*Associate*

DON CHENG, LEED AP  
*Associate*

MARC SHUMATE, ASLA  
*Associate*

CARIB CULLISON, AICP  
*Associate*

Ms. Maria Simon, NCARB

Site and Architectural Advisor

University of Hawai'i at Mānoa

Presidential Center Initiative

simonnm@hawaii.edu

SUBJECT: PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT  
-KUPU GREEN JOBS TRAINING CENTER – PORTIONS OF TMK  
(1) 2-10-58-128, (1) 2-10-58-127

Dear Ms. Simon,

Thank you for your email dated September 22, 2014 regarding our request for pre-consultation comments on the Kupu Green Jobs Training Center, which involves renovations of the “Net Shed Building” and ancillary outdoor areas adjacent to Kewalo Basin Park, Honolulu, O’ahu.

We acknowledge that the UH Presidential Center Initiative has no comments to offer at this time as your program does not foresee any issues with the proposed renovations.

We appreciate your participation in the environmental review process and will inform you when the Draft EA is available. We hope that the UH Presidential Center Initiative and Kupu can find opportunities to collaborate through the renovation of the Kupu Green Jobs Training Center.

Sincerely,

PBR HAWAII

**HONOLULU OFFICE**

1001 Bishop Street, Suite 1500  
Honolulu, Hawaii 96813-2444  
Tel: (808) 524-5611  
Fax: (808) 524-1402  
E-mail: [simonnm@pbrhawaii.com](mailto:simonnm@pbrhawaii.com)

**KAPOLEI OFFICE**

1400 Iwilei Road, Suite 213  
Kapolei, Hawaii 96737-2005  
Tel: (808) 524-5651  
Fax: (808) 335-3161

**HILO OFFICE**

1719 Haladale Street  
Hilo, Hawaii 96720-1583  
Tel/Cx: (808) 967-2078

Printed on recycled paper

O-Job3041-01 Kupu Building EAE Pre-consultation ResponsesUH Presidential Crd.docx



## United States Department of the Interior

FISH AND WILDLIFE SERVICE  
Pacific Islands Fish and Wildlife Office  
300 Ala Moana Boulevard, Room 3-122  
Honolulu, Hawai'i 96850

In Reply Refer To:  
2014-TA-0417

Mr. Tom Schnell, AICP, Principle  
PBR Hawaii  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484

Subject: Technical Assistance for Proposed Structural Renovations to the Net Shed Building for Conversion into the Kupu Green Jobs Training Center, Kewalo Basin Park, O'ahu

Dear Mr. Schnell:

The U.S. Fish and Wildlife Service (Service) received your letter, dated August 27, 2014, in which you requested our comments on the proposed structural renovations to the Net Shed Building in Kewalo Basin Park for conversion into the Kupu Green Jobs Training Center as a pre-consultation for the associated Environmental Assessment. The proposed project involves the renovation of the ground floor interior space into sections (i.e., classrooms, gathering spaces, and offices), a new interior mezzanine for meeting room spaces, renovated restrooms, a commercial kitchen, a new structural addition for a snack bar, a garden with edible and native plants, landscaping (in an area that is currently an asphalt plaza), a photovoltaic system to power Kupu facilities, a low-impact stormwater collection and disposal system, and reconfiguration of current parking spaces. This response is in accordance with Sect 7 of the Endangered Species Act (ESA) of 1973, as amended (16 U.S.C. 1531 *et seq.*); the Fish and Wildlife Coordination Act of 1934 (16 U.S.C. 661 *et seq.*; 48 Stat. 401); and the Migratory Bird Treaty Act of 1918 (16 U.S.C. 703-712), as amended (MBTA).

We have reviewed the information you provided and pertinent information in our files, including data compiled by the Hawaii Biodiversity Mapping Program. There is no federally designated or proposed critical habitat, or National Wildlife Refuge, wilderness areas, or wildlife preserves in the vicinity of the proposed project. Hawaiian seabirds (e.g., White fairy Terns (*Cygis alba*), protected under the MBTA, may occur in the project area. We offer the following recommendations to assist you with your project.

White fairy terns often nest in urban parks and residential areas from Hawaii Kai to Hickam Air Force Base. White fairy terns do not build nests, instead they lay a single egg directly on a ledge, tree branch, or other suitable location. The egg will hatch after approximately 35 days,

**TAKE PRIDE®  
IN AMERICA**



Mr. Tom Schnell, AICP, Principle

2

after which it takes 45 days for the chick to be mature enough to leave the nest on its own. If tree trimming becomes part of your project, please examine all trees slated to be cut to determine if there are white fairy terns nesting in them. Similarly, we recommend examining any structures slated for demolition. Signs that white fairy terns are present include accumulation of white feathers or white droppings underneath the tree or structure.

The federally endangered Hawaiian monk seal (*Monachus schauinslandi*), the endangered hawksbill turtle (*Eretmochelys imbricata*) and threatened green turtle (*Chelonia mydas*), collectively referred to as sea turtles, may occur within the project vicinity; however the Service consults on sea turtles and their use of terrestrial habitats (beaches where nesting and/or basking is known to occur), whereas the National Marine Fisheries Service (NMFS) consults on sea turtles and their use of off-shore and open ocean habitats, and all issues regarding monk seals. We recommend that you consult with NMFS regarding the potential impacts from the proposed project to sea turtles in off-shore and open ocean habitats, and to monk seals.

Your August 27, 2014, letter states that low-impact stormwater collection and disposal techniques may be implemented. We recommend that you include a Stormwater Pollution Prevention Plan to address stormwater runoff into your Environmental Assessment. In addition, due to the close proximity of the proposed structure to the ocean, grading and landscaping should be implemented to minimize runoff.

Because the proposed activities may cause soil erosion and sedimentation into the marine environment, we are attaching the Service's recommended Best Management Practices regarding sedimentation and erosion in aquatic environments. We encourage you to incorporate the relevant practices into your project design.

We appreciate your efforts to conserve endangered species. If you have any questions concerning these recommendations please contact Carrie Harrington, Fish and Wildlife Biologist (phone: 808-792-9400; fax: 808-792-9581).

Sincerely,

Aaron Nadig  
Assistant Field Supervisor  
Oahu, Kauai, NWHL, and American Samoa

Enclosure: Service BMPs for erosion and sediment control



## U.S. Fish and Wildlife Service

### Recommended Standard Best Management Practices

The U.S. Fish and Wildlife Service (USFWS) recommends the following measures to be incorporated into project planning to avoid or minimize impacts to fish and wildlife resources. Best Management Practices (BMPs) include the incorporation of products or materials that may be used to reduce either direct or indirect negative impacts to aquatic habitats that result from project construction-related activities. These BMPs are recommended in addition to, and do not over-ride any terms, conditions, or other recommendations prepared by the USFWS, other federal, state or local agencies. If you have questions concerning these BMPs, please contact the USFWS Aquatic Ecosystems Conservation Program at 808-792-9400.

1. Authorized dredging and filling-related activities that may result in the temporary or permanent loss of aquatic habitats should be designed to avoid indirect, negative impacts to aquatic habitats beyond the planned project area.
2. Dredging/filling in the marine environment should be scheduled to avoid coral spawning and recruitment periods and sea turtle nesting and hatching periods. Because these periods are variable throughout the Pacific islands, we recommend contacting the relevant local, state, or federal fish and wildlife resource agency for site specific guidance.
3. Turbidity and siltation from project-related work should be minimized and contained within the project area by silt containment devices and curtailing work during flooding or adverse tidal and weather conditions. BMPs should be maintained for the life of the construction period until turbidity and siltation within the project area is stabilized. All project construction-related debris and sediment containment devices should be removed and disposed of at an approved site.
4. All project construction-related materials and equipment (dredges, vessels, backhoes, silt curtains, etc.) to be placed in an aquatic environment should be inspected for pollutants including, but not limited to; marine fouling organisms, grease, oil, etc., and cleaned to remove pollutants prior to use. Project related activities should not result in any debris disposal, non-native species introductions, or attraction of non-native pests to the affected or adjacent aquatic or terrestrial habitats. Implementing both a litter-control plan and a Hazard Analysis and Critical Control Point plan (HACCP – see <http://www.haccp-nm.org/Wizard/default.asp>) can help to prevent attraction and introduction of non-native species.
5. Project construction-related materials (fill, revetment rock, pipe, etc.) should not be stockpiled in, or in close proximity to aquatic habitats, and should be protected from erosion (e.g., with filter fabric, etc.), to prevent materials from being carried into waters by wind, rain, or high surf.
6. Fueling of project-related vehicles and equipment should take place away from the aquatic environment and a contingency plan to control petroleum products accidentally spilled during the project should be developed. The plan should be retained on site with the person responsible for compliance with the plan. Absorbent pads and containment booms should be stored on-site to facilitate the clean-up of accidental petroleum releases.
7. All deliberately exposed soil or under-layer materials used in the project near water should be protected from erosion and stabilized as soon as possible with geotextile, filter fabric or native or non-invasive vegetation matting, hydro-seeding, etc.

PRINCIPALS	April 14, 2015	SUBJECT:
THOMAS WITTEN, AIA <i>Chairman</i>	Mr. Aaron Nadig, Assistant Field Supervisor	- KUPU GREEN JOBS TRAINING CENTER – PORTIONS OF TMK
R. ST. DUNCAN, AIA <i>President</i>	U.S. Fish and Wildlife Service	(1) 2-10-58-128; (1) 2-10-58-127
RUSSELL Y. LICHING, AIA, LEED AP BD+C <i>Executive Vice-President</i>	Pacific Islands Fish and Wildlife Office	Your reference: 2014-TA-0417
VINCENT MURAKAMI, AIA, LEED AP BD+C <i>Vice President</i>	300 Ala Moana Boulevard, Room 3-122 Honolulu, HI 96850	
GRANT MURAKAMI, AIA, LEED AP BD+C <i>Vice President</i>		
TOM SCHWELL, AICP <i>Principal</i>		
W. FRANK BRADLEY, AIA <i>Chairman Emeritus</i>		

Dear Mr. Nadig,

Thank you for your letter dated September 30, 2014 regarding our request for pre-consultation comments on the Kupu Green Jobs Training Center, which involves renovations of the “Net Shed Building” and ancillary outdoor areas adjacent to Kewalo Basin Park, Honolulu, O’ahu. As the planning consultant for Kupu, we offer the following responses in the order of your comments:

1. We acknowledge that, according to your review, there is no federally designated or proposed critical habitat neither are there any National Wildlife Refuges, wilderness areas, or wildlife preserves in the vicinity of the project site.
2. We acknowledge that Hawaiian seabirds protected under the Migratory Bird Treaty Act may occur in the area around the Kupu Green Jobs Training Center. Specifically, the Draft Environmental Assessment (EA) will include your recommendations to examine all trees slated to be cut and structures slated for demolition for signs that White fairy terns (*Gygis alba*) are present.
3. We sent a pre-consultation letter to NOAA Fisheries and received comments from their Pacific Islands Regional Office advising us on maintaining marine water quality.
4. The Draft EA will include a detailed description of measures to minimize stormwater runoff.
5. We have reviewed the USFWS’s Best Management Practices regarding sedimentation and erosion in aquatic environments. The Draft EA will include the recommendation that the contractor utilize these Best Management Practices to prevent sedimentation and erosion during construction.

We appreciate your participation in the environmental review process and will inform you when the Draft EA is available.

Printed on recycled paper



Mr. Aaron Nadig  
PRE-CONSULTATION FOR AN ENVIRONMENTAL ASSESSMENT – KUPU GREEN  
JOBS TRAINING CENTER – PORTIONS OF TMK (1) 2-10-58-128, (1) 2-10-58-127  
April 14, 2015  
Page 2 of 2

Sincerely,



Tom Schnell  
Principal

Copy: John Leong, Kupu

O:\Jobs\303041.01 Kupu Building EA\EA\Pre-consultationResponses\USFWS.docx

**DRAFT EA COMMENTS & RESPONSES**

<b>Agencies/Organizations/Individuals</b>	<b>Draft EA Sent</b>	<b>Comment Date</b>
Hawai'i Community Development Authority (Approving Agency)	6/10/2015	
Office of Environmental Quality Control	6/10/2015	
<b>STATE</b>		
Department of Accounting and General Services	6/16/2015	7/1/2015
Department of Business, Economic Development & Tourism	6/16/2015	
DBEDT - Energy Division	6/16/2015	
DBEDT - Office of Planning	6/16/2015	7/16/2015
Department of Defense	6/16/2015	7/21/2015
Department of Education	6/16/2015	6/26/2015
Department of Hawaiian Home Lands	6/16/2015	
Department of Health, Environmental Planning Office	6/16/2015	7/10/2015
Department of Health, Clean Water Branch	6/16/2015	8/28/2015
Department of Human Services	6/16/2015	6/30/2015
Department of Labor and Industrial Relations	6/16/2015	
Department of Land and Natural Resources	6/16/2015	7/21/2015
DLNR - Historic Preservation Division	6/16/2015	7/14/2015
Department of Transportation, Airports Division	6/16/2015	7/17/2015
Department of Transportation, Highways Division	6/16/2015	8/24/2015
Hawai'i Housing Finance and Development Corporation	6/16/2015	
Office of Hawaiian Affairs	6/16/2015	7/20/2015
UH Water Resources Research Center	6/16/2015	
<b>FEDERAL</b>		
U.S. Army - Engineer Division	6/16/2015	
U.S. Fish and Wildlife Service	6/16/2015	
National Marine Fisheries Service	6/16/2015	
Federal Emergency Management Agency	6/16/2015	
<b>COUNTY OF HONOLULU</b>		
Department of Community Services	6/16/2015	7/2/2015
Department of Environmental Services	6/16/2015	
Department of Design and Construction	6/16/2015	7/10/2015
Department of Facility Maintenance	6/16/2015	7/13/2015
Department of Parks and Recreation	6/16/2015	7/16/2015
Department of Customer Services	6/16/2015	
Board of Water Supply	6/16/2015	7/30/2015
Fire Department	6/16/2015	7/7/2015
Department of Planning and Permitting	6/16/2015	7/17/2015
Police Department	6/16/2015	7/9/2015
Department of Transportation Services	6/16/2015	7/14/2015
<b>LIBRARIES</b>		
Hawai'i State Library	6/16/2015	
<b>NEWS MEDIA</b>		
Honolulu Star Advertiser	6/16/2015	
<b>ELECTED OFFICIALS</b>		
Rep. Tom Brower	6/16/2015	
Rep. Scott Saiki	6/16/2015	
Sen. Brickwood Galuteria	6/16/2015	
Council Member Stanley Chang	6/16/2015	
Chair Larry Hurst, Neighborhood Board No. 11	6/16/2015	
<b>CITIZEN GROUPS/INDIVIDUALS, CONSULTED PARTIES</b>		
Hawaiian Electric Company, Inc.	6/16/2015	7/23/2015
Friends of Kewalos	6/16/2015	7/21/2015
Kewalo Keiki Fishing Conservancy	6/16/2015	
The Howard Hughes Corporation	6/16/2015	
Obama Library Committee	6/16/2015	
Kewalo Basin Harbor Master	6/16/2015	





DAVID Y. IGE  
GOVERNOR

60

PBR HAWAII  
& ASSOCIATES, INC.

September 30, 2015

**STATE OF HAWAII**  
**DEPARTMENT OF ACCOUNTING AND GENERAL SERVICES**  
P.O. BOX 119, HONOLULU, HAWAII 96810-0119

JUL 1 2015

Mr. Tom Schnell  
PBR Hawaii & Associates, Inc.  
1001 Bishop Street  
ASB Tower, Suite 650  
Honolulu, Hawaii 96813

Dear Mr. Schnell:

Subject: Draft Environmental Assessment (EA) for Kupu Green Job Training Center Renovations  
Kakaako, Oahu  
TMK: (1) 210-058; 131 and 127

Thank you for the opportunity to provide comments for the subject project, and we have no comments to offer at this time. The subject project does not affect any of the Department of Accounting and General Services' existing facilities.

If you have any questions, or your staff may call Ms. Gayle Takasaki of the Planning Branch at 586-0284.

Sincerely

Qm / 1 re

GT:mo  
cc Mr Anthony Ching DBEDT HCDA

GT:mo  
cc: Mr Anthony Ching DBEDT HCDA

Cc: John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director, Hawaii'i Community Development Authority

John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director, Hawaii'i Community Development Authority

**KAPOLEI OFFICE**  
1801 Kamokila Boulevard  
Kapolei Building Suite 313  
Kapolei, Hawaii 96707-2006  
Tel. (808) 521-5631  
Fax. (808) 525-3163

**HILO OFFICE**  
1719 Taaloake Street  
Hilo, Hawaii 96720-1953  
Tel. (808) 961-6878

unpublished since

O:\00\00\20\30\41\_01 Kupu Pukung EATEA\DEA Comments and Responses\Responses\DAQS\001

PLANNING : LANDSCAPE ARCHITECTURE : ENVIRONMENTAL STUDIES : ENTITLEMENTS / PERMITTING : GRAPHIC DESIGN



**OFFICE OF PLANNING  
STATE OF HAWAII**

DAVID Y. IGE  
GOVERNOR  
  
LEO R. ASUNCION  
ACTING DIRECTOR  
OFFICE OF PLANNING  
  
235 South Beretania Street, 6th Floor, Honolulu, Hawaii 96813  
Mailing Address: P.O. Box 23359, Honolulu, Hawaii 96804  
  
Telephone: (808) 587-8916  
Fax: (808) 587-2824  
Web: <http://planning.hawaii.gov>

Ref. No. P-14827

July 16, 2015

Mr. Tom Schnell, AICP  
Principal  
PBR HAWAII & Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813

Dear Mr. Schnell:

Subject: Draft Environmental Assessment for the Kapi' Green Job Training Center  
Renovations; Tax Map Key (1) 2-10-058:127 and (1) 2-10-058:131

Thank you for the opportunity to provide comments on the Draft Environmental Assessment (Draft EA) on the Kapi' Green Job Training Center Renovations located in Kakaako, Oahu, which was transmitted to our office by letter dated June 16, 2015.

It is our understanding that this project calls for the renovations to the former Net Shed Building at Kewalo Basin Park. Improvements to the building include both exterior and interior renovations. Exterior renovations will add walls, windows, and doors to the Net Shed Building. Interior restoration work will include a redesign of the space into a classroom, gathering spaces, and offices, improved restrooms, a commercial kitchen, and the addition of a mezzanine. The enhancements to the surrounding grounds will include increased landscaping, a reduction in paved surfaces, and low-impact-development (LID) features such as bioswales and/or rain gardens. These improvements to the surrounding grounds will provide an improved environment for Kapi' to deliver services to Honolulu's youth. Additionally, one of the goals for this project is to incorporate green building practices so that the training center qualifies for the highest level of Leadership in Energy and Environmental Design for New Schools accreditation.

The Office of Planning (OP) has reviewed the transmitted material and has the following comments to offer:

1. The Draft EA addresses many of our comments made in a previous letter dated September 19, 2014 (reference number P-14511) in regards to Hawaii Revised Statutes (HRS) Chapter 226, the Hawaii State Plan's policies, objectives, and priority guidelines; HRS § 205A-2, the Hawaii Coastal Zone Management program's objectives and enforceable policies; the need for a Special Management Area (SMA) Permit; and incorporating the use of LID design practices to mitigate stormwater

Mr. Tom Schnell, AICP  
July 16, 2015  
Page 2

runoff.

2. It appears that a portion of the proposed landscaping and park improvements may fall within the shoreline area. Pursuant to HRS § 205A-44, and Hawaii Administrative Rules (HAR) § 15-150-26, all structures and activities within the shoreline area, otherwise prohibited shall require a shoreline setback variance. Please note that within community development districts, shoreline setback lines are established 40 feet inland from the certified shoreline pursuant to HAR § 15-150-20. Please consult with OP for SMA use and the shoreline setback requirements for community development districts.
3. In Section 7.1, page 78-79, the Draft EA has included a discussion on the Significance Criteria (HAR § 11-200-12) on the likelihood of damage caused by flooding, tsunami inundation, and coastal waters. A similar analysis should be included in an analysis for the Hawaii State Plan, HRS § 226-109, the priority guidelines on climate change adaptation. Pursuant to HAR § 11-200-12(11), the training center may be susceptible to damage by being located in an environmentally sensitive area such as a flood plain, tsunami zone, or coastal waters. Further, the Training Center is less than 300 feet from the shoreline and may be susceptible to the damaging effects of sea-level rise.

In Section 5.1.3., of the Final EA, please include an analysis on the priority guideline on climate change adaptation in the discussion of the Hawaii State Plan. This examination should consider and restate the adaptation strategies that this facility will incorporate for possible future events associated with sea-level rise.

If you have any questions regarding this comment letter, please contact Josh Hekekia of our office at (808) 587-2845.

Sincerely,

Leo R. Asuncion  
Acting Director

c: John Leong, Chief Operating Officer



ARTHUR J. LOGAN  
MAJOR GENERAL  
ADJUTANT GENERAL  
  
KENNETH S. HARA  
COLONEL  
DEPUTY ADJUTANT GENERAL



DAVID Y.  
GOV  
GOVERNOR

September 30, 2015

PRINCIPALS

THOMAS, WITTEN, ASA  
Chairman  
R. STANDIFERAN, ASA  
President  
RUSSELL Y. CHUNG, FASLA, LEED AP BD+C  
Executive Vice President

VINCENT SHIGAKI, ASA  
Vice-President  
GRANT MURAKAMI, AIA, LEED AP BD+C  
Vice-President

TOM SCHNELL, ACP  
Principal

W. FRANK BRANDT, ASA  
Chairman Emeritus  
ASSOCIATES

RAYMOND T. HIGA, ASA  
Senior Associate

KIMIKO AMIVEN, LEED AP BD+C  
Senior Associate

SCOTT ALIKA ABURICA, LEED AP BD+C  
Managing Director - Kapolei

ROY TAKEMOTO  
Managing Director - Hilo

SCOTT MURAKAMI, ASA, LEED AP  
Associate

DAICHI DONG, LEED AP  
Associate

MARC SHIMATSU, ASA  
Associate

CARIE CULLISON, ACP  
Associate

SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS  
TRAINING CENTER RENOVATIONS, KAKA'AKO  
TMKs 2-1-058:1-27 (POR) AND 2-1-058:131 (POR)

Your reference: P-14827

Dear Mr. Asuncion,

Thank you for the Office of Planning's (OP) letter dated July 16, 2015, regarding the Kupu Green Jobs Training Center Renovations Draft Environmental Assessment (EA). As the planning consultant for Kupu, we have reviewed OP's comments and provide the following responses.

1. Thank you for acknowledging that the Draft EA addressed many of the comments provided in OP's previous letter dated September 19, 2014.
2. We will consult with OP before the submittal of the Special Management Area (SMA) Application. After consultation with OP, Kupu may also apply for a shoreline setback variance if required. This will be stated in the Final EA. Upon preliminary analysis it appears that some proposed improvements (such as landscaping and paving) in a portion of Kewalo Basin Park between the Net Shed Building and the waterfront pedestrian promenade may be in the shoreline setback area. These proposed improvements would not adversely affect beach process and will not artificially fix the shoreline, as the shoreline is formed by a rock revetment.
3. As recommended, in the Final EA, Section 5.1.3 (Hawai'i State Plan) will include analysis regarding the Hawaii State Plan climate change adaptation priority guidelines (Section 226-109, HRS). This analysis will restate the adaptation strategies the Kupu Green Jobs Training Center will incorporate to mitigate against flooding and sea-level rise.

We value your participation in the environmental review process. Your letter will be included in the Final EA.

Sincerely,

Tom Schnell, ACP  
Principal

John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director, Hawai'i Community Development Authority

c: Ms. Havine Okamura, Hawaii Emergency Management Agency

Mr. Anthony Ching, Executive Director, Hawaii Community Development Authority

ARTHUR J. LOGAN  
Major General  
Hawaii National Guard  
Adjutant General

HONOLULU OFFICE  
100 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484  
Tel: (808) 523-5402  
Fax: (808) 523-5463  
E-mail: sysadmin@pbrhawaii.com

KAPOLEI OFFICE  
100 Kamokila Boulevard  
Kapolei Building, Suite 313  
Kapolei, Hawaii 96707-2005  
Tel: (808) 535-3163  
Fax: (808) 535-3163

HILLO OFFICE  
1710 Hiloakole Street  
Hilo, Hawaii 96720-1953  
Tel/Cel: (808) 315-6878

printed on recycled paper





& ASSOCIATES, INC.

September 30, 2015

PRINCIPALS

THOMAS. WITTEN, ASLA  
*Chairman*  
R. STAN DUNCAN, ASLA  
*President*  
RUSSELL L. CHUNG, FAIA, LEED®AP, AIA, AICP  
*Executive Vice President*  
VINCENT SHIGEKUNI  
*Vice President*  
GRANT J. MURAKAMI, AIA, LEED®AP, AIA, AICP  
*Vice-President*  
TOM SCHINELL, AICP  
*Principal*

Kenneth G. Masden II, Public Works Manager  
Department of Education, Planning Section  
State of Hawai'i  
P.O. Box 2360  
Honolulu, HI 96804

SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS  
TRAINING CENTER RENOVATIONS, KAKA'AKO  
TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)

Dear Mr. Masden,

Thank you for the Department of Education's letter dated June 26, 2015, regarding the Kupu Green Jobs Training Center Renovations Draft Environmental Assessment (EA).

As the planning consultant for Kupu, we acknowledge that the Department of Education has no comment regarding the project at this time.

We value your participation in the environmental review process. Your letter will be included in the Final EA.

Sincerely,

Tom Schnell, AICP  
Principal

Cc: John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director, Hawai'i Community Development Authority

HONOLULU OFFICE  
100 Bishop Street, Suite 650  
Honolulu, Hawai'i 96813-3484  
Tel: (808) 523-1402  
Fax: (808) 523-1402  
E-mail: [spsadmin@pbrhawaii.com](mailto:spsadmin@pbrhawaii.com)

KAHULUI OFFICE  
100 Kamaileha Boulevard  
Kamaileha Building, Suite 313  
Kapalua, Hawai'i 96740-20065  
Tel: (808) 523-5633  
Fax: (808) 523-3163

HILO OFFICE  
1719 Mailekole Street  
Hilo, Hawai'i 96720-1553  
Tel/Cel: (808) 315-6678

O:\Jobs\03041.01 Kupu Building EA\EA\DEA\Comments and Responses\Responses\DOE.docx

You may also wish to review the revised Water Quality Standards Maps that have been updated for all Islands. The Water Quality Standards Maps can be found at:  
<http://health.hawaii.gov/cwb/sites/mapclean-water-quality-standards/>.

We request that you utilize all of this information on your proposed project to increase sustainable, innovative, inspirational, transparent and healthy design.

Mahalo nui loa,

Laura Leialoha Phillips McIntyre, AICP  
Program Manager, Environmental Planning Office

printed on recycled paper

c: Applicant: John Leong, Kupu  
Anthony Ching, HCDIA  
IRB, CWB, HEER, SAN (via email only)



VIRGINIA PRESSLER, M.D.

DIRECTOR OF HEALTH

In reply, please refer to:  
File:  
EPO-15-148

STATE OF HAWAII  
DEPARTMENT OF HEALTH  
P.O. BOX 3378  
HONOLULU, HI 96801-3378

July 10, 2015

Mr. Tom Schnell  
PBR Hawaii & Associates, Inc.  
100 Bishop Street  
ASB Tower, Suite 650  
Honolulu, Hawaii 96813

Aloha Tom,

SUBJECT: Draft Environmental Assessment (DEA) for Kupu Green Job Training Center Renovations,  
Kakaako, Oahu

The Department of Health (DOH), Environmental Planning Office (EPO), acknowledges receipt of your DEA to our office on June 22, 2015. Thank you for allowing us to review and comment on the proposed Kupu Green Job Training Center Renovations available on the OEQC website at:

[http://oeqc.doh.hawaii.gov/Shared%20Documents/EA\\_and\\_EIS\\_Online\\_Library/Oahu/2010s/2015-06-23-QA-5B-DEA-Kupu-Green-Job-Training-Center-Renovations-Kewalo-Basin.pdf](http://oeqc.doh.hawaii.gov/Shared%20Documents/EA_and_EIS_Online_Library/Oahu/2010s/2015-06-23-QA-5B-DEA-Kupu-Green-Job-Training-Center-Renovations-Kewalo-Basin.pdf)

The DEA was routed to various branches. The various branches will provide specific comments to you if necessary. EPO recommends that you review the standard comments and available strategies to support sustainable and healthy design provided at: <http://health.hawaii.gov/eolis/home-and-use-planning-review-program/>. Projects are required to adhere to all applicable standard comments.

We encourage you to examine and utilize the Hawaii Environmental Health Portal. The portal provides links to our e-Permitting Portal, Environmental Health Warehouse, Groundwater Contamination Viewer, Hawaii Emergency Response Exchange, Hawaii State and Local Emission Inventory System, Water Pollution Control Viewer, Water Quality Data, Warnings, Advisories and Postings. The Portal is continually updated. Please visit it regularly at: <https://eha-cloud.doh.hawaii.gov>



September 30, 2015

Ms. Laura Leialoha Phillips-McIntyre  
SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS TRAINING CENTER  
RENOVATIONS, KAKA'AKO TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)  
September 30, 2015  
Page 2 of 4

R. STAN DUNCAN, ASLA  
Executive Vice President  
RUSSELL L. CHUNG, FAIA, LEED®AP BD+C  
Executive Vice President  
VINCENT SHIGEKUNI  
Vice President  
GRANT T. MURAKAMI, AIA, LEED®AP BD+C  
Vice President  
TOM SCHINZILL, AICP  
Principal  
W. FRANK BRANDY ASLA  
Chairman Emeritus

PRINCIPALS  
THOMAS. WITTEN, ASLA  
*Chairman*  
R. STAN DUNCAN, ASLA  
*President*  
RUSSELL L. CHUNG, FAIA, LEED®AP BD+C  
*Executive Vice President*  
VINCENT SHIGEKUNI  
*Vice President*  
GRANT T. MURAKAMI, AIA, LEED®AP BD+C  
*Vice President*  
TOM SCHINZILL, AICP  
*Principal*  
W. FRANK BRANDY ASLA  
*Chairman Emeritus*

SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS  
TRAINING CENTER RENOVATIONS, KAKA'AKO  
TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)

Your reference: EPO 15-148

Dear Ms. McIntyre,

ASSOCIATES  
RAYMOND HIGASHI  
*Senior Associate*  
KIMI MIKAMI YUEN, LEED®AP BD+C  
*Senior Associate*  
SCOTT ALIKA BRONCO, LEED®AP BD+C  
*Managing Director - Kauai*  
ROY TAKEMOTO  
*Managing Director - Maui*  
SCOTT MURAKAMI, AIA, LEED®AP  
*Associate*  
DAICHING DANG, LEED®AP  
*Associate*  
MARC SHIBATA, ASLA  
*Associate*  
CAITIE CULLISON, AICP  
*Associate*

ASSOCIATES

THOMAS. WITTEN, ASLA  
*Chairman*  
R. STAN DUNCAN, ASLA  
*President*  
RUSSELL L. CHUNG, FAIA, LEED®AP BD+C  
*Executive Vice President*  
VINCENT SHIGEKUNI  
*Vice President*  
GRANT T. MURAKAMI, AIA, LEED®AP BD+C  
*Vice President*  
TOM SCHINZILL, AICP  
*Principal*  
W. FRANK BRANDY ASLA  
*Chairman Emeritus*

Thank you for the Department of Health (DOH) Environmental Planning Office's (EPO) letter dated July 10, 2015, regarding the Kupu Green Job Training Center Renovations Draft Environmental Assessment (EA).

As the planning consultant for Kupu, we have reviewed DOH EPO's standard comments relating to the Environmental Health programs. We understand that all standard comments specifically applicable to the Kupu Green Job Training Center Renovations must be adhered to. The organization of this letter follows the list of standard comments on your website.

#### Clean Air Branch

We acknowledge that there is a potential for fugitive dust emissions during construction. The DOH EA notes that all construction activities will comply with the provisions of Section 11-601-33; Hawaii Administrative Rules (HAR) related to fugitive dust. After construction significant fugitive dust emissions are not anticipated.

#### Clean Water Branch

We reviewed and understand the standard comments provided by the Clean Water Branch (CWB). As the Center is less than one acre, it will comply with the pertinent requirements of the classification of State waters off the coast of the Project Area is "A". Any potential impacts to these waters caused by the renovation and/or operation of the Center will meet the provisions of: a) antidegradation policy (Chapter 11-54-1.1, HAR); b) designated uses (Chapter 11-54-3, HAR); and c) water quality criteria (Chapter 11-54-4 through 11-54-8, HAR).

1. **Potential Impacts to State Waters.** The Draft EA acknowledges the type and classification of State waters off the coast of the Project Area is "A". Any potential impacts to these waters caused by the renovation and/or operation of the Center will meet the provisions of: a) antidegradation policy (Chapter 11-54-1.1, HAR); b) designated uses (Chapter 11-54-3, HAR); and c) water quality criteria (Chapter 11-54-4 through 11-54-8, HAR).

As the Center is less than one acre, it will comply with the pertinent requirements of the classification of State waters off the coast of the Project Area is "A". Any potential impacts to these waters caused by the renovation and/or operation of the Center will meet the provisions of: a) antidegradation policy (Chapter 11-54-1.1, HAR); b) designated uses (Chapter 11-54-3, HAR); and c) water quality criteria (Chapter 11-54-4 through 11-54-8, HAR).

#### National Pollutant Discharge Elimination System permit coverage.

In their comments the Draft EA dated June 26, 2015, the Department of Land and Natural Resources Division of Aquatic Resources stated: 1) "The Division has no objections to the proposed project since it is not expected to have significant adverse impact on aquatic resource values in this area." and 2) "The Division is in agreement with the Best Management Practices (BMPs) that have been suggested by the applicant."

#### Hazard Evaluation and Emergency Response Office

We understand that the Hazard Evaluation and Emergency Response (HEER) Office provides leadership, support, and partnership in preventing, planning for, responding to, and enforcing environmental laws relating to releases or threats of releases of hazardous substances. We do not expect hazardous substances, pollutants, or contaminants to be present at the Project Area. However, if any of these are found at the site, HEER will be contacted to determine the appropriate actions to comply with the relevant environmental laws.

#### Noise, Radiation, & Indoor Air Quality Branch

Renovation activities will comply with the following Hawaii Administrative Rules:

- Chapter 11-39 Air conditioning and Ventilation
- Chapter 11-45 Radiation Control
- Chapter 11-46 Community Noise Control

In addition, the renovations will comply with HAR Chapters 11-501 through 11-504 regarding asbestos.

#### Safe Drinking Water Branch

We note that the Safe Drinking Water Branch administers programs to protect drinking water sources

from contamination.

1. Public Water System. A public water system will not be developed as part of the Center renovations. Potable water will be supplied by the Honolulu Board of Water Supply, which draws water from a series of surface water sources and groundwater wells. Improvements to the potable water lines to the Center will include relocation of service lines to the Net Shed Building including relocation of: 1) an existing meter near the makai/Diamond Head corner of the building; and 2) the service lateral to the building from the private waterline in the adjacent Kewalo Basin Park parking lot. However, the existing private water lines from Ala Moana Boulevard to the Kewalo Basin Park area are of sufficient size to provide potable water to the renovated Center.
2. Underground Injection Control. As the Project Area is below the Underground Injection Control (UIC) Line, the underlying aquifer is not considered a drinking water source. Wastewater generated by the Center will be collected by the County wastewater system and serviced through an existing private sewer system.

2. Underground Injection Control. As the Project Area is below the Underground Injection Control (UIC) Line, the underlying aquifer is not considered a drinking water source. Wastewater generated by the Center will be collected by the County wastewater system and serviced through an existing private sewer system.
2. Underground Injection Control. As the Project Area is below the Underground Injection Control (UIC) Line, the underlying aquifer is not considered a drinking water source. Wastewater generated by the Center will be collected by the County wastewater system and serviced through an existing private sewer system.

#### Solid and Hazardous Waste Branch

Kupu intends to improve its recycling effort to limit the amount of waste generated from the Center. Solid waste that cannot be recycled will be disposed of at the Campbell Industrial Park H-POWER (Honolulu Program of Waste Energy Recover) Plant. Waste contractors will be asked to submit disposal receipts and invoices to ensure proper disposal of waste. The Center will also comply with the provisions of Section 11-260 to 11-280, Hawaii Administrative Rules, relating to hazardous waste.

#### Wastewater Branch

Wastewater service to the Center is provided by the County Honolulu Department of Environmental Services. The Center will be serviced through an existing private sewer system that includes a 6-inch lateral sewer line from the Net Shed Building connected to a private sewer lift station located within the parking lot closest to the former National Oceanic and Atmospheric Administration site. Improvements to the existing sewer line within the Net Shed Building are new restrooms as well as to the new kitchen. In addition, a new, minimum grease interceptor for the kitchen will be installed outside of the building. No cesspool is being proposed.

#### Sustainable and Healthy Design

The Center will itself represent a source of sustainability, through a facility that will include photovoltaic energy panels, hydroponics for food production, waterfront preservation, and micro-enterprise entrepreneurship. One of Kupu's goals for the renovation of the Center is that it be certified as Platinum Design (LEED) for New Schools.

Since the Project Area is near sea level, the potential impacts from flooding will be exacerbated as sea level rises as a result of global climate change. Kupu is using the Center for Island Climate Adaptation and Policy and the University of Hawai'i Sea Grant's recommendations to plan for a sea level rise of one foot by 2050 and three feet by 2100. While the Center is built up well above sea level on an armored shoreline that is protected from erosion, renovations to the Net Shed Building will include three-foot high (minimum) waterproofed concrete masonry unit or concrete sill walls around the building along with removable flood barriers at door openings. The walls will either be newly constructed or part of the existing concrete masonry unit walls. The walls will be certified by licensed surveyor that they reach or exceed the height of the base flood elevation.

Further, we have examined the available resources on strategies to support the sustainable and healthy design of communities and buildings. As such, the following concepts will be incorporated into the renovations of the Center.

- Implement best management practices to reduce pollutant loads (ORMP)
- Incorporate green building specifications into all new construction and major renovation projects (US HHS)
- Develop and deploy operational controls for leak detection including a distribution system audit, leak detection, and repair programs. (US HHS)
- Design, install, and maintain landscape to reduce water use (US HHS).

We value your participation in the environmental review process. DOH's letter will be included in the Final EA.

Sincerely,



Tom Schnell, AICP

Principal

cc: John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director, Hawai'i Community Development Authority



Mr. Deepak Neupane, P.E., AIA  
August 29, 2015  
Page 2

**STATE OF HAWAII**

DEPARTMENT OF HEALTH  
P.O. BOX 3278  
HONOLULU, HI 96801-3278

August 28, 2015

Mr. Deepak Neupane, P.E., AIA  
Director of Planning and Development  
Hawaii Community Development Authority  
547 Queen Street  
Honolulu, Hawaii 96813

Dear Mr. Neupane:

**SUBJECT: Comments on the Draft Environmental Assessment and Anticipated Finding of No Significant Impact ("DEA-AFONSI") for the Kupu Green Job Training Center**  
**TMK's: (1) 2-1-058-131 and (1) 2-1-058-127**  
**Honolulu, Island of Oahu, Hawaii**

The Department of Health (DOH), Clean Water Branch (CWB), acknowledges receipt of your letter, dated June 10, 2015, requesting comments on your project. The DOH-CWB has reviewed the subject document and offers these comments. Please note that our review is based solely on the information provided in the subject document and its compliance with the Hawaii Administrative Rules (HAR), Chapters 11-54 and 11-55. You may be responsible for fulfilling additional requirements related to our program. We recommend that you also read our standard comments on our website at: <http://health.hawaii.gov/epo/files/2013/05/Clean-Water-Branch-Std-Comments.pdf>.

1. Any project and its potential impacts to State waters must meet the following criteria:
  - a. Antidegradation policy (HAR, Section 11-54-1.1), which requires that the existing uses and the level of water quality necessary to protect the existing uses of the receiving State water be maintained and protected.
  - b. Designated uses (HAR, Section 11-54-3), as determined by the classification of the receiving State waters.
  - c. Water quality criteria (HAR, Sections 11-54-4 through 11-54-8).
2. You may be required to obtain National Pollutant Discharge Elimination System (NPDES) permit coverage for discharges of wastewater, including storm water runoff, into State surface waters (HAR, Chapter 11-55).

In reply, please refer to:  
File:  
08039PCTM.15

For NPDES general permit coverage, a Notice of Intent (NOI) form must be submitted at least 30 calendar days before the commencement of the discharge. An application for a NPDES individual permit must be submitted at least 180 calendar days before the commencement of the discharge. To request NPDES permit coverage, you must submit the applicable form ("CWB Individual NPDES Form" or "CWB NOI Form") through the e-Permitting Portal and the hard copy certification statement with the respective filing fee (\$1,000 for an individual NPDES permit or \$500 for a Notice of General Permit Coverage). Please open the e-Permitting Portal website located at: <https://eha-cloud.doh.hawaii.gov/epermitit>. You will be asked to do a one-time registration to obtain your login and password. After you register, click on the Application Finder tool and locate the appropriate form. Follow the instructions to complete and submit the form.

3. If your project involves work in, over, or under waters of the United States, it is highly recommended that you contact the Army Corp of Engineers, Regulatory Branch (Tel: 835-4303) regarding their permitting requirements.

Pursuant to Federal Water Pollution Control Act (commonly known as the "Clean Water Act" (CWA)), Paragraph 401(a)(1), a Section 401 Water Quality Certification (WQC) is required for "[a]ny applicant for [a] Federal license or permit to conduct any activity including, but not limited to, the construction or operation of facilities, which may result in any discharge into the navigable waters..." (emphasis added). The term "discharge" is defined in CWA, Subsections 502(16), 502(12), and 502(6); Title 40 of the Code of Federal Regulations, Section 122.2; and Hawaii Administrative Rules (HAR), Chapter 11-54.

4. Please note that all discharges related to the project construction or operation activities, whether or not NPDES permit coverage and/or Section 401 WQC are required, must comply with the State's Water Quality Standards. Noncompliance with water quality requirements contained in HAR, Chapter 11-54, and/or permitting requirements, specified in HAR, Chapter 11-55, may be subject to penalties of \$25,000 per day per violation.
5. It is the State's position that all projects must reduce, reuse, and recycle to protect, restore, and sustain water quality and beneficial uses of State waters. Project planning should:
  - a. Treat storm water as a resource to be protected by integrating it into project planning and permitting. Storm water has long been recognized as a source of irrigation that will not deplete potable water resources. What is often overlooked is that storm water recharges ground water supplies and feeds streams and estuaries; to ensure that these water cycles are not disrupted, storm water cannot be relegated as a waste product of impervious surfaces. Any project planning must recognize storm water as an asset that sustains and protects

# PBR HAWAII

& ASSOCIATES, INC.

Mr. Deepak Neupane, P.E., AIA  
August 29, 2015  
Page 3

08039PCTM.15

September 30, 2015

## PRINCIPALS

MR. ALEC WONG, CHIEF

*Chairman*

MR. RYAN DUNCAN, ASLA

*President*

RUSSELL Y. LCHING, ASLA, LEED AP BD+C

*Executive Vice President*

VINCENT SINGRANI

*Vice President*

GARRET MURAKAMI, LEED AP BD+C

*Vice President*

DOM SCHIRNELL, AICP

*Principal*

W. FRANKLIN FAJALA

*Chairman Emeritus*

## ASSOCIATES

RAYMOND T. HIGA, ASLA

*Senior Associate*

KIMI MIKAMI YUEN, LEED AP BD+C

*Senior Associate*

SCOTT ALIKA, ARBURG, LEED AP BD+C

*Managing Director - Kapiolani*

ROY TAKEMOTO

*Managing Director - Hilo*

SCOTT MURAKAMI, LEED AP

*Associate*

DACHENG DONG, LEED AP

*Associate*

MARC SHUMATE, ASLA

*Associate*

CATIE CULLISON, AICP


*Associate*

natural ecosystems and traditional beneficial uses of State waters, like community beautification, beach going, swimming, and fishing. The approaches necessary to do so, including low impact development methods or ecological bio-engineering of drainage ways must be identified in the planning stages to allow designers opportunity to include those approaches up front, prior to seeking zoning, construction, or building permits.

- b. Clearly articulate the State's position on water quality and the beneficial uses of State waters. The plan should include statements regarding the implementation of methods to conserve natural resources (e.g. minimizing potable water for irrigation, gray water re-use options, energy conservation through smart design) and improve water quality.
- c. Consider storm water Best Management Practice (BMP) approaches that minimize the use of potable water for irrigation through storm water storage and reuse, percolate storm water to recharge groundwater to revitalize natural hydrology, and treat storm water which is to be discharged.
- d. Consider the use of green building practices, such as pervious pavement and landscaping with native vegetation, to improve water quality by reducing excessive runoff and the need for excessive fertilization, respectively.
- e. Identify opportunities for retrofitting or bio-engineering existing storm water infrastructure to restore ecological function while maintaining, or even enhancing, hydraulic capacity. Particular consideration should be given to areas prone to flooding, or where the infrastructure is aged and will need to be rehabilitated.

If you have any questions, please visit our website at: <http://health.hawaii.gov/cwbl/>, or contact the Engineering Section, CWB, at (808) 586-4309.

Sincerely,

  
**ALEC WONG, P.E., CHIEF**  
Clean Water Branch

CTM:ay  
c: Mr. Tom Schnell AICP, PBR Hawaii and Associates Inc.  
[via e-mail [tschnell@pbthawaii.com](mailto:tschnell@pbthawaii.com) only]

- SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS TRAINING CENTER RENOVATIONS, KAKA'AKO  
TMKS 2-1-058:127 (POR) AND 2-1-058:131 (POR)
- Dear Mr. Wong:
- Thank you for the Department of Health (DOH) Clean Water Branch's letter dated August 28, 2015, regarding the Environmental Impact Statement (EIS) Preparation Notice for the Kaka'ako Makai Parks Active Use Facilities Master Plan
- As the planning consultant for Kupu, we reviewed and understand the standard comments provided on your website. In addition, we have addressed your specific comments below.
1. Any potential impacts to state waters caused by the construction and/or renovations occurring in the project area will meet the provisions of:
    - a) Anti-degradation policy (Chapter 11-54-1.1, Hawaii Administrative Rules (HAR));
    - b) Designated uses (Chapter 11-54-3, HAR); and
    - c) Water quality criteria (Chapter 11-54-4 through 11-54-8, HAR).
  2. A National Pollutant Discharge Elimination System (NPDES) permit for discharges of storm water runoff into State surface waters (Chapter 11-55, HAR) will be obtained as required. All NPDES permit requirements will be implemented.
  3. Pursuant to the "Clean Water Act," a Section 401 Water Quality Certification from the State Department of Health, Clean Water Branch will be obtained if required.

4. All discharges related to the constructions and operation of APIS will comply with the state's Water Quality requirements contained in Chapters 11-54 and 11-55, HAR. In accordance with county standards, best management practices will be implemented.

Printed on recycled paper

Mr. Alec Wong  
SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS TRAINING CENTER  
RENOVATIONS, KAKA'AKO TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)  
September 30, 2015  
Page 2 of 2

DAVID Y. IGE  
GOVERNOR

**RACHAEL WONG, DrPH**  
DIRECTOR  
**PANKAJ BHANOT**  
DEPUTY DIRECTOR



5. We acknowledge the state's position that all projects must reduce, reuse and recycle to protect, restore, and sustain water quality and beneficial uses of state waters. Kupu and its contractors will comply with all requirements regarding water quality, storm water, and drainage including the City and County of Honolulu's Storm Drainage Standards.

We value your participation in the environmental review process. DOH's letter will be included in the Final EA.

Sincerely,  
  
Tom Schnell  
Principal

PBR Hawaii and Associates, Inc.

Attn: Tom Schnell  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484

Dear Mr. Schnell:

Cc: John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director,  
Hawaii's Community Development Authority

142

Lake Ionna Chief Operating Officer V...  
...n

٦

This is in response to your letter dated June 16, 2015 requesting the Department of Human Services (DHS) review the Draft Environmental Assessment (EA) on the Kupu Green Job Training Center renovations in Kaka'ako, Oahu  
TMK (1) 2-10-58:131 and TMK (1) 2-10-58:127

The DHS has reviewed the CD on the EA and there are no DHS registered or licensed child care homes and facilities in the area that may be affected by the renovations.

If you have any questions or need further information, please contact Ms. Jill Arizumi, Child Care Program Specialist, at (808) 586-5240.

Sincerely,

  
Scott Nakasone  
Assistant Division Administrator

c: Rachael Wong, Dr.PH, Director

O:\Lob30\3041\01 Kudu Building F&A\DE\Comments and Responses\Responses\DOH CWB docx



PBR HAWAII  
& ASSOCIATES, INC.

September 30, 2015

PRINCIPALS

THOMAS. WITTEN, ASLA  
*Chairman*  
R. STAN DUNCAN, ASLA  
*President*  
RUSSELL L. CHUNG, FAIA, LEED®APBD+C  
*Executive Vice President*  
VINCENT SHIGAKI, NAI  
*Vice President*  
GRANT T. MURAKAMI, AIA, LEED®APBD+C  
*Vice President*  
TOM SCHNELL, AICP  
*Principal*  
W. FRANK BRANDY, ASLA  
*Chairman Emeritus*

SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS  
TRAINING CENTER RENOVATIONS, KAKA'AKO  
TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)  
Your reference: 15-0335

Dear Mr. Nakasone:

ASSOCIATES

RAYMOND L. HIGUCHI, ASLA  
*Senior Associate*  
KIMI MIKAMUYUEN, LEED®APBD+C  
*Senior Associate*  
SCOTT ALIKA ARISOCO, LEED®APBD+C  
*Managing Director - Kapolei*  
ROY TAKEMOTO  
*Managing Director - Hilo*  
SCOTT MURAKAMI, ASLA, LEED®AP  
*Associate*  
DAICHEUNG DONG, LEED®AP  
*Associate*  
MARC SHIBATA, ASLA  
*Associate*  
CATIE CULLISON, AICP  
*Associate*

Thank you for Department of Human Services' letter dated June 30, 2015, regarding the Kupu Green Jobs Training Center Draft Renovations Environmental Assessment (EA). As the planning consultant for Kupu, we acknowledge your comment that there are no Department of Human Services registered or licensed child care homes and facilities that will be affected by the renovations.

We value your participation in the environmental review process. Your letter will be included in the Final EA.

Sincerely,

Tom Schnell, AICP

Principal

Cc: John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director, Hawai'i Community Development Authority

At this time, enclosed are comments from (1) Land Division – Oahu District; (2) Division of Boating & Ocean Recreation; (3) Division of Aquatic Resources; (4) Engineering Division; and (5) State Historic Preservation Division. No other comments were received as of our suspense date. Should you have any questions, please feel free to call Supervising Land Agent Steve Molinen at 587-0439. Thank you.

Sincerely,

Russell Y. Tsuiji  
Land Administrator

Enclosure(s)

O:\Job30\3041.01 Kupu Building EAE/DEA\Comments and Responses\Responses\DHIS.docx

HONOLULU OFFICE  
1000 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484  
Tel: (808) 523-1402  
Fax: (808) 523-5631  
E-mail: syapadmin@pbrihawaii.com

KAPOLEI OFFICE  
1000 Kamokuia Boulevard  
Kapolei, Hawaii 96707-20065  
Tel: (808) 523-5633  
Fax: (808) 523-3163

HILO OFFICE  
1719 Mailekole Street  
Hilo, Hawaii 96720-1553  
Tel/Cel: (808) 315-0678



SUZANNE D. CASE  
CHAIRPERSON, LAND AND NATURAL RESOURCES  
COMMISSION ON WATER RESOURCE  
MANAGEMENT



STATE OF HAWAII  
DEPARTMENT OF LAND AND NATURAL RESOURCES  
LAND DIVISION

POST OFFICE BOX 621  
HONOLULU, HAWAII 96809

June 22, 2015

MEMORANDUM

DLNR Agencies:

RECEIVED  
LAND DIVISION

2015 JUN 25 PM 2:42

DEPT. OF LAND &  
NATURAL RESOURCES  
STATE OF HAWAII

STATE OF HAWAII  
DEPARTMENT OF LAND AND NATURAL RESOURCES  
LAND DIVISION

POST OFFICE BOX 621  
HONOLULU, HAWAII 96809

June 22, 2015

MEMORANDUM

DLNR Agencies:

- Div. of Aquatic Resources
- Div. of Boating & Ocean Recreation
- Engineering Division
- Div. of Forestry & Wildlife
- Div. of State Parks
- Commission on Water Resource Management
- Office of Conservation & Coastal Lands
- Land Division - Oahu District
- Historic Preservation

Russell J. Tsui, Land Administrator  
Kupu Green Job Training Center Renovations  
Oahu, Honolulu; TMK (1) 2-10-58-131 and TMK (1) 2-10-58-127  
Kupu by its consultant PBR HAWAII & Associates, Inc.

Transmitted for your review and comment on the above-referenced document. We would appreciate your comments on this document which can be found here:

1. Go to: <https://sp01.ld.dlnr.hawaii.gov/LD>
2. Login: Username: LDVisitor Password: Qpa\$Sword0 (first and last characters are zeros)
3. Click on: Requests for Comments
4. Click on the subject file "Kupu Green Job Training Center Renovations", then click on "Files" and "Download a copy". (Any issues accessing the document should be directed to Linda Kawakami at (808) 587-0371 or Linda.Kawakami@hawaii.gov)

Please submit any comments by July 20, 2015. If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Supervising Land Agent Steve Molmen at (808) 587-0439. Thank you.

Attachments

- () We have no objections.  
() We have no comments.  
() Comments are attached.

Signed:   
Print Name: Steve Molmen  
Date: 6/23/15

Attachments

- () We have no objections.  
() We have no comments.  
() Comments are attached.

Signed:   
Print Name: Linda Kawakami  
Date: 6/25/15

JUN23'15PM12:3900 AD



**RECEIVED**  
JUN 23 2015  
CLERK'S DIVISION  
RECEIVED  
JUN 29 AM 11:11  
DAO #132

**DNR Agencies:**  
 Div. of Aquatic Resources  
 Div. of Boating & Ocean Recreation  
 Engineering Division  
 Div. of Forestry & Wildlife  
 Div. of State Parks  
 Office of Conservation & Coastal Lands  
 Land Division - Oahu District Lands  
 Historic Preservation

FROM: Russell Y. Tsui, Land Administrator  
SUBJECT: Kupu Green Job Training Center Renovations  
LOCATION: Oahu, Honolulu; TMK (1) 2-10-58-131 and TMK (1) 2-10-58-127  
APPLICANT: Kupu by its consultant PBR HAWAII & Associates, Inc.

Transmitted for your review and comment on the above-referenced document. We would appreciate your comments on this document which can be found here:

1. Go to: <https://sp01.ldn.hawaii.gov/LD>
2. Login: Username: LDVisitor Password: opassword0 (first and last characters are zeros)
3. Click on: Requests for Comments
4. Click on the subject file "Kupu Green Job Training Center Renovations", then click on "Files" and "Download a copy". (Any issues accessing the document should be directed to Linda Kawakami at (808) 587-0371 or Linda.Kawakami@hawaii.gov)

Please submit any comments by July 20, 2015. If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Supervising Land Agent Steve Molman at (808) 587-0439. Thank you.

Attachments

- ( ) We have no objections.  
 ( ) We have no comments.  
 ( ) Comments are attached.

Signed: Russell Y. Tsui, Acting Administrator  
 Print Name: Russell Miyasaka  
 Date: 6-26-15



**Brief Description:** Kupu currently uses the "Net Shed Building" and surrounding area in Kewalo Basin for its Green Job Training Center. Renovations to the Net Shed Building exterior and interior and surrounding grounds will provide an improved environment for Kupu to deliver services to Honolulu's youth. Exterior renovations will add walls, windows, and doors to the Net Shed Building. Interior renovations will include: a redesign of the space into a classroom, gathering spaces, and offices; improved restrooms; a commercial kitchen; and the addition of a mezzanine. Improvements to the surrounding grounds will include increased landscaping, a reduction paved surfaces, and low impact development (LID) features such as bioswales and/or rain gardens.

**Comments:** The Division has no objections to the proposed project since it is not expected to have significant adverse impact on aquatic resource values in this area. The Division is also in agreement with the Best Management Practices (BMPs) that have been suggested by the applicant. In addition to the listed BMPs, we request that the applicant should take mitigate measures during construction activities to prevent contaminants such as sediment, pollutants, petroleum products, and other debris from possibly entering the aquatic environment. We also

SUZANNE D. CASE  
GOVERNOR OF HAWAII  
BOARD OF LAND AND NATURAL RESOURCES  
COMMISSION ON WATER RESOURCE  
MANAGEMENT

15 JUN 22 PM 2 06 ENGINEERING



DAVID V. KIRK  
GOVERNOR OF HAWAII

2015 JUL 15 PM 2:33

suggest that site work be scheduled during periods of minimal rainfall and lands denuded of vegetation be replanted or covered as quickly as possible to control erosion.

Thank you for providing DAR the opportunity to review and comment on the proposed project. Should there be any changes to the project's plans, DAR requests the opportunity to review and comment on those changes.

State of Hawaii  
Department of Land and Natural Resources  
Division of Land Management  
State of Hawaii  
Department of Land and Natural Resources  
Land Division

POST OFFICE BOX 621  
HONOLULU, HAWAII 96809

June 22, 2015

MEMORANDUM

DLNR Agencies:

- Div. of Aquatic Resources  
 X Div. of Boating & Ocean Recreation  
 X Engineering Division  
 X Div. of Forestry & Wildlife  
 X Div. of State Parks  
 X Commission on Water Resource Management  
 X Office of Conservation & Coastal Lands  
 X Land Division – Oahu District  
 X Historic Preservation

FROM:  
Russell J. Tsui, Land Administrator  
SUBJECT:  
Kapu Green Job Training Center Renovations  
LOCATION:  
Oahu, Honolulu, TMK (1) 2-10-58:131 and TMK (1) 2-10-58:127  
APPLICANT:  
Kupu by its consultant PBR HAWAII & Associates, Inc.

Transmitted for your review and comment on the above-referenced document. We would appreciate your comments on this document which can be found here:

1. Go to: <https://sp011.dlnr.hawaii.gov/LD>
2. Login: Username: LDVisitor Password: opa\$word0 (first and last characters are zeros)
3. Click on: Requests for Comments
4. Click on the subject file "Kapu Green Job Training Center Renovations", then click on "Files" and "Download a copy". (Any issues accessing the document should be directed to Linda Kawakami at (808) 587-0371 or Linda.Kawakami@hawaii.gov)

Please submit any comments by July 20, 2015. If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Supervising Land Agent Steve Molinen at (808) 587-0439. Thank you.

Attachments

**Addendum**

We have no objections.  
{ } We have no comments.  
Comments are attached.

Signed: \_\_\_\_\_  
Print Name: *Craig C. Oki, Oki Engineer*  
Date: *7/15/15*

DAVID Y. IGE  
GOVERNOR OF HAWAII



SUZANNE D. CASE  
GOVERNOR  
STATE OF HAWAII  
1999  
BOARD OF LAND AND NATURAL RESOURCES  
COMMISSIONER ON WATER RESOURCE MANAGEMENT  
KEOKA KALUHIVA  
PROST, DEPUTY  
W. ROY HARDY  
ACTING DIRECTOR, WATER  
AQUATIC RESOURCES  
DEPARTMENT OF LAND AND NATURAL RESOURCES  
HAWAIIAN CULTURAL HERITAGE  
MANAGEMENT  
CONSERVATION AND  
RESOURCES ENFORCING  
FORESTRY AND WILDLIFE  
HONDOU AND STATE LAND  
STAFF ATTACHE

STATE OF HAWAII  
DEPARTMENT OF LAND AND NATURAL RESOURCES  
STATE HISTORIC PRESERVATION DIVISION  
KACIHIHWA BUILDING  
601 KAMOKUA BLVD, STE 555  
KAPOLEI, HAWAII 96707

July 14, 2015

Mr. Russell Y. Tsui, Land Administrator  
Land Division  
Department of Land and Natural Resources  
P.O. Box 621  
Honolulu, HI 96809

Log No. 2015.02421  
Doc. No. 150/GC07  
Archaeology, Architecture

Maalo,

*Suzanne A. Lebo*

Mr. Anthony Ching, Executive Director  
Hawaii Community Development Authority  
547 Queen Street  
Honolulu, HI 96813

SUBJECT: Chapter 6-E42 Historic Preservation Review –  
Draft Environmental Assessment (DEA) – Kūpū Green Job Training  
Center Renovations in Kākāako  
Waikīki Ahupā'a, Honolulu (Kona) District, Island of O'ahu  
TMK: (1) 2-1-058; 127 por., 131 por.

Thank you for the opportunity to review and comment on the document titled *Kūpū Green Job Training Center Renovations* (PBR Hawaii & Associates, June 2015), which we received on June 19, 2015. The DEA indicates that Kūpū (applicant) proposes to renovate the existing Net Shed Building on a 0.56-acre portion of the 0.98-acre property identified as TMK: (1) 2-1-058:127. The applicant also proposes to renovate the existing Native Hawaiian garden park and existing asphalt pad on a 0.29-acre portion of the 0.44/168 acre parcel identified as TMK: (1) 2-1-058:131, adjacent to the Net Shed Building. The landowner is the State of Hawaii. The total project area consists of 0.85 acres.

The proposed project consists of interior renovations to the existing building which was built in 1989/1990. It also involves construction of an addition consisting of a 1,600 ft<sup>2</sup> second floor mezzanine, and installation of subsurface utilities. Exterior improvements will include landscaping, installation of a bio swale, expansion of the existing garden, and removal of existing asphalt surfaces, and curbs and gutters.

Our records indicate that no archaeological inventory survey has been conducted on the subject property. No surface historic properties are present. No subsurface historic properties are likely as Kewalo Basin and Kewalo Basin Park, in which the project is located, were constructed from dredging spoils and fill materials. SHPD has previously indicated that various renovation and repair projects within Kewalo Basin would not affect historic properties (e.g., Log No. 211961, Doc. No. 9806CS17; Log No. 22147, Doc. No. 9808EJ20). In 2010, SHPD reviewed a report titled *Historic Evaluation of Kewalo Basin for the Kewalo Basin Repairs Project* (Mason Architects, Inc. 2010). The report states that the Honolulu Marine Inc. shipyard (boat repair area), formerly occupied by the Hawaiian Tuna Packers, Ltd. shipyard, is the only portion of Kewalo Basin containing structures eligible for the National Register of Historic Places. It was identified as eligible under Criteria A (events) for its role in the commercial fishing industry and Hawaiian Tuna Packers. This facility includes the wharf, marine railway, shipyard, and shop. All other structures within Kewalo Basin were deemed either less than 50 years of age or so altered as to be ineligible. Based

Mr. Tsui and Mr. Ching  
July 14, 2015  
Doc. No. 1007RS05.  
Page 2

on the report, SHPD concurred that the Kewalo Basin Repairs undertaking would result in no adverse effect (July 1, 2010; Log No. 2010/2143).

Based on the above information, SHPD's determination for the proposed project is no historic properties affected.

In the event that historic resources, including human skeletal remains, cultural layers, construction artifacts, features, artifacts, or sinkholes, lava tubes or lava blisters/puddles are identified during construction and/or other activities, cease all work in the immediate vicinity of the find, protect the find from additional disturbance, and contact the State Historic Preservation Division (SHPD) immediately at (808) 692-8015.

Please contact Jessica Puff at (808) 692-8028 or at [Jessica.L.Puff@hawaii.gov](mailto:Jessica.L.Puff@hawaii.gov) for any question regarding architectural resources. Please contact me at (808) 692-8019 or at [Suzanne.A.Lebo@hawaii.gov](mailto:Suzanne.A.Lebo@hawaii.gov) for any questions regarding archaeological resources on this letter.

Mahalo,

Suzanne A. Lebo  
Susan A. Lebo, PhD  
Archaeology Branch Chief

cc: John Leong, COO, Kūpū (John.leong@kupuhawaii.org)  
Tom Schell, AICP, PBR Hawaii (tschell@pbrihawaii.com)  
Steve Molmen, DLNR-Land ([steve.molmen@hawaii.gov](mailto:steve.molmen@hawaii.gov))



September 30, 2015

Mr. Russell Y. Tsui  
SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS TRAINING  
CENTER RENOVATIONS, KAKAAKO TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)  
September 30, 2015  
Page 2 of 2

RUSSELL L. CHUNG, FAIA, LEED®AP BD+C  
*Executive Vice President*  
VINCENT SHIGEKUNI  
*Vice President*  
GRANT MURAKAMI, AIA, LEED®AP BD+C  
*Vice President*  
TOM SCHNELL, AICP  
*Principal*  
W. FRANK BRANDYAS, AIA  
*Chairman Emeritus*

**SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS TRAINING CENTER RENOVATIONS, KAKAAKO  
TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)**

Dear Mr. Tsui,

Thank you for your letter dated July 21, 2015, regarding the Kupu Green Jobs Training Center Renovations Draft Environmental Assessment (EA). As the planning consultant for Kupu, we are responding to comments from the Department of Land and Natural Resources (DLNR) Divisions listed below.

1. **Land Division - O'ahu District.** We acknowledge that the Land Division - O'ahu District has no comments.

2. **Division of Boating and Ocean Recreation.** We acknowledge that the Division of Boating and Ocean Recreation has no comments.

3. **Division of Aquatic Resources.** We acknowledge that the Division of Aquatic Resources has no objections to the project since it is not expected to have significant adverse impact on aquatic resources in the area.

We also acknowledge that the Division is in agreement with the Best Management Practices (BMPs) that have been proposed in the Draft EA. As recommended by the Division, in the Final EA it will be stated:

Best management practices (BMPs) will be incorporated during construction to prevent stormwater discharges and contaminants such as sediment, pollutants, petroleum products, and other debris from affecting coastal water quality. Best management practices may include phasing grading activities, installing silt fences and other structural controls, directing runoff to retention/detention basins, and installing temporary groundcover. When feasible, the contractors will schedule site work during periods of minimal rainfall to minimize contaminated runoff into the ocean. Lands denuded of vegetation will be replanted or covered as quickly as possible.

4. **Engineering Division.** We acknowledge that the Engineering Division has no additional comments at this time.

5. **State Historic Preservation Division.** We acknowledge the State Historic Preservation Division's (SHPD) determination for the proposed project is "no historic properties

affected." The letter from SHPD notes: "No surface historic properties are present. No subsurface historic properties are likely as Kewalo Basin and Kewalo Basin Park, in which the project is located, were constructed from dredging soils and fill materials." This information will be included in the Final EA.

In addition, in the Final EA it will be stated:

Kupu and its contractors will comply with all state and county laws and rules regarding the preservation of archaeological and historic sites. In the event that historic resources, including human skeletal remains, cultural layers, cultural deposits, features artifacts, or sink holes, lava tubes, or lava blisters/bubbles are identified during construction and/or other activities, all work in the immediate vicinity of the find will cease, the find will be protected, and SHPD will be contacted immediately.

We value your participation in the environmental review process. Your letter will be included in the Final EA.

Sincerely,


  
Tom Schnell, AICP  
Principal

Cc: John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director, Hawai'i Community Development Authority

O:\Job30\3041.01 Kupu Building EA\EA\DEA\Comments and Responses\Responses\DLNR.docx



Mr. Tsui and Mr. Ching  
July 14, 2016  
Page 2



**SUSANNE D. CASE**  
DAVID Y. IGE  
GOVERNOR OF HAWAII  
STATE OF HAWAII  
DEPARTMENT OF LAND AND NATURAL RESOURCES  
STATE HISTORIC PRESERVATION DIVISION  
KACUHUEWA AKA BUILDING  
601 KAWOOLUA BLVD, STE 555  
KAPOLEI, HI 96707

**STATE OF HAWAII**  
**DEPARTMENT OF LAND AND NATURAL RESOURCES**

STATE HISTORIC PRESERVATION DIVISION  
KACUHUEWA AKA BUILDING  
601 KAWOOLUA BLVD, STE 555  
KAPOLEI, HI 96707

July 14, 2015

Mr. Russell Y. Tsui, Land Administrator  
Land Division  
Department of Land and Natural Resources  
P.O. Box 621  
Honolulu, HI 96809

Mr. Anthony Ching, Executive Director  
Hawaii Community Development Authority  
547 Queen Street  
Honolulu, HI 96813

**SUBJECT:** Chapter 6E-42 Historic Preservation Review –  
Draft Environmental Assessment (DEA) – Kupu Green Job Training  
Center Renovations in Kaka’ako  
Waikiki Ahupua'a, Honolulu (Kona) District, Island of O’ahu  
TMK: (1) 2-1-058; (127 por., 131 por.

Thank you for the opportunity to review and comment on the document titled *Kupu Green Job Training Center Renovations* (PRR Hawaii & Associates, June 2015), which we received on June 19, 2015. The DEA indicates that Kupu (applicant) proposes to renovate the existing Net Shed Building on 0.56-acre portion of the 0.98-acre property identified as TMK: (1) 2-1-058; (127. The applicant also proposes to renovate the existing Native Hawaiian garden park and existing asphalt pad on a 0.29-acre portion of the 0.44168 acre parcel identified as TMK: (1) 2-1-058; (131, adjacent to the Net Shed Building. The landowner is the State of Hawaii. The total project area consists of 0.85 acres.

The proposed project consists of interior renovations to the existing building which was built in 1989/1990. It also involves construction of an addition consisting of a 1,600 ft<sup>2</sup> second floor mezzanine, and installation of subsurface utilities. Exterior improvements will include landscaping, installation of a bio swale, expansion of the existing garden, and removal of existing asphalt surfaces, and curbs and gutters.

Our records indicate that no archaeological inventory survey has been conducted on the subject property. No surface historic properties are present. No subsurface historic properties are likely as Kewalo Basin and Kewalo Basin Park, in which the project is located, were constructed from dredging spoils and fill materials. SHPD has previously indicated that various renovation and repair projects within Kewalo Basin would not affect historic properties e.g., Log No. 21961, Doc. No. 9806CS17; Log No. 22147, Doc. No. 9808E129. In 2010, SHPD reviewed a report titled *Historic Evaluation of Kewalo Basin for the Kewalo Basin Repairs Project* (Mason Architects, Inc. 2010). The report states that the Honolili Marine, Inc. shipyard (boat repair area), formerly occupied by the Hawaiian Tuna Packers, Ltd. shipyard, is the only portion of Kewalo Basin containing structures eligible for the National Register of Historic Places. It was identified as eligible under Criteria A (events) for its role in the commercial fishing industry and Hawaiian Tuna Packers. This facility includes the wharf, marine railway, shipyard, and shop. All other structures within Kewalo Basin were deemed either less than 50 years of age or so altered as to be ineligible. Based

on the report, SHPD concurred that the Kewalo Basin Repairs undertaking would result in no adverse effect (July 1, 2010; Log No. 2010.2143, Doc. No. 1007RS05).

Based on the above information, SHPD's determination for the proposed project is no **historic properties affected**.

In the event that historic resources, including human skeletal remains, cultural layers, cultural deposits, features, artifacts, or sinkholes, lava tubes or lava blisters/bubbles are identified during construction and/or other activities, cease all work in the immediate vicinity of the find, protect the find from additional disturbance, and contact the State Historic Preservation Division (SHPD) immediately at (808) 692-8015.

Please contact Jessica Puff at (808) 692-8028 or at [Jessica.L.Puff@hawaii.gov](mailto:Jessica.L.Puff@hawaii.gov) for any question regarding architectural resources. Please contact me at (808) 692-8019 or at [Susan.A.Lebo@hawaii.gov](mailto:Susan.A.Lebo@hawaii.gov) for any questions regarding archaeological resources or his letter.

Mahalo,

*Susan A. Lebo*

Susan A. Lebo, PhD  
Archaeology Branch Chief

cc:  
John Leong, COO, Kupu ([john.leong@kupuhawaii.org](mailto:john.leong@kupuhawaii.org))  
Tom Schnell, AICP, PBR Hawaii ([tschnell@bbfhawaii.com](mailto:tschnell@bbfhawaii.com))  
Steve Molmen, DLNR-Land ([steve.molmen@hawaii.gov](mailto:steve.molmen@hawaii.gov))



& ASSOCIATES, INC.

September 30, 2015

**PRINCIPALS**

THOMAS. WITTEN, ASLA  
*Chairman*  
R. STAN DUNCAN, ASLA  
*President*  
RUSSELL L. CHUNG, FAIA, LEED®APBD+C  
*Executive Vice President*  
VINCENT MURAKAMI, AIA, LEED®APBD+C  
*Vice President*  
MARC SIRIMATAS, ASLA, LEED®APBD+C  
*Associate*  
SCOTT MURAKAMI, ASLA, LEED®AP  
*Associate*  
DAOCHENG DONG, LEED®AP  
*Associate*  
MARK SIRIMATAS, ASLA  
*Associate*  
CATIE CULLISON, AICP  
*Associate*

**SUBJECT:** DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS TRAINING CENTER RENOVATIONS, KAKA'AKO  
TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)

Your reference: 1507GC07

Dear Dr. Lebo,

Thank you for the State Historic Preservation Division's (SHPD) letter dated July 14, 2015, regarding the Kupu Green Jobs Training Center Renovations Draft Environmental Assessment (EA).

**ASSOCIATES**

JADE T. BUTAY  
ROSS M. HIGASHI  
EDWIN H. SNIFEN  
DARRELL T. YOUNG

IN REPLY REFER TO:

FORD N. FUCHIGAMI  
DIRECTOR

Deputy Directors

JADE T. BUTAY  
ROSS M. HIGASHI  
EDWIN H. SNIFEN  
DARRELL T. YOUNG

STATE OF HAWAII

DEPARTMENT OF TRANSPORTATION

869 PUNCHBOWL STREET

HONOLULU, HAWAII 96813-5097

STP 8.1825

July 17, 2015

DAVID Y. IGE  
GOVERNOR



STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
869 PUNCHBOWL STREET  
HONOLULU, HAWAII 96813-5097

Mr. Anthony Ching  
Executive Director

Hawai'i Community Development Authority

347 Queen Street

Honolulu, Hawaii 96813-0299

Dear Mr. Ching:

Subject: Kupu Green Job Training Center Renovations

Draft Environmental Assessment (DEA)

Kakaako, Honolulu, Oahu

TMK: (1) 2-1-058:131 and 127

Our Department of Transportation's (DOT) comments on the subject project are as follows:

Airports Division

We value your participation in the environmental review process. Your letter will be included in the Final EA.

We value your participation in the environmental review process. Your letter will be included in the Final EA.

Sincerely,

Tom Schnell, AICP

Principal

CC: John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director, Hawai'i Community Development Authority

HONOLULU OFFICE  
100 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-5484  
Fax: (808) 523-1402  
E-mail: [syndrome@pfbhawaii.com](mailto:syndrome@pfbhawaii.com)

KAPOLEI OFFICE  
1000 Kamakila Boulevard  
Kapolei Building, Suite 313  
Kapolei, Hawaii 96707-2005  
Tel: (808) 523-5633  
Fax: (808) 523-3163

HILO OFFICE  
1719 Hilo Avenue  
Hilo, Hawaii 96720-1553  
Tel/Cel: (808) 315-6678

Printed on recycled paper


Mr. Anthony Ching  
July 17, 2015  
Page 2

Highways Division

The DOT Highways Division is still conducting its review and has not yet provided comments. The Statewide Transportation Planning Office will inform you of any further DOT comments once received.


If there are any questions, please contact Mr. Norren Kato of the DOT Statewide Transportation Planning Office at telephone number (808) 831-7976.

Sincerely,

  
FORD N. FUCHIGAMI  
Director of Transportation

Attachment: 5-Year Noise Exposure Map

c: Tom Schnell, PBR HAWAII & Associates, Inc.



Kupu Green Job Training Center

FIGURE

5 - 1

2008 FORECAST FIVE YEAR  
NOISE EXPOSURE MAP  
NO MITIGATION SCENARIO

AIRPORTS DIVISION  
HONOLULU INTERNATIONAL AIRPORT  
MASTER PLAN UPDATE AND  
NOISE COMPATIBILITY PROGRAM

Edward K. Noda  
and Associates, Inc.

FIGURE

5 - 1

SCALE: 1 INCH = 1 MILE

DAVID Y. IGE  
GOVERNOR



FORD N. FUCHIGAMI  
DIRECTOR



# PBR HAWAII

& ASSOCIATES, INC.

STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
869 PUNCHBOWL STREET  
HONOLULU, HAWAII 96813-5097

August 24, 2015

Mr. Tom Schnell  
PBR Hawaii and Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813  
  
Subject: Draft Environmental Assessment  
Kupu Green Job Training Center  
Kewalo Basin Park  
  
TMK: (1) 2-10-58-127 and 131

Dear Mr. Schnell:

Thank you for consulting with us regarding the Traffic Impact Assessment Report (TIAR) and the Draft Environmental Assessment required by Chapter 343, Hawaii Revised Statutes on the subject project. The proposed work involves the renovation of an existing open pavilion to be enclosed into an 8,400-sf building with offices and classrooms. The proposed facility will have six parking spaces and is accessible from Ala Moana Boulevard, a six-lane State facility.

Based on the proposed use as a non-profit training center for youths, the project does not appear to significantly impact the State highway system based on the information provided. The recommendations to minimize traffic impacts as outlined in page 16 of the TIAR appear to be adequate.

If you have any questions, please contact Nami Wong, Systems Planning Engineer, Highways Division, Planning Branch, at (808) 587-6336. Please reference file review number PS 2015-127 in all contacts and correspondence regarding these comments.

Sincerely,

FORD N. FUCHIGAMI  
Director of Transportation

c: Mr. Taeyong Kim (Consultant)

September 30, 2015

## PRINCIPALS

ROSS M. HIGASHI  
EDWIN H. SNIFEN  
DARRELL T. YOUNG  
IN REPLY REFER TO:  
DIR 0760  
HWY-PS 2.04/73

SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS TRAINING CENTER RENOVATIONS, KAKA'AKO  
TMKs 2-10-58-127 (POR) AND 2-1-058-131 (POR)  
Your reference: STP 8.1825 & DIR 0760 HWY-PS 2.04/73/PS 2015-127

Dear Mr. Fuchigami,

Thank you for the Department of Transportation's (DOT) letters dated July 17, 2015 (STP 8.1825) and August 24, 2015 (DIR 0760 HWY-PS 2.04/73/PS 2015-127), regarding the Kupu Green Jobs Training Center Renovations Draft Environmental Assessment (EA). As the planning consultant for Kupu, we are responding to DOT's concerns.

Airports Division

## ASSOCIATES

RAYMOND T. HIGA, ASLA  
Senior Associate  
SCOTT MURAKAMI, AIA, LEED AP BD+C  
Associate  
KIMI MIKAMI YUEN, LEED AP BD+C  
Associate  
SCOTT ALIKA ARBUROLA, LEED AP BD+C  
Managing Director - Kipapa  
ROY TAKEMOTO, AIA  
Managing Director - Hill  
SCOTT MURAKAMI, AIA, LEED AP  
Associate  
DACHENG DONG, LEED AP  
Associate  
MARC SHIMATSU, ASLA  
Associate  
CATIE CULLISON, AIA, LEED AP  
Associate

The Kipapa Building is an 8,400-square foot open-sided pavilion at Kewalo Basin. Kipapa has been running its programs from this naturally-ventilated building since 2011 without any problems with aircraft noise. The renovations to the building to transform it into the Kupu Green Jobs Training Center will include enclosing the open structure with exterior walls, windows, and doors. Although Kipapa will be enclosing the structure, a good portion of the building will remain naturally ventilated. However, the more "noise sensitive" areas of the facility, like the vocational kitchen/dining room, classroom, office and conference room, will be enclosed and have air conditioning for sound attenuation. In addition, insulation will be added to the roof structure.

The Net Shed Building is an 8,400-square foot open-sided pavilion at Kewalo Basin. Kipapa has been running its programs from this naturally-ventilated building since 2011 without any problems with aircraft noise. The renovations to the building to transform it into the Kupu Green Jobs Training Center will include enclosing the open structure with exterior walls, windows, and doors. Although Kipapa will be enclosing the structure, a good portion of the building will remain naturally ventilated. However, the more "noise sensitive" areas of the facility, like the vocational kitchen/dining room, classroom, office and conference room, will be enclosed and have air conditioning for sound attenuation.

1. We acknowledge that the Kupu Green Jobs Training Center is located within the 65-60 DNL (day-night average sound level) noise contour of the Honolulu International Airport 5-year (2008) Noise Exposure Map, which was attached with your letter.
2. Kupu and its consultants are aware that photovoltaic (PV) systems located in or near the approach path of aircraft into an airport can create a hazardous condition for pilots due to possible glint and glare from the PV system. Thank you for the information regarding www.sandia.gov/glare that may assist with the preparation of glint and glare analysis if needed.

Printed on recycled paper

Mr. Ford N. Fuchigami  
SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS TRAINING CENTER  
RENOVATIONS, KAKA'AKO TMKs 2-1-058;127 (POR) AND 2-1-058;131 (POR)  
September 30, 2015  
Page 2 of 7

FAX (808) 594-1938



PHONE (808) 594-1888

FAX (808) 594-1938

**STATE OF HAWAII**  
OFFICE OF HAWAIIAN AFFAIRS  
560 N. NIMITZ HWY., SUITE 200  
HONOLULU, HAWAII 96817

3. Kupu acknowledges that if glint or glare from the PV system creates a hazardous condition for pilots, Kupu must be prepared to immediately mitigate the hazard upon notification by the DOT Airports Division or the Federal Aviation Administration.

Highways Division

In regard to DOT Highways Division's August 24, 2015 letter (DIR 0760 HWY-PS 2.0473/PS 2015-127), we acknowledge the Highways Division's comments stating:

"Based on the proposed use of the project as a non-profit training center for youths, the project does not appear to significantly impact the State highway system based on the information provided. The recommendations to minimize traffic impacts outlined in page 16 of the TIAP appear to be adequate."

We value DOT's participation in the environmental review process. DOT's letters will be included in the Final EA.

Sincerely,

*m*  
Tom Schnell, AICP  
Principal

cc: John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director, Houwei; Community Development Authority

Re: Kupu Green Job Training Center Renovations  
Honolulu Ahupua'a, Kona Moku, O'ahu Mokupuni  
TMK: (1) 2-1-058:131 and (1) 2-1-058:127

The Office of Hawaiian Affairs received your letter dated June 16, 2015, requesting comments on a draft environmental assessment for the aforementioned project in Kewalo Basin. Our agency has no comments at this time, although we commend the applicant's use of green building concepts into facility design and the encourage the use of native plants in landscaping. Should you have any questions please contact Everett Ohio or 504-0731 or everett@ohc.org

'O wan iho nō me ka 'oia 'i 'o

 Kamana'opono M. Crabbe, Ph.D.  
Ka Pouhana, Chief Executive Officer

二

\*Please address replies and similar situations concerning changes to your account.

*Dr. Kamana'opono Crabbe  
Attn: OHA Compliance Enforcement  
560 N. Rimmitz Hwy., Ste. 200  
Honolulu, Hawaii 96817*



DEPARTMENT OF COMMUNITY SERVICES  
CITY AND COUNTY OF HONOLULU

715 SOUTH KING STREET, SUITE 311 • HONOLULU, HAWAII 96813 • AREA CODE 808 • PHONE: 768-7762 • FAX: 768-7792

September 30, 2015

PRINCIPALS

THOMAS. WITTEN, ASLA  
*Chairman*  
R. STAN DUNCAN, ASLA  
*President*  
RUSSELL L. CHUNG, FAIA, LEED®APBD+C  
*Executive Vice President*  
VINCENT SHIGEKUNI  
*Vice President*  
GRANT T. MURAKAMI, AIA, LEED®APBD+C  
*Vice President*  
TOM SCHNELL, AICP  
*Principal*  
W. FRANK BRANDY, ASLA  
*Chairman Emeritus*

**SUBJECT:** DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS  
TRAINING CENTER RENOVATIONS, KAKA'AKO  
TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)  
Your reference: HRD 15-7256B

Dear Dr. Crabbe,

Thank you for the Office of Hawaiian Affairs' letter dated July 20, 2015, regarding the Kupu Green Jobs Training Center Renovations Draft Environmental Assessment (EA).

As the planning consultant for Kupu, we note that your Agency does not have comments to offer at this time. We appreciate your commendation of Kupu for the use of green building concepts for the facility, as well as your encouragement to use native plants for landscaping.

We value your participation in the environmental review process. Your letter will be included in the Final EA.

MARC SHIBATSU, ASLA, LEED®AP  
*Associate*  
CAITIE CULLISON, AICP  
*Associate*

Sincerely,

Tom Schnell, AICP  
Principal

Cc: John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director, Hawai'i Community Development Authority

KIRK CALDWELL,  
MAYOR  
GARY K. NAKATA,  
DIRECTOR DESIGNATE  
BARBARA YAMASHITA,  
DEPUTY DIRECTOR  
CITY AND COUNTY OF HONOLULU  
STATE OF HAWAII  
July 2, 2015

Dear Mr. Schnell:  
Sincerely,

SUBJECT: Kupu Green Job Training Center Renovations  
Draft Environmental Assessment  
Anticipated Finding of No Significant Impact (HRS 343)

We have reviewed your letter dated June 16, 2015, and the enclosed Draft Environmental Assessment for the Kupu Green Job Training Center Renovations.

Our review of the documents provided indicates the proposed project will have no adverse impacts on any Department of Community Services activities or projects at this time.

Thank you for providing us with the opportunity to comment on this matter.

Gary K. Nakata  
Director Designate

GKj

cc: John Leong, Kupu

O:\job\30\3041.01 Kupu Building EA\EA\DEA\Comments and Responses\Responses\OHA.docx



DEPARTMENT OF DESIGN AND CONSTRUCTION  
CITY AND COUNTY OF HONOLULU

650 SOUTH KING STREET, 11<sup>th</sup> FLOOR  
HONOLULU, HAWAII 96813

Phone: (808) 768-8480 • Fax: (808) 768-4567

Web site: [www.honolulu.gov](http://www.honolulu.gov)

September 30, 2015

PRINCIPALS

THOMAS WITTEN, ASLA  
*Chairman*  
R. STAN DUNCAN, ASLA  
*President*  
RUSSELL L. CHUNG, FAIA, LEED AP BD+C  
*Executive Vice President*  
VINCENT MURAKAMI, AIA, LEED AP BD+C  
*Vice President*  
W. FRANK BRANDT, ASLA  
*Chairman Emeritus*

SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS

TRAINING CENTER RENOVATIONS, KAKA'AKO  
TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)

Dear Mr. Nakata,

Thank you for the Department of Community Services' letter dated July 2, 2015, regarding the Kupu Green Jobs Training Center Renovations Draft Environmental Assessment (EA).

ASSOCIATES

RAMONET HIGASA, ASLA  
*Senior Associate*

KIMI MIKAMI YUEN, LEED AP BD+C  
*Senior Associate*

SCOTT ALIKA BRISCOE, LEED AP BD+C  
*Managing Director - Kapolei*

ROY TAKEMOTO  
*Managing Director - Hilo*

SCOTT MURAKAMI, ASLA, LEED AP  
*Associate*

DAICHEUNG DONG, LEED AP  
*Associate*

MARC SHIBUYA, ASLA  
*Associate*

CARIE CULLISON, AICP  
*Associate*

PBR Hawaii & Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813

Attn: Tom Schnell

Dear Mr. Schnell:

As the planning consultant for Kupu, we acknowledge your comment that the Kupu Green Job Training Center Renovations will have no adverse impacts on any Department of Community Services' activities or projects at this time.

We value your participation in the environmental review process. Your letter will be included in the Final EA.

Sincerely,

Tom Schnell, AICP  
Principal

Cc: John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director, Hawai'i Community Development Authority

HONOLULU OFFICE  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484  
Tel: (808) 523-1402  
Fax: (808) 523-1402  
E-mail: [spsadmin@pbrhawaii.com](mailto:spsadmin@pbrhawaii.com)

KAPOLEI OFFICE  
1600 Kamakila Boulevard  
Kapolei Building, Suite 313  
Kapolei, Hawaii 96707-20065  
Tel: (808) 523-5633  
Fax: (808) 523-3163

HILO OFFICE  
1719 Mailekole Street  
Hilo, Hawaii 96720-1553  
Tel/Cel: (808) 315-6678



July 10, 2015

ROBERT J. KRONING, P.E.  
DIRECTOR  
MARK YOHANINE, P.E.  
DEPUTY DIRECTOR

ROBERT J. KRONING, P.E.  
DIRECTOR  
MARK YOHANINE, P.E.  
DEPUTY DIRECTOR

The Department of Design and Construction does not have comments to offer on the final environmental assessment.

Thank you for the opportunity to review and comment. Should there be any questions, please contact me at 768-8480.

Sincerely,

Robert J. Kroning, P.E.  
Director

RJK: cf (614002)

cc: Anthony Ching – Hawaii Community Development Authority

OrJob30304101 Kupu Building EA/EA/DEA/Comments and Responses/Responses/CC DCS.docx





DEPARTMENT OF PARKS & RECREATION  
**CITY AND COUNTY OF HONOLULU**

September 30, 2015

PRINCIPALS

THOMAS WITTEN, ASLA  
*Chairman*  
R. STAN DUNCAN, ASLA  
*President*  
RUSSELL LICHING, ASLA, LEED AP BD+C  
*Executive Vice President*  
VINCENT MURAKAMI, ASCE, LEED AP BD+C  
*Vice President*  
W. FRANK BRANDT, ASLA  
*Chairman Emeritus*  
TOM SCHNELL, AICP  
*Principal*

KIRK CALDWELL  
MAYOR

1000 Ulu'ohia Street, Suite 309, Kapolei, Hawaii 96707  
Phone: (808) 768-3003 • Fax: (808) 768-3053  
Website: [www.honolulu.gov](http://www.honolulu.gov)



SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS

TRAINING CENTER RENOVATIONS, KAKA'AKO

TMKs 2-1-05:127 (POR) AND 2-1-05:131 (POR)

Your reference DRM-15-481

Dear Mr. Sasamura,

Thank you for the Department of Facilities Management's letter dated July 13, 2015, regarding the Kupu Green Jobs Training Center Renovations Draft Environmental Assessment (EA).

ASSOCIATES

KIMI MIKAMI YUEN, LEED AP BD+C  
*Senior Associate*

SCOTT ALIKA BRISCOE, LEED AP BD+C  
*Managing Director - Kupu*

ROY TAKEMOTO  
*Managing Director - Hilo*

SCOTT MURAKAMI, ASLA, LEED AP  
*Associate*

DAICHEUNG DONG, LEED AP  
*Associate*

MARC SHIBATA, ASLA  
*Associate*

CARIE CULLISON, AICP  
*Associate*

Mr. Tom Schnell, AICP  
Principal  
PBR Hawaii & Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813  
768-3017

Dear Mr. Schnell:

SUBJECT: Pre-Consultation for an Environmental Assessment  
Kupu Green Jobs Training Center  
Portions of TMK (1) 2-10-58-128, (1) 2-10-58-127

Thank you for the opportunity to review and comment on the Draft Environmental Assessment for the Kupu Green Jobs Training Center.

The Department of Parks and Recreation has no comment as the proposed project will have no impact on any of our program or facilities. You may remove us as a consulted party to the balance of the EIS process.

Should you have any questions, please contact Mr. John Reid, Planner, at 768-3017.

Sincerely,

Michele K. Nekota  
Director

MKN:jr  
(613930)

030830(3041.01 Kupu Building EA/EIA/Comments and Responses)Responses)DFM.docx

Cc: Anthony Ching, Executive Director, Hawaii Community Development Authority

Cc: John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director, Hawai'i Community Development Authority

HONOLULU OFFICE  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484  
Tel: (808) 523-1402  
Fax: (808) 523-1402  
E-mail: [syapadmin@pbrhawaii.com](mailto:syapadmin@pbrhawaii.com)

KAPOLEI OFFICE  
1000 Kamakila Boulevard  
Kapolei Building, Suite 313  
Kapolei, Hawaii 96707-20065  
Tel: (808) 523-5633  
Fax: (808) 523-5633

HILo OFFICE  
1719 Mailekole Street  
Hilo, Hawaii 96720-1553  
Tel/Cel: (808) 315-6678

printed on recycled paper



## BOARD OF WATER SUPPLY



September 30, 2015

**PRINCIPALS**  
THOMAS. WITTEN, ASLA  
*Chairman*  
R. STAN DUNCAN, ASLA  
*President*  
RUSSELL L. CHUNG, FAIA, LEED®AP, AICP  
*Executive Vice President*  
VINCENT SHIGEKI NINI  
*Vice President*  
W. FRANK BRANDT, ASLA  
*Chairman Emeritus*

**SUBJECT:** DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS  
TRAINING CENTER RENOVATIONS, KAKA'AKO  
TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)

Dear Ms. Nekota,

Thank you for Department of Parks and Recreation's letter dated July 16, 2015, regarding the Kupu Green Jobs Training Center Renovations Draft Environmental Assessment (EA).

RAYMOND T. HIGA, ASLA  
*Senior Associate*  
KIMI MIKAMI YUEN, LEED®AP, AICP  
*Senior Associate*  
SCOTT ALIKA ARBICO, LEED®AP, AICP  
*Managing Director - Kupu*  
ROY TAKEMOTO  
*Managing Director - Hilo*  
SCOTT MURAKAMI, ASLA, LEED®AP  
*Associate*  
DAOSHENG DONG, LEED®AP  
*Associate*  
MARC SHIBATA, ASLA  
*Associate*  
CAITIE CULLISON, AICP  
*Associate*

As the planning consultant for Kupu, we acknowledge that the Department of Parks and Recreation has no comment as the proposed project will have no impact on any of its program or facilities. Per your request, we will remove you as a consulted party for the balance of this EIS process.

We value your participation in the environmental review process. Your letter will be included in the Final EA.

Sincerely,

Tom Schnell, AICP  
Principal

Cc: John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director, Hawai'i Community Development Authority

The proposed project is subject to BWS Cross-Connection Control and Backflow Prevention requirements prior to the issuance of the Building Permit Applications.  
If you have any questions, please contact Robert Chun, Project Review Branch of our Water Resources Division at 748-5443.

Very truly yours,

ERNEST Y-W LAU, P.E.  
Manager and Chief Engineer

O:\Job303041.01 Kupu Building EA\EA\DEA\Comments and Responses\Responses\CC DPR.docx

KIRK CALDWELL, MAYOR  
DUANE R. MINASHIRO, Chair  
ADAM C. WONG, Vice Chair  
THERESA C. MAULIRO  
DAVID C. PUJHEE  
KAPUA SPROAT  
ROSS S. SASAMURA, Ex-Officio  
FORD N. FUCHIGAMI, Ex-Officio  
ERNEST Y. W. LAU, P.E.  
Manager and Chief Engineer  
ELLEN E. KITAMURA, P.E.  
Deputy Manager and Chief Engineer

July 30 2015

Mr. Tom Schnell  
PBR Hawaii & Associates, Inc.  
1001 Bishop Street  
ASB Tower, Suite 650  
Honolulu, Hawaii 96813

Dear Mr. Schnell:

Subject: Your Letter Dated June 16, 2015 Requesting Comments on the Draft Environmental Assessment for the Kupu Green Job Training Center Renovation in Kaka'ako - Tax Map Key: 2-1-058-131 and 2-1-058-127  
Thank you for the opportunity to comment on the proposed project.  
The existing water system is adequate to accommodate the proposed development. However, please be advised that this information is based upon current data, and therefore, the Board of Water Supply (BWS) reserves the right to change any position or information stated herein up until the final approval of the building permit application. The final decision on the availability of water will be confirmed when the building permit application is submitted for approval.

When water is made available, the applicant will be required to pay our Water System Facilities Charges for resource development, transmission and daily storage.  
The on-site fire protection requirements should be coordinated with the Fire Prevention Bureau of the Honolulu Fire Department.

The proposed project is subject to BWS Cross-Connection Control and Backflow Prevention requirements prior to the issuance of the Building Permit Applications.  
If you have any questions, please contact Robert Chun, Project Review Branch of our Water Resources Division at 748-5443.



HONOLULU FIRE DEPARTMENT  
**CITY AND COUNTY OF HONOLULU**

September 30, 2015

PRINCIPALS

THOMAS. WITTEN, ASLA  
*Chairman*

R. STAN DUNCAN, ASLA  
*President*

RUSSELL L. CHUNG, FAIA, LEED®APBD+C  
*Executive Vice President*

VINCENT SHIGEKIJI  
*Vice President*

GRANT T. MURAKAMI, AIA, LEED®APBD+C  
*Vice-President*

TOM SCHNELL, AICP  
*Principal*

W. FRANK BRANDT, AIA, LEED®APBD+C  
*Chairman Emeritus*

ASSOCIATES

RAMONET HIRAGA, ASLA  
*Senior Associate*

KIMI MIKAMYUEN, LEED®APBD+C  
*Senior Associate*

SCOTT ALIKA ARISIKO, LEED®APBD+C  
*Managing Director - Kapiolani*

ROY TAKEMOTO  
*Managing Director - Hilo*

SCOTT MURAKAMI, ASLA, LEED®AP  
*Associate*

DAOSHENG DONG, LEED®AP  
*Associate*

MARC SHIBUYA, ASLA  
*Associate*

CARIE CULLISON, AICP  
*Associate*

**SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS  
TRAINING CENTER RENOVATIONS, KAKA'AKO  
TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)**

Dear Mr. Lau,

Thank you for the Board of Water Supply's (BWS) letter dated July 30, 2015, regarding the Kupu Green Jobs Training Center Renovations Draft Environmental Assessment (EA).

As the planning consultant for Kupu, we acknowledge the BWS determination that "the existing water system is adequate to accommodate the proposed development." This information will be included in the Final EA. Water System Facility fees for resource development, transmission and daily storage will be paid at the appropriate time.

On site fire protection requirements will be coordinated with the Fire Prevention Bureau of the Honolulu Fire Department. We recognize that the proposed project is subject to BWS Cross-Connection Control and Backflow Prevention requirements prior to the issuance of the Building Permit Applications.

We value your participation in the environmental review process. Your letter will be included in the Final EA.

Sincerely,

Tom Schnell, AICP  
Principal

Cc: John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director, Hawai'i Community Development Authority

**HONOLULU OFFICE**  
100 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484  
Tel: (808) 523-1402  
Fax: (808) 523-1403  
E-mail: [syapdmn@pbrhawaii.com](mailto:syapdmn@pbrhawaii.com)

**KAPIOLANI OFFICE**  
100 Kapiolani Boulevard  
Kapolei, Hawaii 96707-20065  
Tel: (808) 523-5631  
Fax: (808) 523-3163

**HILO OFFICE**  
1719 Mailekole Street  
Hilo, Hawaii 96720-1553  
Tel/Cel: (808) 315-6678

Printed on recycled paper

O:\Job30\3041.01 Kupu Building EA\EA\DEA\Comments and Responses\Responses\CC DPR.docx

636 South Street  
Honolulu, Hawaii 96813-3484  
Phone: 808-723-7139  
Fax: 808-723-7111  
Internet: [www.honolulu.gov/fd](http://www.honolulu.gov/fd)



MANUEL P. NEVES  
FIRE CHIEF  
LIONEL CAMARA, JR.  
DEPUTY FIRE CHIEF

July 7, 2015

KIRK CALDWELL,  
MAYOR

Mr. Tom Schnell, AICP, Principal  
PBR HAWAII & Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-3484

Dear Mr. Schnell:

Subject: Draft Environmental Assessment  
Kupu Green Job Training Center Renovations  
Tax Map Keys: 2-10-058: 127 and 131

In response to your letter dated June 16, 2015, regarding the above-mentioned subject, the Honolulu Fire Department (HFD) requires that the following be complied with:

1. Fire department access roads shall be provided such that any portion of the facility or any portion of an exterior wall of the first story of the building is located not more than 150 feet from fire department access roads as measured by an approved route around the exterior of the building or facility. (National Fire Protection Association [NFPA] 1, Uniform Fire Code [UFC™], 2006 Edition, Section 18.2.3.2.2.)

A fire department access road shall extend to within 50 feet of at least one exterior door that can be opened from the outside and provides access to the interior of the building. (NFPA 1, UFC™, 2006 Edition, Section 18.2.3.2.1.)

2. A water supply approved by the county, capable of supplying the required fire flow for fire protection, shall be provided to all premises upon which facilities or buildings, or portions thereof, are hereafter constructed, or moved into or within the county. When any portion of the facility or building is in excess of 150 feet from a water supply on a fire apparatus access road, as measured by an approved route around the exterior of the facility or building, on-site fire hydrants and mains capable of supplying the required fire flow shall be provided when



Mr. Tom Schnell, AICP, Principal  
Page 2  
July 7, 2015

required by the AHJ [Authority Having Jurisdiction]. (NFPA 1, UFC™, 2006 Edition, Section 18.3.1, as amended.)

3. The unobstructed width and unobstructed vertical clearance of a fire apparatus access road shall meet county requirements. (NFPA 1, UFC™, 2006 Edition, Section 18.2.3.4.1.1, as amended.)

4. Submit civil drawings to the HFD for review and approval.

Should you have questions, please contact Battalion Chief Terry Seelig of our Fire Prevention Bureau at 723-7151 or tseelig@honolulu.gov.

Sincerely,

SOCRATES D. BRATAKOS  
Assistant Chief

SDB/SY:bh

cc: Anthony Ching, Executive Director  
Hawaii Community Development Authority

September 30, 2015

**PRINCIPALS**

THOMAS WITTEN, ASLA  
*Chairman*  
RUSSELL DUNCAN, ASLA  
*President*  
RUSSELL YI CHING, ASLA, LEED AP BD+C  
*Executive Vice President*  
VINCENT SHIGEMI  
*Vice President*  
GRANT MURAKAMI, ASLA, LEED AP BD+C  
*Vice President*  
TOM SCHNELL, AICP  
*Principal*

**SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS TRAINING CENTER RENOVATIONS, KAKA'AKO**  
TMKS 2-1-058:127 (POR) AND 2-1-058:131 (POR)

Dear Assistant Chief Bratakos,

Thank you for the Honolulu Fire Department's (HFD) letter dated July 7, 2015, regarding the Kupu Green Jobs Training Center Renovations Draft Environmental Assessment (EA). As the planning consultant for Kupu, we are responding to HFD's comments.

**ASSOCIATES**

RAYMOND T. HIGA, ASLA  
*Senior Associate*  
KIMI MIKAMI YUEN, LEED AP BD+C  
*Senior Associate*  
SCOTT ALIKA ARBUROLA, LEED AP BD+C  
*Managing Director - Kipoiid*  
ROY TAKEMOTO  
*Managing Director - Hill*  
SCOTT MURAKAMI, ASLA, LEED AP  
*Associate*  
DACHENG DONG, LEED AP  
*Associate*  
MARC SHIMATSU, ASLA  
*Associate*  
CATIE CULLISON, AICP  
*Associate*

Regarding comments 1 to 3, renovations to the Kupu Green Jobs Training Center will comply with the National Fire Protection Association [NFPA] 1, Uniform Fire Code [UFC]™, 2006 Edition, including Sections 18.2.3.2.2; 18.2.3.2.1; 18.3.1, and 18.2.3.4.1.1, as amended.

At the appropriate time, Kupu or its consultants will submit civil drawings prepared for the project to HFD for review.

We value your participation in the environmental review process. Your letter will be included in the Final EA.

Sincerely,

Tom Schnell, AICP  
Principal

**HONOLULU OFFICE**

1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-5484  
Tel: (808) 523-5631  
Fax: (808) 523-1402  
E-mail: syoshi@pbrhawaii.com

**KAPOLEI OFFICE**

1001 Kamehameha Boulevard  
Kapolei Building, Suite 313  
Kapolei, Hawaii 96707-2005  
Tel: (808) 523-5631  
Fax: (808) 523-3163

**HILLO OFFICE**

1719 Halawai Street  
Honolulu, Hawaii 96720-1533  
Tel: (808) 315-08778

O:\Job30\3041\01 Kupu Building EA\EA\DE\Comments and Responses\Responses\HFD.docx

*Printed on recycled paper*

DEPARTMENT OF PLANNING AND PERMITTING  
**CITY AND COUNTY OF HONOLULU**  
 650 SOUTH KING STREET, 7<sup>TH</sup> FLOOR • HONOLULU, HAWAII 96813  
 PHONE: (808) 768-5000 • FAX: (808) 768-5041  
 DEPT. WEB SITE: [www.honoluludpd.hawaii.gov](http://www.honoluludpd.hawaii.gov)



KIRK CALDWELL  
 MAYOR

650 SOUTH KING STREET, 7<sup>TH</sup> FLOOR • HONOLULU, HAWAII 96813  
 PHONE: (808) 768-5000 • FAX: (808) 768-5041  
 DEPT. WEB SITE: [www.honoluludpd.hawaii.gov](http://www.honoluludpd.hawaii.gov)

650 SOUTH KING STREET, 7<sup>TH</sup> FLOOR • HONOLULU, HAWAII 96813  
 PHONE: (808) 768-5000 • FAX: (808) 768-5041  
 DEPT. WEB SITE: [www.honoluludpd.hawaii.gov](http://www.honoluludpd.hawaii.gov)

650 SOUTH KING STREET, 7<sup>TH</sup> FLOOR • HONOLULU, HAWAII 96813  
 PHONE: (808) 768-5000 • FAX: (808) 768-5041  
 DEPT. WEB SITE: [www.honoluludpd.hawaii.gov](http://www.honoluludpd.hawaii.gov)

July 17, 2015

Mr. Tom Schnell  
 PBR HAWAII & Associates, Inc.  
 ASB Tower, Suite 650  
 1001 Bishop Street  
 Honolulu, Hawaii 96813

Dear Mr. Schnell:

Thank you for your letter dated June 16, 2015 requesting comments on the Draft Environmental Assessment (EA) for the Kupu Green Job Training Center Renovations project in Kakaako. We have reviewed the information provided and offer the following comments:

- The project's Tax Map Key reference should be revised from 2-10-58; 127 and 131 to 2-1-058; 127 and 131.
- Expand your discussion of City bus travel and bicycling by the program's youth participants, on pages 43-45 (Section 4.6). Specifically: (1) add a mention of the future bus/rail transit pass to your discussion of how you will continue to provide subsidized bus passes to participants; (2) discuss what pedestrian and bicycle route(s) participants can take from Ala Moana Boulevard or Ala Moana Beach Park to the facility, and (3) expand your mitigation measures by stating how much bike parking the Traffic Impact Assessment Report says to add, and whether or not any improvements to sidewalks or bike routes within Kewalo Basin may be needed (and, if so, also mention them on page 20).

Should you have any questions, please contact Mike Watkins of our staff at 768-8044.

Very truly yours,

George I. Atta, FAICP  
 Director

GIA:js

c: Kupu  
 Attn: John Leong, Chief Operating Officer


cc: John Leong, Chief Operating Officer, Kupu  
 Anthony Ching, Executive Director, Hawai'i Community Development Authority

Subject: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS TRAINING CENTER RENOVATIONS, KAKA'AKO  
 TMKS 2-1-058:127 (POR) AND 2-1-058:131 (POR)  
 Your reference: 2015/ELOG-1262 (mw)

September 30, 2015

# PBR HAWAII

& ASSOCIATES, INC.



September 30, 2015

## PRINCIPALS

George I. Atta, Director  
 Department of Planning and Permitting  
 City and County of Honolulu  
 650 South King Street, 7<sup>th</sup> Floor  
 Honolulu, HI 96813

Thomas Witten, ASA  
*Chairman*  
 Ryan Duncan, ASA  
*President*  
 Arthur D. Challacombe  
*Deputy Director*  
 Russell Y. Cheung, ASA, LEED AP BD+C  
*Executive Vice President*  
 Vincent Shigekuni  
*Vice President*  
 Grant Muraoka, ASA, LEED AP BD+C  
*Vice President*  
 Tom Schinell, AICP  
*Principal*

2015/ELOG-1262 (mw)

July 17, 2015

George I. Atta, Director

Department of Planning and Permitting  
 City and County of Honolulu  
 650 South King Street, 7<sup>th</sup> Floor  
 Honolulu, HI 96813

Raymond T. Higa, ASA  
*Senior Associate*  
 Kumi Mirkami Yuen, LEED AP BD+C  
*Senior Associate*  
 Scott Aluka Aragaki, LEED AP BD+C  
*Managing Director - Kapiolani*  
 Roy Takei, LEED AP BD+C  
*Managing Director - Hill*  
 Scott Muraoka, ASA, LEED AP  
*Associate*  
 Daicheng Dong, LEED AP  
*Associate*  
 Marc Shimatsu, ASA  
*Associate*  
 Catie Cullison, AICP  
*Associate*

ASSOCIATES

W. Frank Brantefasla, ASA  
*Chairman Emeritus*  
 Raymond T. Higa, ASA  
*Senior Associate*  
 Kumi Mirkami Yuen, LEED AP BD+C  
*Senior Associate*  
 Scott Aluka Aragaki, LEED AP BD+C  
*Managing Director - Kapiolani*  
 Roy Takei, LEED AP BD+C  
*Managing Director - Hill*  
 Scott Muraoka, ASA, LEED AP  
*Associate*  
 Daicheng Dong, LEED AP  
*Associate*  
 Marc Shimatsu, ASA  
*Associate*  
 Catie Cullison, AICP  
*Associate*

PRINCIPALS

George I. Atta, Director

Department of Planning and Permitting  
 City and County of Honolulu  
 650 South King Street, 7<sup>th</sup> Floor  
 Honolulu, HI 96813

Raymond T. Higa, ASA  
*Senior Associate*  
 Kumi Mirkami Yuen, LEED AP BD+C  
*Senior Associate*  
 Scott Aluka Aragaki, LEED AP BD+C  
*Managing Director - Kapiolani*  
 Roy Takei, LEED AP BD+C  
*Managing Director - Hill*  
 Scott Muraoka, ASA, LEED AP  
*Associate*  
 Daicheng Dong, LEED AP  
*Associate*  
 Marc Shimatsu, ASA  
*Associate*  
 Catie Cullison, AICP  
*Associate*

ASSOCIATES


W. Frank Brantefasla, ASA  
*Chairman Emeritus*

ASSOCIATES

Raymond T. Higa, ASA  
*Senior Associate*

ASSOCIATES

POLICE DEPARTMENT  
**CITY AND COUNTY OF HONOLULU**  
 801 SOUTH BERETANIA STREET • HONOLULU, HAWAII 96813  
 TELEPHONE: (808) 529-3111 • INTERNET: [www.honolulupd.org](http://www.honolulupd.org)



**PBR HAWAII**  
 & ASSOCIATES, INC.

OUR REFERENCE MT-DK

KIRK CALDWELL  
 MAYOR



OUR REFERENCE MT-DK

July 9, 2015

Mr. Tom Schnell, AICP, Principal  
 PBR HAWAII & Associates, Inc.  
 1001 Bishop Street, Suite 650  
 Honolulu, Hawaii 96813

Dear Mr. Schnell:

This is response to your letter of June 16, 2015, requesting comments on a Draft Environmental Assessment for the Kupu Green Job Training Center Renovations project in Kakaako.

The Honolulu Police Department has reviewed the information provided and has concerns regarding parking and security controls at the project site.

Contractors should remind their personnel not to utilize public parks as a parking area for their personal or company vehicles while working at the project site, unless they have obtained prior permission to use the park as a parking space.

We recommend that the contractor provide security controls at the project site. Having several security requirements (e.g., a perimeter fence, "No Trespassing" and "Tow Away" signs, secured parking and storage areas, adequate lighting around the building grounds, building security video surveillance, and a security guard service) should prevent vandalism and other criminal acts from occurring while the project is being constructed and subsequently after the completion of this project. We further recommend assigning a person to serve as an agent and point of contact, with access to the facility, in case any emergencies or incidents take place.

If there are any questions, please call Major Roy Sigimoto of District 1 (Central Honolulu) at 723-3327.

Thank you for the opportunity to review this project.

Sincerely,

LOUIS M. KEALOHA  
 Chief of Police

By *Mark Tsuyemura*  
 MARK TSUYEMURA  
 Management Analyst VI  
 Office of the Chief

cc: Mr. Anthony Ching, Executive Director  
 Hawaii Community Development Authority

*Serving and Protecting With Aloha*

September 30, 2015

**PRINCIPALS**

LOUIS H. KEALOHA  
 CHIEF  
 Chairman  
 DAVE W. KAHUHO  
 MALE A. MACQUEY  
 DEPUTY CHIEFS  
 RUSSELL Y. LCHING, ASLA, LEED AP BD+C  
 Executive Vice President/  
 Vice President  
 GRANT T. MURAKAMI, AIA, LEED AP BD+C  
 Vice President  
 TOM SCHNELL, AICP  
 Principal  
 W. FRANK BRANDT, FAIA  
 Chairman Emeritus

**ASSOCIATES**

RAYMOND T. HIGA, ASLA  
 Senior Associate  
 KIMI MIKAMI YUEN, LEED AP BD+C  
 Senior Associate  
 SCOTT ALIKA, ARBURGLED, AP BD+C  
 Managing Director - Kapiolani  
 ROY TAKEMOTO  
 Managing Director - Hill  
 SCOTT MURAKAMI, AIA, LEED AP  
 Associate  
 DAICHENG DONG, LEED AP  
 Associate  
 MARC SHUMATSU, ASLA  
 Associate  
 CATIE CULLISON, AICP  
 Associate

Louis Kealoha, Chief of Police  
 City and County of Honolulu  
 Police Department  
 801 South Beretania Street  
 Honolulu, HI 96813  
 SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS  
 TRAINING CENTER RENOVATIONS, KAKA'AKO  
 TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)  
 Your reference MT-DK

Thank you for your Police Department's letter dated July 9, 2015, regarding the Kupu Green Jobs Training Center Renovations Draft Environmental Assessment (EA). As the planning consultant for Kupu, we are responding to your comments and acknowledge your concerns regarding parking and security.

During construction contractors and their personnel will not be allowed to utilize Kewalo Basin Park, Ala Moana Beach Park, or parking stalls within these parks for their personal or company vehicles. Kupu currently uses six parking stalls in front of the Net Shed Building (Diamond Head side). In addition, the large, triangular-shaped asphalt pad area between the Net Shed Building and the Kewalo Basin Harbor Channel could be used for construction parking. If construction parking cannot be accommodated in the six stalls that Kupu currently uses or on the asphalt pad, alternative arrangements will be made for construction parking off site.

The construction contractor will be informed of security concerns and advised to implement adequate security controls (such as a perimeter fence, "No Trespassing" signs, secured parking and storage areas, adequate lighting, building security video surveillance, and a security guard service) during construction, especially during evening hours. After construction, the renovations should address security concerns as the renovations involve enclosing the Net Shed Building with walls, thereby better controlling access to the building. If security continues to be a concern, Kupu can implement adequate security controls as needed.

As suggested, Kupu will assign a person to serve as an agent and point of contact, with access to the facility, in case any emergencies or incidents take place during or after construction.

HONOLULU OFFICE  
 1001 Bishop Street, Suite 650  
 Honolulu, Hawaii 96813-5484  
 Tel: (808) 523-5631  
 Fax: (808) 523-4022  
 E-mail: syedunn@pbrhawaii.com

KAPOLI OFFICE  
 1001 Kapiolani Boulevard  
 Kapiolani Building, Suite 313  
 Kapiolani, Hawaii 96807-2005  
 Tel: (808) 523-5631  
 Fax: (808) 523-3163

HILo OFFICE  
 1719 Hiloakie Street  
 Hilo, Hawaii 96720-1533  
 Tel: (808) 315-06778


*Printed on recycled paper*

DEPARTMENT OF TRANSPORTATION SERVICES  
CITY AND COUNTY OF HONOLULU

Chief Louis Kealoha.  
SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS TRAINING CENTER  
RENOVATIONS, KAKA AKO TMKs 2-1-058-127 (POR) AND 2-1-058-131 (POR)  
September 30, 2015  
Page 2 of 2

We value your participation in the environmental review process. The information above and  
your letter will be included in the Final EA.

Sincerely,



Tom Schnell, AICP  
Principal

Cc: John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director, Hawai'i Community Development Authority

650 SOUTH KING STREET, 3RD FLOOR  
HONOLULU, HAWAII 96813  
Phone: (808) 768-8305 • Fax: (808) 768-4750 • Internet: [www.honolulu.gov](http://www.honolulu.gov)



KIRK CALDWELL  
MAYOR

MICHAEL D. FORMBY  
DIRECTOR  
MARK N. GARRETT, AICP  
DEPUTY DIRECTOR

TP6/15-613935R

July 14, 2015

Mr. Tom Schnell  
Principal  
PBR Hawaii & Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813

Dear Mr. Schnell:

SUBJECT: Draft Environmental Assessment Kupu Green Job Training Center;  
Kewalo Basin Park, Oahu, Hawaii

In response to your letter dated June 16, 2015, we have the following comments:

1. Roadways and Traffic, top of Page 45, states "These routes have the capacity to handle youth/participants demand after the renovations." Please cite your source for this statement.
2. TIAR, Page 7, Traffic Conditions, 4<sup>th</sup> paragraph, last sentence, "Appendix A" should be "Appendix".
3. TIAR, Page 13, Projected Year 2017 PM Peak Hour Intersection Operations, 2<sup>nd</sup> paragraph, last sentence, "Appendix A" should be "Appendix".
4. TIAR, Page 13, Figure 6, vehicle volume of Ala Moana Boulevard west bound through lane at Kamakee Street is not consistent with the volume in the Appendix Synchro Intersection Analysis Worksheets.
5. TIAR, Page 14, Transit, Pedestrian, and Bicycle Issues, add to the end of last paragraph, "The Howard Hughes Corporation has plans to install a bike lane on Auahi Street in the Ward Village area in the near future."

# PBR HAWAII

& ASSOCIATES, INC.

Mr. Tom Schnell  
July 14, 2015  
Page 2

Thank you for the opportunity to review this matter. Should you have any questions, please contact Renee Yamasaki of my staff at 768-8383.

Very truly yours,



Michael D. Formby  
Director

September 30, 2015

## PRINCIPALS

THOMAS WITTEN, ASLA  
*Chairman*  
RUSTY DUNCAN, ASLA  
*President*  
RUSSELL YI LCHENG FASLA, LEED AP BD+C  
*Executive Vice President*  
VINCENT MIGRANI  
*Vice President*  
GRANT MURAKAMI, AIA, LEED AP BD+C  
*Vice President*  
TOM SCHIRL, AICP  
*Principal*  
W. FRANK BRANDTE, FASLA  
*Chairman Emeritus*

## ASSOCIATES

RAYMOND T. HIGA, ASLA  
*Senior Associate*  
KIMI MURAKAMI YUEN, LEED AP BD+C  
*Senior Associate*  
SCOTT ALIXA ABREGA, LEED AP BD+C  
*Managing Director - Kapiolani*  
ROY TAKEMOTO  
*Managing Director - Hill*  
SCOTT MURAKAMI, ASLA, LEED AP  
*Associate*  
DACHENG DONG, LEED AP  
*Associate*  
MARC SHIMATSU, ASLA  
*Associate*  
CATIE CULLISON, AICP  
*Associate*

Dear Mr. Formby,

Thank you for Department of Transportation Services' (DTS) letter dated July 14, 2015, regarding the Kupu Green Jobs Training Center (Center) Renovations Draft Environmental Assessment (EA). As the planning consultant for Kupu, we are responding to DTS' comments.

1. In the Draft EA it was stated that: Six public transit bus routes provide service in the Ala Moana Boulevard corridor in the vicinity of Kewalo Basin. These routes have the capacity to handle youth/participants demand after the renovations."

The traffic impact analysis report (TIAR) prepared by AECOM Technical Services (AECOM) made the following assumptions pertaining to public transit demand generated by the Kupu Green Jobs Training Center before and after the renovations:

- All employees drive to the Center and would not generate any public transit demand;
- The Center currently serves a total of approximately 24 youth/participants during weekdays. These are already being accommodated by public transit; and
- The proposed renovations will add 24 more youth/participants. Although it is known that some of the existing student use modes such walking, bicycling, and being dropped off, it is assumed that all of the additional youth/participants will use public transit.

**HONOLULU OFFICE**  
1001 Bishop Street, Suite 650  
Honolulu, Hawaii 96813-5484  
Tel: (808) 521-5631  
Fax: (808) 523-1402  
E-mail: syosdmin@pbrihawaii.com

**KAPOLEI OFFICE**  
1001 Kapiolani Boulevard, Suite 313  
Kapolei Building, Suite 313  
Kapolei, Hawaii 96707-2005  
Tel: (808) 521-5631  
Fax: (808) 535-3163

**HILLO OFFICE**  
1719 Haleiwa Street  
Hilo, Hawaii 96720-1533  
Tel: (808) 961-2000  
Fax: (808) 961-0778

*Printed on recycled paper*

The DTS-Public Transit Division provided AECOM Technical Services with average passenger load summaries for the six existing bus routes (19, 20, 42, 55, 56, 57/57A) serving the Ala Moana Boulevard corridor in the vicinity of Kewalo Basin. Table 1 below summarizes the passenger load information.

As shown in Table 1, there is ample existing capacity within the public transit system during both AM and PM peak hour time periods. For the long-range future, the Honolulu Rail Transit system will be within walking distance of this area as well.

Mr. Michael D. Formby  
 SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS TRAINING  
 CENTER RENOVATIONS, KAKA AKO TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)  
 September 30, 2015  
 Page 2 of 3

Mr. Michael D. Formby  
 SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS TRAINING  
 CENTER RENOVATIONS, KAKA AKO TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)  
 September 30, 2015  
 Page 3 of 3

**Table 1**  
**Average Passenger Load – Existing Bus Routes in Kewalo Basin Area**

Route	Average Peak Hour Load	Seated Peak Hour Capacity	Available Peak Hour Seats	Potential Kupu Demand
AM Peak Hour				
19	86	120	34	-
20	46	80	34	-
42	94	120	26	-
55	14	120	106	-
56	15	160	145	-
57/57A	15	200	185	-
Total	270	800	530	24
PM Peak Hour				
19	55	80	25	-
20	66	80	14	-
42	71	80	9	-
55	33	80	47	-
56	22	80	58	-
57/57A	41	160	119	-
Total	288	560	272	24

Source: City and County of Honolulu Department of Transportation Services/Oahu Transit Services  
 March 2015 Average Passenger Load Summaries

Regarding DTS' comments 2 - 6 specifically on the TIAR, in the final EA the TIAR will be revised to reflect these changes:

2. "Appendix" will replace "Appendix A" on Page 7, Traffic Conditions, 4<sup>th</sup> paragraph last sentence.
3. "Appendix" will replace "Appendix A" on Page 13, Projected Year 2017 PM Peak Hour Intersection Operations, 2<sup>nd</sup> paragraph, last sentence.
4. Figure 6, vehicle volume of Ala Moana Boulevard West on page 13, will be corrected so that it is consistent with the volume in the Appendix Synchro Intersection Analysis Worksheets.
5. "The Howard Hughes Corporation has plans to install a bike lane on Auahi Street in the Ward Village area in the near future," will be added to the last paragraph on Page 14, Transit, Pedestrian, and Bicycle Issues.



From: Kuwaye, Kristen [mailto:kristen.kuwaye@hawaiianelectric.com]

Sent: Thursday, July 23, 2015 2:23 PM

To: sysadmin <sysadmin@pbrhawaii.com>

Cc: Liu, Rouen <rouen.liu@hawaiianelectric.com>; '111.160054@ecollab.heco.com' <1.1.1.160054@ecollab.heco.com>

Subject: Kupu Green Job Training Center Renovations

Kristen Kuwaye on behalf of Rouen Liu

Dear Mr. Tom Schnell,

Thank you for the opportunity to comment on the subject project. Hawaiian Electric Company has no objection to the project. Should HECo have existing easements or facilities on the subject property, we will need continued access for maintenance of our facilities.

We appreciate your efforts to keep us apprised of the subject project in the planning process. As the proposed Kupu Green Job Training Center Renovations Project comes to fruition, please continue to keep us informed. Further along in the design, we will be better able to evaluate the effects on our system facilities.

If you have any questions, please call me at 543-7245.

Sincerely,

Rouen Q. W. Liu

Permits Engineer

Tel: (808) 543-7245

Email: Rouen.liu@hawaiianelectric.com

September 30, 2015

**PRINCIPALS**

THOMAS R. WITTEN, ASLA  
*Chairman*  
R. STAN DUNCAN, ASLA  
*President*  
RUSSELL Y. J. CHUNG, FASLA, LEED® AP BD+C  
*Executive Vice-President*  
VINCENT SHIGAKI, ASLA  
*Vice-President*  
GRANT T. MURAKAMI, ASCE, LEED® AP BD+C  
*Vice-President*  
TOM SCHNELL, AICP  
*Principal*

**SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT, KUPU GREEN JOBS TRAINING CENTER RENOVATIONS KAKA'A KO TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)**

Dear Mr. Liu,

Thank you for your email sent July 23, 2015 regarding the Kupu Green Jobs Training Center Renovations Draft Environmental Assessment (EA).

**ASSOCIATES**

RAYMOND T. HIGA, ASLA,  
*Senior Associate*  
KIMMIKAMUYEN, LEED® AP BD+C  
*Senior Associate*

SCOTT ALIKA ABUCOC, LEED® AP BD+C  
*Managing Director - Kapolei*  
ROY TAKEMOTO  
*Managing Director - Hilo*  
SCOTT MURAKAMI, ASLA, LEED® AP  
*Associate*

DACHENG DONG, LEED® AP  
*Associate*  
MARC SHIMATSU, ASLA  
*Associate*  
CATIE CULLISON, AICP  
*Associate*

Kupu or its consultants will continue to keep HECo informed as the planning for the Kupu Green Jobs Training Center progresses. We understand that further along in the design HECo will be better able to evaluate the effects on HECo system facilities.

We value your participation in the environmental review process. Your letter will be included in the Final EA.

Sincerely,

  
Tom Schnell, AICP  
Principal

Cc: John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director, Hawai'i Community Development Authority  
O:\Job303041.01\_Kupu Building EA\EA\Comments and Responses\HECO.docx

**KAPOLEI OFFICE**  
1001 Kamakila Boulevard,  
Kapolei, Hawaii 96707-2605  
Tel: (808) 523-1402  
Fax: (808) 523-5631  
E-mail: sysadmin@pbrhawaii.com

**HILo OFFICE**  
1719 Haleakala Street  
Hilo, Hawaii 96720-1533  
Tel/Cel: (808) 315-6875

*Printed on recycled paper*



**FRIENDS OF KEWALOOS**  
Protecting Kewaloos - Protecting Hawaii

PBR Hawaii & Associates, Inc.  
1001 Bishop Street, Suite 650  
Honolulu, HI 96813-3484

July 21, 2015

Reg. Comments to the Draft Environmental Assessment for the KUPU  
Green Job Training Center Renovations

*Friends of Kewaloos (FOK) would like to participate in the environmental review process with the following comments:*

1. FOK would like to confirm that KUPU will set aside land for the Shoreline Promenade along the Kewalo Channel as depicted in the Kaka'ako Makai Conceptual Master Plan that was adopted by HCDA in 2011. Presently, there are several planters restricting public access to this area that was previously open to the public.
2. FOK would like to confirm that no hazardous materials will flow or be discharged into the ocean that will be harmful to the recreational users and the marine life.
3. FOK would like to confirm that the construction workers will not be parking in the stalls reserved for the park users.
4. FOK would like to confirm that there will be no retail food establishment except for the mobile lunch wagon as was expressed to us in the past.

*Friends of Kewaloos deeply appreciates this opportunity to provide comments.*

Mahalo nui loa,  
**Ronald T. Iwami**  
President, Friends of Kewaloos  
808 222-6645  
ronald@kewalo.org

# PBR HAWAII

& ASSOCIATES, INC.

September 30, 2015

**PRINCIPALS**

THOMAS WITTEN, ASLA  
Chairman  
RON DUNCAN, ASLA  
President  
ronald@kewalo.org

**SUBJECT: ENVIRONMENTAL IMPACT STATEMENT PREPARATION  
NOTICE, KAKA'AKO MAKAI PARKS ACTIVE USE  
FACILITIES MASTER PLAN - TMKs 2-1-058:131 (POR);  
2-1-059:023, 024, 026; 2-1-060:008, 029, 030 (POR.), 007**

Dear Mr. Iwami,

Thank you for Friends of Kewaloos' letter dated July 21, 2015, regarding the Kupu Green Jobs Training Center Renovations Draft Environmental Assessment (EA). As the planning consultant for Kupu we are responding to Friends of Kewaloos' comments.

1. Regarding a shoreline promenade along the Kewalo Basin Channel, the Hawaii Community Development Authority (HCDA) will maintain control over the area proposed for a shoreline promenade along the Kewalo Basin Channel, as Kupu's lease area will not extend all the way to the channel edge. Kupu understands that HCDA intends to keep this area open for pedestrian public access.

Kupu realizes and acknowledges that the 2011 *Kaka'ako Makai Conceptual Master Plan* depicts a shoreline promenade along the channel edge and Kupu has no intent to oppose this pedestrian public access. Kupu also realizes and acknowledges the 2011 *Kaka'ako Makai Conceptual Master Plan* a guiding principle that states: "Protect and sustain the coastal environment for cultural uses including fishing, ocean gathering, surfing, and ocean navigation."

You are correct that currently there are several concrete planters blocking clear access along the channel edge. When the coconut trees in this area were planted, large south swells caused a great deal of erosion and damage to the trees as well as the ecosystem.

Kupu staff were asked by the harbor operator (Kewalo Harbor, LLC) and the landowner (HCDA Asset Management) to put planters in place in their current configuration as a temporary barrier reduce erosion and homeless access to the vacant adjacent property (former NOAA facility). Placement of the planters is a separate activity and is not related to Kupu's plans to renovate the Net Shed Building and surrounding area nor does the renovation plan include restricting access to the shoreline promenade along the channel edge.

In time, as the erosion issue subsides, the trees are well established, and better controls can be put in place regarding the former NOAA facility, Kupu expects to be able to move the planters to within its lease area in the future.

To Protect, Preserve, and Mālama Kewalo Basin Park and the surrounding shoreline and ocean to ensure  
that the recreational user will continue to have access  
and the ability to enjoy the area for future generations to come.

www.kewalo.org

*Printed on recycled paper*

Mr. Ronald T. Iwami  
SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT KUPU GREEN JOBS TRAINING  
CENTER RENOVATIONS, KAKA AKO TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)  
September 30, 2015  
Page 2 of 3

To clarify Kupu's intent regarding the shoreline promenade, in the final EA it will be clearly stated that:

- Kupu is not seeking to lease or limit access to any shoreline/promenade area;
- The project area does not include the:
  - Existing and defined waterfront shoreline/promenade the within Kewalo Basin Park along the open ocean;
  - Area of the proposed shoreline/promenade along the Kewalo Basin harbor channel; and
  - Park groin area.
- Kupu acknowledges and respects that the *Kaka'ako Makai Conceptual Master Plan* (2011) depicts a shoreline promenade along the Kewalo Basin Channel;
- Kupu has no intent to oppose this pedestrian public access; and
- Kupu also acknowledges and respects the plan's guiding principal that states: "Protect and sustain the coastal environment for cultural uses including fishing, ocean gathering, surfing, and ocean navigation."

2. Regarding your concern about hazardous materials flowing into or being discharged into the ocean, the renovations to the Net Shed Building and surrounding grounds are expected to decrease the amount of impervious surfaces in the area and improve and decrease drainage flows into the ocean relative to existing conditions.

Kupu's proximity to the ocean means that it will be critical to maintain runoff onsite as much as possible. Existing infrastructure will be replaced with new low impact development (LID) Integrated Management Plans (IMPs) to manage stormwater flow permanently. IMPs are expected to include a vegetated swale in the area between the Net Shed Building and the oceanfront pedestrian promenade in lieu of the existing concrete curb and gutter. The majority of runoff from the Net Shed Building will be directed to the vegetated swale and then to a concrete gutter that flows over the existing seawall and discharges into the channel. The vegetated swale is expected to provide for infiltration as well as some level of biofiltration and treatment of the stormwater.

Best management practices (BMPs) will be incorporated during construction to prevent stormwater discharges and contaminants such as sediment, pollutants, petroleum products, and other debris from affecting coastal water quality. Best management practices may include phasing grading activities, installing silt fences and other structural controls, directing runoff to retention/detention basins, and installing temporary groundcover. When feasible, the contractors will schedule site work during periods of minimal rainfall to minimize contaminated runoff into the ocean. Lands denuded of vegetation by construction activity will be replanted or covered as quickly as possible. Kupu has also made an effort to evaluate contractors based on character and their ability to employ best practices to reflect Kupu's desire to protect and preserve our environment as well as build and support the community needs.

Mr. Ronald T. Iwami  
SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT KUPU GREEN JOBS TRAINING  
CENTER RENOVATIONS, KAKA AKO TMKs 2-1-058:127 (POR) AND 2-1-058:131 (POR)  
September 30, 2015  
Page 3 of 3

- In their comments the Draft EA dated June 26, 2015, the Department of Land and Natural Resources Division of Aquatic Resources stated: 1) "The Division has no objections to the proposed project since it is not expected to have significant adverse impact on aquatic resource values in this area." and 2) "The Division is in agreement with the Best Management Practices (BMPs) that have been suggested by the applicant."
3. Regarding construction worker parking, construction contractors and their personnel will not be allowed to utilize Kewalo Basin Park, Ala Moana Beach Park, or parking stalls within these parks for their personal or company vehicles. Kupu currently uses six parking stalls in front of the Net Shed Building (Diamond Head side). In addition, the large, triangular-shaped asphalt pad area between the Net Shed Building and the Kewalo Basin Harbor Channel could be used for construction parking. If construction parking cannot be accommodated in the six stalls that Kupu currently uses or on the asphalt pad, alternative arrangements will be made for construction parking off site.
  4. Regarding food, the only retail food service will be the food truck, however, Kupu may serve food prepared from the new commercial kitchen at special events, similar to how Kupu has served catered food at special events thus far. The food service at special events may include Kupu hosting events for community groups such as Friends of Kewalo or private events. As Kupu has noted before regarding parking for special events, Kupu intends to have valet services or offsite parking as appropriate, such as they have done thus far for such events.

We value your participation in the environmental review process. Your letter will be included in the Final EA.

Sincerely,




Tom Schnell, AICP  
Principal

cc: John Leong, Chief Operating Officer, Kupu  
Anthony Ching, Executive Director, Hawai'i Community Development Authority

O:\Job3041.01 Kupu Building EA\EA\DEA\Comments and Responses\Responses\FOK 8-8-15.docx

**APPENDIX B:**  
**BUILDING FLOOR PLANS, ELEVATIONS, AND SECTIONS**






Kupu and Urban Corp Program


SITE PLAN

GROUP 70  
INTERNATIONAL

SCALE 1" = 20'-0"

0' 10' 20' 40' 80'





SCALE 1/8" = 1'-0"


## GROUND LEVEL DESIGN OPTION

# GROUP 70

---

INTERNATIONAL







SCALE 1/8" = 1'-0"

Kupu and Urban Corp Program

### MEZZANINE DESIGN OPTION




**GROUP 70**  
INTERNATIONAL



**1 ELEVATION - EAST**


SCALE: 1/8" = 1'-0"




**2 ELEVATION - SOUTH**

SCALE: 1/8" = 1'-0"

SCALE 1/8" = 1'-0"






**ELEVATION - WEST**  
2  
SCALE: 1/8" = 1'-0"




**ELEVATION - NORTH**  
1  
SCALE: 1/8" = 1'-0"

SCALE 1/8" = 1'-0"





SCALE 1/8" = 1'-0"





©2015 GROUP 70 INTERNATIONAL, INC.



## Great Room





**APPENDIX C:**  
**TRAFFIC IMPACT ASSESSMENT REPORT**



Transportation Impact Assessment Report

**Kupu Green Jobs Training Center  
Kewalo Basin, Hawai‘i**

July 2015

Transportation Impact Assessment Report

**Kupu Green Jobs Training Center  
Kaka‘ako, Hawai‘i**



July 2015

Prepared for:

Kipu  
677 Alā Moana Boulevard, Suite 1200  
Honolulu, Hawai‘i 96813  
(808) 735-1221

Prepared by:

AECOM Technical Services  
1001 Bishop Street, Suite 1600  
Honolulu, Hawai‘i 96813  
(808) 521-5031

Project Reference: 60428436

AECOM Technical Services, Inc.  
1001 Bishop Street, Suite 1600  
Honolulu, Hawai‘i 96813  
Ph. (808) 521-5031  
Project Reference: 60428436

**AECOM**

## Table of Contents

I.	Introduction .....	1
II.	Existing Conditions .....	4
A.	Site Description .....	4
B.	Roadway Conditions .....	4
C.	Bicycle & Pedestrian Conditions .....	5
D.	Public Transit Conditions .....	6
E.	Traffic Conditions .....	6
III.	Future Conditions .....	8
A.	Proposed Renovation of the "Net Shed"	9
B.	Vehicular Trips Generated by the Kupu Green Jobs Training Center.	9
1.	Vehicular Trips Generated by Staff .....	9
2.	Vehicular Trips Generated by Students .....	10
3.	Vehicular Trips Generated by Life 360 .....	10
4.	Vehicular Trips Generated by Community Events .....	10
5.	Vehicular Trips Generated by Total Kupu Green Jobs Training Center Renovation .....	10
C.	Projected Year 2017 PM Peak Hour Background Traffic Volumes .....	11
D.	Projected Year 2017 PM Peak Hour Traffic Volumes with Kupu Green Jobs Training Center Renovation .....	12
E.	Projected Year 2017 PM Peak Hour Intersection Operations .....	13
F.	Transit, Pedestrian, and Bicycle Issues .....	14
IV.	Summary and Recommendations .....	15
A.	Summary .....	15
B.	Recommendations .....	16

## Appendix

Synchro Intersection Analysis Worksheets

## List of Figures

Figure 1	Location of Kupu Green Job Training Center .....	1
Figure 2	Kupu Green Job Training Center Site Plan .....	2
Figure 3	Existing "Net Shed" Building .....	4
Figure 4	Base Year 2014 PM Peak Hour Traffic Volumes .....	7
Figure 5	Projected Year 2017 PM Peak Hour Background Traffic Volumes .....	10
Figure 6	Projected Year 2017 PM Peak Hour Traffic Volumes w/Kupu Green Jobs Center .....	11
Figure 7	Transit and Pedestrian Access .....	13


## List of Tables

Table 1	"Net Shed" Building Uses .....	3
Table 2	Base Year 2014 PM Peak Hour Intersection Operations .....	7
Table 3	Summary of Activity at Existing and Renovated "Net Shed" .....	8
Table 4	Vehicular Trips Generated by Renovated "Net Shed" .....	10
Table 5	Projected PM Peak Traffic Intersections Operations with and without Renovation .....	12

## 1. INTRODUCTION

Kupu is a 501(c)(3) non-profit organization based in Honolulu, Hawaii. Founded in 2007, Kupu was developed in response to the growing needs of Hawaii's communities to train the next generation in natural resource management, renewable energy, energy conservation and other green job skill sets. Kupu houses and manages four service-learning programs in the "green jobs" sector: the Hawaii Youth Conservation Corps (HYCC), CommunityU Program, RISE Program and the Environmental Education Program (E2U).

As part of their CommunityU program, Kupu is currently using the former "Net Shed" building at Kewalo Basin as their Green Jobs Training Center. Figure 1 illustrates the location of the site.



**Figure 1 – Location of Kupu Green Job Training Center Site**

Kupu is proposing to renovate the "Net Shed" building to improve its CommunityU and CBASE programs. These improvements will enable Kupu to double the number of under-resourced youths that it serves through these programs. Figure 2 illustrates the changes in employees and participants for the renovated building.



**Figure 2 – Kupu Green Jobs Training Center ("Net Shed") Site Plan**

**Table 1**  
**“Net Shed” Building Employees and Participants**

	Existing Conditions	After Renovations
<b>Employees/Volunteers Monday - Friday</b>	<b>6 total</b> Including Staff, Social Work Students, & Team Leaders	<b>10 total</b> Including Staff, Social Work Students, & Team Leaders
<b>Youth/Participants Monday - Friday</b>	<b>24 total</b> 12 Youth Participants 12 CBASE Students on Monday, Tuesday, & Thursday	<b>48 total</b> 24 Youth Participants 24 CBASE Students on Monday, Tuesday, & Thursday
<b>Life 360 Program Sundays</b>	<b>190 Youth</b> Youth come in vans and buses and are dropped off.	<b>190 Youth</b> Youth come in vans and buses and are dropped off.
<b>Special/Community Events</b>	<b>100 People per event</b> Variable Frequency	<b>100 People per event</b> Variable Frequency

As shown in Table 1, the number of youths served in the weekday programs is small, and even after the renovations, is very small. For the purpose of this analysis the staff is assumed to drive to the facility, but the youth involved in the programs use, and are expected to continue to use, primarily public transit to travel to and from the “Net Shed” site.


Given the relatively small vehicular travel demand generated by the proposed renovation of the “Net Shed” site, this transportation analysis relies on traffic studies conducted recently for two other development parcels located in the immediate vicinity of the “Net Shed” site. The transportation analysis conducted for the Kupu Green Job Training Facility and documented in this report is new, but base year and future traffic volumes were taken directly from the other studies. A more detailed discussion of how information from these other studies were obtained and used for this study are included in Chapter III of this study report.

## II. EXISTING CONDITIONS

### A. Site Description

The “Net Shed” building, an 8,400-square foot open-sided pavilion at Kewalo Basin, was originally constructed in 1989/1990 by the Hawaii Community Development Authority (HCDA) for use as a fishing net storage and drying area by Honolulu’s fishing fleet. Due to changes in the fishing fleet at Kewalo Basin as well as changes in equipment (nylon nets are now used), the facility is no longer needed as a net drying shed.

Between 2006 and 2010 HCDA leased the Net Shed Building to Hālau Kū Māna, a public charter school. Hālau Kū Māna used the building as a learning laboratory for the school’s coastal education programs. Kupu currently uses the “Net Shed” building and an area surrounding the building for its Green Job Training Center. The Center provides educational youth services and a variety of programs that primarily focus on training young adults in the fields of sustainability, conservation, and land stewardship. Currently, the building is an open pavilion structure with a roof and chain link walls between columns. The interior space is not divided except for restroom facilities and a small kitchen area. Figure 3 is comprised of photographs that illustrate the current “Net Shed” building.



Source: AECOM, 2015

Disclaimer: This graphic has been prepared for general planning purposes only and should not be relied upon for detailed engineering or other specific applications by the recipient or its employees.

DRAFT 7/22/2015

**Figure 3** Existing “Net Shed” Building

The "Net Shed" is located adjacent to Kewalo Basin Park, a public park, and a land parcel (commonly referred to as the "NOAA site") that is planned for redevelopment. Kewalo Basin Park has parking that is intended for users of the park. Six parking stalls in front of the "Net Shed" building (Diamond Head side) are reserved for Kupu's exclusive use as part of its current agreement with HCDA. For any additional stalls that may be required for Kupu, HCDA and Howard Hughes (which has an existing lease to operate the harbor, boat slips, and parking immediately adjacent to the harbor) have committed to working with Kupu to provide for the remaining required parking, as well as event parking. The additional parking will be provided either closer to Ala Moana Boulevard or within Howard Hughes lease areas.

#### B. Roadway Conditions

Access to the "Net Shed" building is from Ala Moana Boulevard; therefore this transportation study focuses on transportation impacts along Ala Moana Boulevard. Included in this assessment are the:

##### C. Ward Avenue Intersection

- Kewalo Basin entrance driveway from Ala Moana Boulevard near Ward Avenue;
- Kewalo Basin exit driveway on to Ala Moana Boulevard,
- East Kewalo Basin driveway "T" intersection with Ala Moana Boulevard (signalized, near Kamake'e Street); and
- Kamake'e Street intersection.

Ala Moana Boulevard is an 'Ewa-Diamond Head major arterial roadway providing sub-regional access and is a major corridor for access to Waikiki. In the vicinity of Kewalo Basin, there are three lanes in each direction with a raised center median. This segment of Ala Moana Boulevard is bordered by Ward Warehouse on the mauka side and Kewalo Basin on the makai side. The State of Hawaii's Department of Transportation (HDOT) has jurisdiction of this roadway. The posted speed limit is 35 mph.

The Ward Avenue intersection is signalized. Ward Avenue is a mauka-makai roadway providing access between Ala Moana Boulevard and the H-1 Freeway. This street provides two lanes in each direction, with a center left-turn lane. Makai of Ala Moana Boulevard, Ward Avenue continues as Ialo Street that curves to align parallel with Ala Moana Boulevard. Iilo Street provides access and vehicular circulation for the Kaka'ako Makai area. At its intersection with Ala Moana Boulevard, the both 'Ewa and Diamond Head-bound Ala Moana approaches have exclusive left-turn lanes and the 'Ewa-bound approach adds an exclusive right-turn lane. The Ward Avenue approach is configured with exclusive left, shared through-left, and shared through-right lanes. The Ialo Street approach is configured with separate left, through, and right lanes. In the vicinity of its intersection with Ala Moana Boulevard, both sides of Ward Avenue are lined by mostly commercial retail land uses, and on-street parallel parking is provided on the Diamond Head side of Ward Avenue between Auahi Street and Ala Moana Boulevard. The posted speed limit is 25 mph.

The Kamake'e Street intersection is signalized. Kamake'e Street is a mauka-makai street providing access connecting Ala Moana Boulevard with Kapi'olani Boulevard where it terminates. For most of its length, Kamake'e Street is two lanes in each direction. Makai of Ala Moana Boulevard, Kamake'e Street becomes Ala Moana Park Drive, an internal roadway within Ala Moana Park. At Ala Moana Boulevard, the Kamake'e Street and Ala Moana Park Drive approaches are configured with a shared through and left-turn lane, and an exclusive right-turn lane. Adjacent land use between Ala Moana Boulevard and Auahi Street will be commercial retail and residential high-rise uses. On-street parallel parking is provided along Ala Moana

Park Drive. The posted speed limit on Kamake'e Street is 25 mph. The posted speed limit on Ala Moana Park Drive is 15 mph. The East Kewalo Basin Driveway intersection is signalized. However, the 'Ewa-bound to makai-bound left turn into Kewalo Basin is not allowed at this "T"-intersection. Therefore, vehicles on Ala Moana Boulevard approaching Kewalo Basin in the 'Ewa-bound direction must either execute a U-Turn at the Ward Avenue intersection or find an alternative route to access Kewalo Basin. At the East Kewalo Basin Driveway approach, there are separate left and right turn lanes.

Between Ward Avenue and the East Kewalo Basin Driveway, there are separate entrance and exit driveways. These driveways serve primarily the 'Ewa and mauka sides of Kewalo Basin. The Diamond Head side of Kewalo Basin is more directly served by the East Kewalo Basin Driveway. These driveways allow access from and to Diamond Head-bound Ala Moana Boulevard and are unsignalized.

#### C. Bicycle & Pedestrian Conditions

There are sidewalks on both sides of Ala Moana Boulevard between Ward Avenue and Kamake'e Street. Crosswalks are provided across all legs of the Ward Avenue intersection and across all legs except the 'Ewa leg at the Kamake'e Street intersection. A crosswalk is provided across the East Kewalo Basin Driveway.

There are no marked bicycle facilities along this segment of Ala Moana Boulevard. The State of Hawai'i Bicycle Master Plan indicates future plans for bike lanes along this segment of Ala Moana Boulevard.

#### D. Public Transit Conditions

Four bus stops (two mauka side and makai side) are located on Ala Moana Boulevard in the vicinity of Kewalo Basin. The bus stops located near Kamake'e Street are more likely to be used by people associated with the Kupu Green Jobs Training Center. The 'Ewa-bound stop near Kamake'e Street is #764 and the Diamond Head-bound stop is #855. These bus stops are served by Routes 19, 20, 42, 55, 56, and 57/57A. Route 19 (Waikiki-Airport-Hickam) runs from around 6 AM to 12:25 AM. Route 20 (Waikiki-Airport-Pearlridge) runs from 5 AM to 6 PM. Route 42 (Waikiki-'Ewa Beach) runs from about 4 AM to 3 AM (span of 23 hours). Route 55 (Ala Moana-Kaiulua-Kane'ohe-Hale'iwa) runs from around 5 AM until 10:30 pm. Route 56 (Ala Moana-Kaiulua-Waimanalo) runs from around 5 AM to 9:30 PM. Route 57/57A (Ala Moana-Kaiulua) runs from around 5 AM to 10:40 PM. Service headways vary according to the time of day. The Kupu Green Job Training Center is also under a mile from the planned Civic Center Station and less than half mile from the Kaka'ako Station of the Honolulu Rail Transit Project (HRTP) currently under construction. The full HRTP is anticipated to be complete in 2019.


#### E. Traffic Conditions

Base year 2014 FM peak hour turning movement traffic counts documented in the following reports were used to establish base year 2014 conditions at intersections on Ala Moana Boulevard between Ward Avenue and Kamake'e Street:

- Traffic Assessment Report for the Proposed Napule Restaurant (TMC), November 6, 2014;
- The Traffic Management Consultant (TMC), November 6, 2014;

- Kewalo Basin Restaurant and Retail Project Transportation Impact Analysis Report by Fehr-Peers and Associates, October 2014.
- The PM peak hour was used as the analysis time period because it was the most constrained weekday time period. The Base Year 2014 PM peak hour occurred from 5:00 PM to 6:00 PM. Figure 4 summarizes the Base Year 2014 PM peak hour turning movements at the intersections on Ala Moana Boulevard in the vicinity of Kewalo Basin, and Table 2 summarizes the intersection operations at the signalized intersections within this segment of Ala Moana Boulevard.

The signalized intersections were analyzed using the method described in Chapter 16 of the 2000 Highway Capacity Manual (HCM) (Special Report 209, Transportation Research Board) through the Synchro/Sim Traffic software. The Synchro worksheets are included in the Appendix of this report.



**Figure 4 Base Year 2014 PM Peak Hour Traffic Volumes**

Intersection	Control	Delay	LOS
Ward Avenue	Signalized	39.8	D
East Kewalo Basin Driveway	Signalized	5.8	A
Kamake'e Street	Signalized	28.2	C

Note: Delay is in seconds/vehicle  
Synchro worksheets are in Appendix

**Table 2 Base Year 2014 PM Peak Hour Intersection Operations**

### III. FUTURE CONDITIONS

#### A. Proposed Renovation of the "Net Shed"

Kupu currently uses the "Net Shed" for its CommunityU (CU) program. The proposed renovation of the "Net Shed" will allow Kupu to double the number of youths served.

Table 3 summarizes the existing and proposed levels of activity at the "Net Shed." It is expected that the proposed renovation would be completed in approximately 2 years.

**Table 3 Summary of Activity with Existing and Renovated "Net Shed"**

	Existing Conditions	After Renovations
<b>Employees/Volunteers Monday – Friday</b>	<b>6 total</b> Including Staff, Social Work Students, & Team Leaders	<b>10 total</b> Including Staff, Social Work Students, & Team Leaders
<b>CommunityU Youth/Participants Monday – Friday</b>	<b>24 total</b> 12 Youth Participants 12 CBASE Students on Monday, Tuesday, & Thursday	<b>48 total</b> 24 Youth Participants 24 CBASE Students on Monday, Tuesday, & Thursday
<b>Life 360 Program Sundays</b>	<b>190 Youth</b> Youth come in buses and are dropped off.	<b>190 Youth</b> Youth come in buses and are dropped off.
<b>Special/Community Events</b>	<b>100 People per event</b> Variable Frequency	<b>100 People per event</b> Variable Frequency

Notes: Source of information: Kupu CommunityU internship is designed for young adults seeking hands-on service opportunity CBASE is competency-based high school diploma equivalency program.

ten employees will drive to the "Net Shed." Further, to estimate the worst-case scenario, all employees were assumed to depart during the PM peak hour.

#### 2. Vehicular Trips Generated by Students

The CU and CBASE programs serve under-resourced young adults age 16-24 years old. Based on discussions with Kupu, almost all of these students rely primarily on public transit. Kupu also provides bus passes to program participants. A small number of program participants bike or walk to the site and an even smaller number are dropped off at the site. Students are at the "Net Shed" on Monday, Tuesday, Thursday, and Friday. For the purposes of this study, it was assumed that approximately 10 percent of the students (5 students) will be dropped off and picked up by someone driving a vehicle. Further, to estimate the worst-case scenario, it was assumed that the students would be picked up during the PM peak hour.

#### 3. Vehicular Trips Generated by the Life 360 Program

As part of Kupu's goal to make the Green Jobs Training Center available to various community groups, Kupu currently allows Life 360 Network, Inc. to use the "Net Shed" building on Sundays. Life 360 has similar goals as Kupu in that they provide educational and recreational programs for at-risk youth to positively move their lives forward. According to Kupu, up to 190 youth may attend the Sunday program and are transported by chartered bus. Currently five buses are used to transport the youth to the "Net Shed" building. This will remain the same after the proposed renovations to the "Net Shed" building.

#### 4. Vehicular Trips Generated by Community Events

Community events are currently held at the "Net Shed" and will continue to be held after the proposed renovation. The occurrences of these events are variable. There could be months where several events are held and there could be months where no events are held. Kupu commits to proper monitoring the traffic associated with events and may need to adjust the starting times of special events in the future so as not to have a significant impact on traffic conditions during the PM peak hour. Kupu may also make advance arrangements for parking and traffic control if needed. These events are handled on a case by case basis and are not usually analyzed as part of a transportation impact analysis report.

### B. Vehicular Trips Generated by the Kupu Green Jobs Training Center

#### 1. Vehicular Trips Generated by Staff

The "Net Shed" currently has six parking spaces. The renovation will convert one parking space to an ADA-compliant parking stall, leaving five parking spaces for general use. For any additional stalls that may be required for Kupu, HCDA and Howard Hughes (which has an existing lease to operate the harbor, boat slips, and parking immediately adjacent to the harbor) have committed to working with Kupu to provide for the remaining required parking, as well as event parking. The additional parking will be provided either closer to Ala Moana Boulevard or within Howard Hughes lease areas.

Therefore, even though the Green Jobs Training Center will initially be constrained to only allowing five employees to drive vehicles to the "Net Shed," it is assumed that in the future, all

#### 5. Vehicular Trips Generated by Total Kupu Green Jobs Training Center Renovation


Table 4 summarizes the vehicular traffic generated by the components of the proposed "Net Shed" renovation. As shown, the total generation from the Kupu Green Jobs Training Center Renovation is very small. The PM peak hour vehicular trips were assigned to the traffic turning movements at the analyzed intersections on Ala Moana Boulevard based on a directional distributed of 60 percent to/from Diamond Head and 40 percent to/from Ewa.

**Table 4 Peak Hour Traffic Volumes Generated by Renovated "Net Shed"**

Trip Generator	PM Peak Hour			Life 360 Program (Sundays)		
	In	Out	Total	In	Out	Total
Staff/Employees	0	10	10	0	0	0
Students	5	5	10	0	0	0
Life 360 Program	0	0	0	5 <sup>1</sup>	5 <sup>1</sup>	10 <sup>1</sup>
Community Events	*	*	*	*	*	*
Total	5	15	20	5	5	10

Note: Staff working days are Monday-Friday. PM peak hour is the most congested time period.  
<sup>1</sup>The Life 360 program is on Sunday and reflect trips by buses that transport youth to the "Net Shed" building.

\*Community events occur with variable frequency and are addressed through event permitting process.

**Figure 5 Projected Year 2017 PM Peak Hour Background Volumes****C. Projected Year 2017 PM Peak Hour Background Traffic Volumes**

Projected future background traffic volumes estimate the growth in traffic volumes based on development in the vicinity of the "Net Shed" and due to growth in regional traffic at the analysis intersections.

Future background traffic volumes were obtained from the following traffic analyses:

- Traffic Assessment Report for the Proposed Napule Restaurant, Honolulu, Hawaii by The Traffic Management Consultant (TMC), November 6, 2014;
- Kewalo Basin Restaurant and Retail Project Transportation Impact Analysis Report by Fehr-Peers and Associates, October 2014.

Because the Fehr-Peers report utilized a horizon year of 2017 (as opposed to 2016 for the TMC study) that more closely matched the timing of the Kupu Green Jobs Training Center renovation schedule, its future traffic volumes including the proposed Kewalo Basin Restaurant and Retail Project were utilized as the background future traffic volumes for the Kupu Green Jobs Training Center analysis. The TMC report was used to add in the traffic generated by the proposed Napule Restaurant. Both the Fehr and Peers and the TMC studies acknowledged future traffic generated by new development in the surrounding Kaka'ako area and regional traffic growth volumes.

**D. Projected Year 2017 PM Peak Hour Traffic Volumes with Kupu Green Jobs Training Center Renovation**

The vehicular traffic volumes summarized in Table 4 of this report for the PM peak hour time period were added to the projected 2017 background traffic volumes shown in Figure 5. Figure 6 summarizes the resulting projected year 2017 traffic volumes with the added traffic from the Kupu Green Jobs Training Center Renovation.

### E. Projected Year 2017 PM Peak Hour Intersection Operations

Projected Year 2017 PM peak hour traffic volumes without and with the Kupu Green Jobs Training Center Renovation were evaluated at the signalized intersections on Ala Moana Boulevard at Ward Avenue, East Kewalo Basin Driveway, and Kamake'e Street.

The signalized intersections were analyzed using the method described in Chapter 16 of the 2000 Highway Capacity Manual (HCM) (Special Report 209, Transportation Research Board) through the Synchro/Sim Traffic software. The Synchro worksheets are included in the

The results of the analyses are summarized in Table 5. As shown, even though growth in background traffic creates more congested operations at the intersections, the addition of the Kupu Green Jobs Training Center volumes has virtually no effect on operations at any of the analyzed intersections.

**Table 5 Projected Year 2017 PM Peak Hour Intersection Operations at Ala Moana Boulevard Intersections**

Intersection	Without Kupu Renovation Project		With Kupu Renovation Project	
	Delay	LOS	Delay	LOS
Ward Avenue	76.2	E	76.6	E
East Kewalo Basin Driveway	10.9	B	11.2	B
Kamake'e Street	40.2	D	40.5	D


Note: Delay is in second/vehicle

卷之三

## **E. Transit, Pedestrian, and Bicycle Issues**

As discussed earlier in this report, almost all of the students attending the CommunityU and CBASE programs at the "Net Shed" will utilize public transit. Since the public transit stops are located on Alia Moana Boulevard, the transit riders will also act as pedestrian between the "Net Shed" and the bus stops.

Figure 7 conceptually illustrates the location of the public transit stops and pedestrian facilities in the vicinity of Kewalo Basin. The public transit stops located just Diamond Head of the Ala Moana Boulevard/Kamaele Street intersection would be the closest to the "Net Shed." The Ala Moana Boulevard/Kamaele Street intersection is signalized with crosswalks located as illustrated in Figure 7. There is also a strong system of sidewalks that connect the public transit stops to the "Net Shed." A likely walking path is shown in Figure 7.



**Figure 7** Transit Pedestrian and Bicycle Access

Bicycle riders would benefit from bike parking facilities at the "Net Shed." Cyclists traveling to and from Diamond Head could utilize Ala Moana Park Drive and other paths within Ala Moana Park to travel up to Atkinson Drive. Kamake'e Street provides a route to streets such as Pohukaina Street and Healekuwila Street that parallel Ala Moana Boulevard and carry a much lower volume of traffic. The State of Hawai'i Bicycle Master Plan indicates future plans for bike lanes along Ala Moana Boulevard in the vicinity of Kewalo Basin. The Howard Hughes Corporation has plans to install bike lanes on Auahi Street in the Ward Village area in the near future.

## IV. SUMMARY AND RECOMMENDATIONS

### A. Summary

The renovation of the Kupu Green Jobs Training Center at the Kewalo Basin "Net Shed" is expected to have minimal traffic and other transportation impacts.

Even though proposed renovation to the "Net Shed" building would allow a doubling of students served by the CommunityU and CBASE programs, the amount of students after renovation is only 48 students. The staff would increase from 6 to 10 employees/volunteers. The impacts caused by the proposed renovation would be attributed to these incremental increases, but in order to evaluate a worst-case condition, impacts in this report are based on post-renovation totals. For this condition, all employees/volunteers are assumed to drive to the "Net Shed" site separately and 10 percent of the students are assumed to be dropped off and picked up by someone driving a vehicle.

Even with these conservative assumptions, the amount of vehicular traffic generated during the PM peak hour is small: only 5 vehicles per hour (vph) inbound and 15 vph outbound. This is because most of the students are expected to primarily utilize public transit or non-motorized modes to access the site. Current students do this and the additional students accommodated by the proposed renovation are expected to do the same. The PM peak hour was evaluated because it was the most constrained time period during the weekdays. The Training Center does not operate on the weekends.

As a result, PM peak hour weekday intersection impacts attributable to vehicular traffic from combined staff and student attendance would be minimal.

Six public transit bus routes provide service in the Ala Moana Boulevard corridor in the vicinity of Kewalo Basin. Based on data obtained from the DTS-Public Transit Division, these routes have the capacity to handle the increase in public transit demand (24 youth/students) for the CommunityU and CBASE programs after the renovations.<sup>15</sup>

There are adequate pedestrian facilities to allow students access between the "Net Shed" site and Ala Moana Boulevard. There are no formal bicycle facilities in the vicinity of Kewalo Basin. However, Kamake'e Street provides reasonable access to streets such as Pohukaina and Halekaauila that provide a less intense cycling environment than Ala Moana Boulevard. Additionally, Ala Moana Park Drive and paths in Ala Moana Park provide routes for cyclists coming from the Diamond Head direction. The internal drive provides an access route to the Kupu Training Center for bicyclists/pedestrians within the Kewalo Basin area and future plans for Kewalo Basin improvements include improvements to the existing walkway connection between Ala Moana Park Drive and the existing multi-use path along seawall of Kewalo Basin. Life 360 conducts a youth program at the Net Shed building on Sundays. Youth participants coming to the program are transported by chartered bus. This will continue unchanged after the renovation. Five buses are used for transport of the youth. The five bus trips into and out of the Kewalo Basin area on Sundays will not negatively impact traffic operations on Ala Moana Boulevard.

Community and special events currently occur are expected to continue at the Center after the renovations to the "Net Shed." They may increase in frequency; although the frequency and timing of the events are still expected vary. Kupu will monitor the traffic situation during special events and if it is found that special events starting during the PM peak hour (5 to 6 PM weekdays) are having a significant impact on traffic conditions, Kupu can then adjust the starting times of special events so as not to have a significant impact on traffic conditions during the PM peak hour.

### B. Recommendations

Given that the renovation of the Kupu Green Jobs Training Center is not projected to have significant impacts on traffic, transit, bicycle, or pedestrian facilities, the recommendations focus on actions Kupu can take to help improve non-motorized access and maintain its low impact profile.

- Avoid supply deliveries during the PM peak hour of Ala Moana Boulevard;
- Continue to utilize vans/buses to transport students for excursions and recreational trips;
- Continue to provide bus passes (and bus/rail passes in the future) to program participants;
- Provide parking for at least five (5) bicycles at the "Net Shed" site. This will allow for half of the projected staff to utilize bicycles should they decide to do so;
- Monitor the traffic situation during special events and if it is found that special events starting during the PM peak hour (5 to 6 PM weekdays) are having a significant impact on traffic conditions, adjust the starting times of special events so as not to have a significant impact on traffic conditions during the PM peak hour.
- Encourage other development within Kewalo Basin to provide pedestrian facilities that increase the redundancy of the pedestrian facility network within the area.

These recommendations will allow the Kupu Green Jobs Training Center to continue to operate in a low-impact, sustainable manner while providing important services to the community.

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT
Lane Configurations	222	1849	2	5	48	1393	173	8	133	122	223
Volume (vph)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Ideal Flow (vph)	4.0	7.0	4.0	4.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
Total Lost time (s)	1.00	0.91	1.00	1.00	0.91	1.00	0.95	1.00	0.91	0.91	0.91
Lane Util. Factor	Frb, ped/bikes	1.00	1.00	1.00	1.00	1.00	0.92	1.00	0.87	1.00	0.96
Frb, ped/bikes	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Frt	1.00	1.00	1.00	1.00	1.00	1.00	0.85	1.00	0.85	1.00	0.89
Flt Protected	0.95	1.00	0.95	1.00	0.95	1.00	1.00	1.00	1.00	1.00	1.00
Flt Flow (prot)	1770	5084	1770	1770	5085	1440	3530	1370	1610	2831	
Flt Permitted	0.95	1.00	0.51	0.95	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Sold Flow (perm)	1770	5084	943	1770	5085	1440	3530	1370	1610	2831	
Peak-hour factor, PHF	0.95	0.95	0.95	0.92	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Adj. Flow (vph)	234	1946	2	5	51	1466	182	8	140	128	235
RTO/R Reduction (vph)	0	0	0	0	0	0	105	0	0	118	0
Lane Group Flow (vph)	234	1948	0	5	51	1466	77	0	148	10	207
Conf. L. Pcts. (#/hr)	27		31	31	31	27	19	50	50	50	
Turn Type	Prot	NA	custom	Prot	NA	Perm	Split	NA	Perm	Split	NA
Protected Phases	5	2		1	1	6	4	4	4	4	8
Permitted Phases											
Actuated Green, G (s)	24.5	79.7		1							
Effective Green, g (s)	24.5	79.7		7.9	7.9	63.1	63.1	11.6	11.6	25.8	25.8
Actuated g/C Ratio	0.16	0.53		0.05	0.05	0.42	0.42	0.08	0.08	0.17	0.17
Clearance Time (s)	4.0	7.0		4.0	4.0	7.0	7.0	7.0	7.0	7.0	7.0
Vehicle Extension (s)	3.0	3.0		3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
Lane Grp Cap (vph)	289	2701		49	93	2139	605	272	105	276	486
Vs Ratio Prot	c0.13	c0.38		0.03	0.29			c0.04	c0.13	c0.06	
Vs Ratio Perm				0.01		0.05			0.01		
VC Ratio	0.81	0.72		0.10	0.55	0.69	0.13	0.54	0.09	0.75	0.32
Uniform Delay, d1	60.5	26.7		67.7	69.3	35.4	26.6	66.7	64.3	59.0	54.4
Progression Factor	1.00	1.00		1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Incremental Delay, d2	15.3	1.7		0.9	6.5	0.9	0.1	2.2	0.4	10.9	0.4
Delay (s)	75.8	28.4		68.6	75.8	36.3	26.7	68.9	64.7	69.9	54.8
Level of Service	E	C		E	E	D	C	E	E	E	D
Approach Delay (s)	33.5	C			36.5			66.9		60.1	
Approach LOS				D			E		E		
<b>Intersection Summary</b>											
HCM 2000 Control Delay	39.8				HCM 2000 Level of Service	D					
HCM 2000 Volume to Capacity ratio	0.74										
Actuated Cycle Length (s)	150.0				Sum of lost time (s)	25.0					
Intersection Capacity Utilization	87.8%				ICU Level of Service	E					
Analysis Period (min)	15										
c Critical Lane Group											

5/22/2015

## Appendix - Synchro Intersection Analysis Worksheets

Base Year 2014	
Weekday PM Peak	

July 2015

HCM Signalized Intersection Capacity Analysis  
1: Ala Moana Blvd & Ward Ave

5/22/2015

HCM Signalized Intersection Capacity Analysis  
2: Kewalo Basin Drwy & Ala Moana Blvd

5/22/2015

Movement	SBR	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations							
Volume (vph)	264	2152	39	0	1554	35	54
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)		7.5			7.5	7.5	7.5
Lane Util. Factor		0.91			0.91	1.00	1.00
Fpb, pedbikes		1.00			1.00	1.00	1.00
Fpb, pedbikes		1.00			1.00	1.00	1.00
Frt		1.00			1.00	1.00	0.85
FtI Protected		1.00			1.00	0.95	1.00
Satd. Flow (prot)	4897				5085	1755	1583
FtI Permitted		1.00			1.00	0.95	1.00
Satd. Flow (perm)		4897			5085	1775	1583
Peak-hour factor, PHF	0.95	0.98	0.98	0.98	0.98	0.98	0.98
Adj. Flow (vph)	278	2196	40	0	1586	36	55
RTOR Reduction (vph)	0	1	0	0	0	0	24
Lane Group Flow (vph)		2235			1586	36	31
Confli. Peds. (#/hr)	19		51	51		3	
Turn Type		NA			NA	Prot	Perm
Protected Phases		2			2	4	4
Permitted Phases							
Actuated Green, G (s)		134.0			134.0	12.0	12.0
Effective Green, g (s)		133.5			133.5	11.5	11.5
Actuated g/C Ratio		0.83			0.83	0.07	0.07
Clearance Time (s)		7.0			7.0	7.0	7.0
Lane Grp Cap (vph)		4085			4242	126	113
Vs Ratio Prot		0.46			0.31	c0.02	
Vs Ratio Perm		0.55			0.37	0.29	0.27
v/c Ratio		4.0			3.2	70.4	70.3
Uniform Delay, d1		1.00			1.00	1.00	1.00
Progression Factor		0.5			0.3	5.6	5.9
Incremental Delay, d2		4.6			3.4	76.0	76.2
Delay (s)							
Level of Service		A			A	E	E
Approach Delay (s)		4.6			3.4	76.1	
Approach LOS		A			A	E	
Intersection Summary							
HCM 2000 Control Delay					5.8	HCM 2000 Level of Service	A
HCM 2000 Volume to Capacity ratio					0.53		
Actualized Cycle length (s)					160.0	Sum of lost time (s)	15.0
Intersection Capacity Utilization					60.9%	ICU Level of Service	B
Analysis Period (min)					15		
c Critical Lane Group							

Movement	EBT	EBR	WBL	WBT	NBL	NBR	
Lane Configurations							
Volume (vph)	264	2152	39	0	1554	35	
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	
Total Lost time (s)		7.5			7.5	7.5	
Lane Util. Factor		0.91			0.91	1.00	
Fpb, pedbikes		1.00			1.00	1.00	
Fpb, pedbikes		1.00			1.00	1.00	
Frt		1.00			1.00	1.00	
FtI Protected		1.00			1.00	0.95	
Satd. Flow (prot)	4897				5085	1755	
FtI Permitted		1.00			1.00	0.95	
Satd. Flow (perm)		4897			5085	1775	
Peak-hour factor, PHF	0.95	0.98	0.98	0.98	0.98	0.98	
Adj. Flow (vph)	278	2196	40	0	1586	36	
RTOR Reduction (vph)	0	1	0	0	0	0	
Lane Group Flow (vph)		2235			1586	36	
Confli. Peds. (#/hr)	19		51	51		3	
Turn Type		NA			NA	Prot	
Protected Phases		2			2	4	
Permitted Phases							
Actuated Green, G (s)		134.0			134.0	12.0	
Effective Green, g (s)		133.5			133.5	11.5	
Actuated g/C Ratio		0.83			0.83	0.07	
Clearance Time (s)		7.0			7.0	7.0	
Lane Grp Cap (vph)		4085			4242	126	
Vs Ratio Prot		0.46			0.31	c0.02	
Vs Ratio Perm		0.55			0.37	0.29	
v/c Ratio		4.0			3.2	70.4	
Uniform Delay, d1		1.00			1.00	1.00	
Progression Factor		0.5			0.3	5.6	
Incremental Delay, d2		4.6			3.4	76.0	
Delay (s)							
Level of Service		A			A	E	
Approach Delay (s)		4.6			3.4	76.1	
Approach LOS		A			A	E	
Intersection Summary							
HCM 2000 Control Delay					5.8	HCM 2000 Level of Service	A
HCM 2000 Volume to Capacity ratio					0.53		
Actualized Cycle length (s)					160.0	Sum of lost time (s)	15.0
Intersection Capacity Utilization					60.9%	ICU Level of Service	B
Analysis Period (min)					15		
c Critical Lane Group							

Base Year 2014  
Weekday PM Peak

Base Year 2014  
Weekday PM Peak

### HCM Signalized Intersection Capacity Analysis 3: Ala Moana Blvd & Kamakee St

5/22/2015

### HCM Signalized Intersection Capacity Analysis 1: Ala Moana Blvd & Ward Ave

6/8/2015

Movement	E BL	E BT	E BR	W BL	W BT	W BR	N BL	N BT	N BR	S BL	S BR
Lane Configurations	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑
Volume (vph)	80	1990	185	23	1370	74	59	47	67	85	110
Ideal Flow (vph)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Lane Util. Factor	1.00	0.91	1.00	0.91	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fpb, ped/bikes	1.00	0.98	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fpb, ped/bikes	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fit	1.00	0.99	1.00	0.99	1.00	0.85	1.00	0.85	1.00	0.85	1.00
Fit Protected	0.95	1.00	0.95	1.00	0.97	1.00	0.98	1.00	0.95	1.00	1.00
Satd. Flow (prot)	1770	4916	1770	4966	1812	1227	1618	1583	1822	1677	1585
Fit Permitted	0.95	1.00	0.95	1.00	0.64	1.00	0.74	1.00	0.95	1.00	1.00
Satd. Flow (perm)	1770	4916	1770	4966	775	1227	1038	1583	1770	1585	1440
Peak-hour factor, PHF	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.95	0.95
Adj. Flow (vph)	87	2163	201	25	1489	80	64	51	73	92	120
RTOR Reduction (vph)	0	7	0	0	4	0	0	0	0	0	90
Lane Group Flow (vph)	87	2357	0	25	1565	0	0	144	13	0	165
Confli. Peds (#/hr)	18	52	52	52	18	18	77	77	77	77	77
Turn Type	Prot	NA	Prot	NA	Perm	NA	Perm	NA	Perm	NA	Perm
Protected Phases	1	6	5	2	4	4	4	8	8	5	2
Permitted Phases	6									1	6
Actuated Green, G (s)	13.1	92.4	5.8	85.1	38.3	38.3	38.3	38.3	38.3	27.0	61.0
Effective Green, g (s)	12.6	91.9	5.3	84.6	37.8	37.8	37.8	37.8	37.8	27.0	61.0
Actuated g/C Ratio	0.08	0.61	0.04	0.56	0.25	0.25	0.25	0.25	0.25	0.18	0.41
Clearance Time (s)	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.0	7.0
Lane Grp Cap (vph)	148	3011	62	2800	195	309	261	398	318	2067	42
Vs Ratio Prot	0.05	0.48	0.01	0.32	0.19	0.01	0.16	0.02	0.01	0.18	0.42
Vc Ratio Perm	0.59	0.78	0.40	0.56	0.74	0.04	0.63	0.08	0.01	0.14	0.04
Uniform Delay, d1	662	2116	70.8	20.8	51.6	42.4	49.9	42.8	1.03	1.76	0.52
Progression Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	69.0	52.0
Incremental Delay, d2	16.0	2.1	18.4	0.8	22.0	0.3	11.1	0.4	1.00	1.00	1.00
Delay (s)	82.2	23.7	89.2	21.6	73.5	42.7	61.0	43.2	53.7	29.3	423.2
Level of Service	F	C	F	C	E	D	E	D	D	115.2	73.8
Approach LOS	C	C	C	C	D	D	D	D	D	79.2	79.2
Intersection Summary											
HCM 2000 Control Delay	28.2	HCM 2000 Level of Service C									
HCM 2000 Volume to Capacity ratio	0.77	HCM 2000 Level of Service E									
Actuated Cycle Length (s)	150.0	Sum of lost time (s) 15.0 H									
Intersection Capacity Utilization	121.8%	ICU Level of Service 15 F									
Analysis Period (min)	15	99.3% ICU Level of Service 15 D									
c Critical Lane Group											

Base Year 2014  
Weekday PM Peak

2017 Without Project  
Weekday PM Peak

Movement	E BL	E BT	E BR	W BL	W BT	W BR	N BL	N BT	N BR	S BL	S BR
Lane Configurations	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑
Volume (vph)	80	1990	185	23	1370	74	59	47	67	85	110
Ideal Flow (vph)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Lane Util. Factor	1.00	0.91	1.00	0.91	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fpb, ped/bikes	1.00	0.98	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fpb, ped/bikes	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fit	1.00	0.99	1.00	0.99	1.00	0.85	1.00	0.85	1.00	0.85	1.00
Fit Protected	0.95	1.00	0.95	1.00	0.97	1.00	0.98	1.00	0.95	1.00	1.00
Satd. Flow (prot)	1770	4916	1770	4966	1812	1227	1618	1583	1822	1677	1585
Fit Permitted	0.95	1.00	0.95	1.00	0.64	1.00	0.74	1.00	0.95	1.00	1.00
Satd. Flow (perm)	1770	4916	1770	4966	775	1227	1038	1583	1770	1585	1440
Peak-hour factor, PHF	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.95	0.95
Adj. Flow (vph)	87	2163	201	25	1489	80	64	51	73	92	120
RTOR Reduction (vph)	0	7	0	0	4	0	0	0	0	0	90
Lane Group Flow (vph)	87	2357	0	25	1565	0	0	144	13	0	165
Confli. Peds (#/hr)	18	52	52	52	18	18	77	77	77	77	77
Turn Type	Prot	NA	Prot	NA	Perm	NA	Perm	NA	Perm	NA	Perm
Protected Phases	1	6	5	2	4	4	4	8	8	5	2
Permitted Phases	6									1	6
Actuated Green, G (s)	13.1	92.4	5.8	85.1	38.3	38.3	38.3	38.3	38.3	27.0	61.0
Effective Green, g (s)	12.6	91.9	5.3	84.6	37.8	37.8	37.8	37.8	37.8	27.0	61.0
Actuated g/C Ratio	0.08	0.61	0.04	0.56	0.25	0.25	0.25	0.25	0.25	0.18	0.41
Clearance Time (s)	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.0	7.0
Lane Grp Cap (vph)	148	3011	62	2800	195	309	261	398	318	2067	42
Vs Ratio Prot	0.05	0.48	0.01	0.32	0.19	0.01	0.16	0.02	0.01	0.18	0.42
Vc Ratio Perm	0.59	0.78	0.40	0.56	0.74	0.04	0.63	0.08	0.01	0.14	0.04
Uniform Delay, d1	662	2116	70.8	20.8	51.6	42.4	49.9	42.8	1.03	1.76	0.52
Progression Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	69.0	52.0
Incremental Delay, d2	16.0	2.1	18.4	0.8	22.0	0.3	11.1	0.4	1.00	1.00	1.00
Delay (s)	82.2	23.7	89.2	21.6	73.5	42.7	61.0	43.2	53.7	29.3	33.4
Level of Service	F	C	F	C	E	D	E	D	D	115.2	73.8
Approach LOS	C	C	C	C	D	D	D	D	D	79.2	79.2
Intersection Summary											
HCM 2000 Control Delay	28.2	HCM 2000 Level of Service C									
HCM 2000 Volume to Capacity ratio	0.77	HCM 2000 Level of Service E									
Actuated Cycle Length (s)	150.0	Sum of lost time (s) 15.0 H									
Intersection Capacity Utilization	121.8%	ICU Level of Service 15 F									
Analysis Period (min)	15	99.3% ICU Level of Service 15 D									
c Critical Lane Group											

Movement	E BL	E BT	E BR	W BL	W BT	W BR	N BL	N BT	N BR	S BL	S BR
Lane Configurations	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑	↑↑↑
Volume (vph)	80	1990	185	23	1370	74	59	47	67	85	110
Ideal Flow (vph)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Lane Util. Factor	1.00	0.91	1.00	0.91	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fpb, ped/bikes	1.00	0.98	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fpb, ped/bikes	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fit	1.00	0.99	1.00	0.99	1.00	0.85	1.00	0.85	1.00	0.85	1.00
Fit Protected	0.95	1.00	0.95	1.00	0.97	1.00	0.98	1.00	0.95	1.00	1.00
Satd. Flow (prot)	1770	4916	1770	4966	1812	1227	1618	1583	1822	1677	1585
Fit Permitted	0.95	1.00	0.95	1.00	0.64	1.00	0.74	1.00	0.95	1.00	1.00
Satd. Flow (perm)	1770	4916	1770	4966	775	1227	1038	1583	1770	1585	1440
Peak-hour factor, PHF	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.95	0.95
Adj. Flow (vph)	87	2163	201	25	1489	80	64	51	73	92	120
RTOR Reduction (vph)	0	7	0	0	4	0	0	0	0	0	90
Lane Group Flow (vph)	87	2357	0	25	1565	0	0	144	13	0	165
Confli. Peds (#/hr)	18	52	52	52	18	18	77	77	77	77	77
Turn Type	Prot	NA	Prot	NA	Perm	NA	Perm	NA	Perm	NA	Perm
Protected Phases	1	6	5	2	4	4	4	8	8	5	2
Permitted Phases	6									1	6
Actuated Green, G (s)	13.1	92.4	5.8	85.1	38.3	38.3	38.3	38.3	38.3	27.0	61.0
Effective Green, g (s)	12.6	91.9	5.3	84.6	37.8	37.8	37.8	37.8	37.8	27.0	61.0
Actuated g/C Ratio	0.08	0.61	0.04	0.56	0.25	0.25	0.25	0.25	0.25	0.18	0.41
Clearance Time (s)	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.0	7.0
Lane Grp Cap (vph)	148	3011	62	2800	195	309	261	398	318	2067	42
Vs Ratio Prot	0.05	0.48	0.01	0.32	0.19	0.01	0.16	0.02	0.01	0.18	0

HCM Signalized Intersection Capacity Analysis  
1: Ala Moana Blvd & Ward Ave

6/8/2015

HCM Signalized Intersection Capacity Analysis  
2: Kewalo Basin Dwy & Ala Moana Blvd

6/8/2015

Movement	SBR	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations							
Volume (vph)	432	2334	245	0	2010	73	97
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)							
Lane Util. Factor							
Fpb, pedbikes							
Fpb, pedbikes							
Frt							
Frt Protected							
Satd. Flow (prot)		4897					
Frt Permitted							
Satd. Flow (perm)		4897					
Peak-hour factor, PHF	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Adj. Flow (vph)	455	2457	258	0	2116	77	102
RTOR Reduction (vph)	0						
Lane Group Flow (vph)	0						
Confli. Peds. (#/hr)	19						
Turn Type		NA					
Protected Phases		2					
Permitted Phases							
Actuated Green, G (s)		124.0					
Effective Green, g (s)		124.0					
Actuated g/C Ratio		0.78					
Clearance Time (s)							
Lane Grp Cap (vph)		3795					
Vs Ratio Prot		c0.55					
Vs Ratio Perm							
V/C Ratio		0.71					
Uniform Delay, d1		9.1					
Progression Factor		1.00					
Incremental Delay, d2		1.2					
Delay (s)		10.2					
Delay (s)							
Level of Service		B					
Approach Delay (s)		10.2					
Approach LOS		B					
Intersection Summary							
HCM 2000 Control Delay			11.0				
HCM 2000 Volume to Capacity ratio			0.66				
Actualized Cycle length (s)			160.0				
Intersection Capacity Utilization			66.5%				
Analysis Period (min)			15				
C Critical Lane Group							

Movement	EBT	EBR	WBL	WBT	NBL	NBR	
Lane Configurations							
Volume (vph)	432	2334	245	0	2010	73	97
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)							
Lane Util. Factor							
Fpb, pedbikes							
Fpb, pedbikes							
Frt							
Frt Protected							
Satd. Flow (prot)		4897					
Frt Permitted							
Satd. Flow (perm)		4897					
Peak-hour factor, PHF	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Adj. Flow (vph)	455	2457	258	0	2116	77	102
RTOR Reduction (vph)	0						
Lane Group Flow (vph)	0						
Confli. Peds. (#/hr)	19						
Turn Type		NA					
Protected Phases		2					
Permitted Phases							
Actuated Green, G (s)		124.0					
Effective Green, g (s)		124.0					
Actuated g/C Ratio		0.78					
Clearance Time (s)							
Lane Grp Cap (vph)		3795					
Vs Ratio Prot		c0.55					
Vs Ratio Perm							
V/C Ratio		0.42					
Uniform Delay, d1		7.0					
Progression Factor		0.78					
Incremental Delay, d2		0.15					
Delay (s)		7.0					
Delay (s)							
Level of Service		NA					
Approach Delay (s)		7.0					
Approach LOS		B					
Intersection Summary							
HCM 2000 Control Delay			11.0				
HCM 2000 Volume to Capacity ratio			0.66				
Actualized Cycle length (s)			160.0				
Intersection Capacity Utilization			66.5%				
Analysis Period (min)			15				
C Critical Lane Group							

2017 Without Project  
Weekday PM Peak

2017 Without Project  
Weekday PM Peak

### HCM Signalized Intersection Capacity Analysis

#### 3: Ala Moana Blvd & Kamakee St

6/8/2015

#### HCM Signalized Intersection Capacity Analysis 1: Ala Moana Blvd & Ward Ave

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (vph)	157	2083	191	24	1760	216	77	61	49	183	88	173
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Lane Util. Factor	1.00	0.91	1.00	0.91	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fpb, ped/bikes	1.00	0.98	1.00	0.99	1.00	0.80	1.00	1.00	1.00	1.00	1.00	1.00
Fpb, ped/bikes	1.00	1.00	1.00	1.00	1.00	1.00	0.91	1.00	1.00	1.00	1.00	1.00
Fit	1.00	0.99	1.00	0.98	1.00	0.85	1.00	0.97	1.00	1.00	0.85	1.00
Fit Protected	0.95	1.00	0.95	1.00	0.97	1.00	0.97	1.00	0.95	1.00	1.00	1.00
Satd. Flow (prot)	1770	4916	1770	4966	1812	1227	1618	1583	1618	1618	1610	2831
Fit Permitted	0.95	1.00	0.95	1.00	0.39	1.00	0.61	1.00	0.33	1.00	1.00	1.00
Satd. Flow (perm)	1770	4916	1770	4966	775	1227	1038	1583	1038	1583	1370	2831
Peak-hour factor, PHF	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.95	0.95
Adj. Flow (vph)	171	2264	208	26	1913	235	84	66	53	199	96	188
RTOR Reduction (vph)	0	7	0	0	10	0	0	40	0	0	81	81
Lane Group Flow (vph)	171	2465	0	26	2138	0	0	150	13	0	295	107
Confli. Peds (#/hr)	18	52	52	52	18	18	77	77	77	77	31	27
Turn Type	Prot	NA	Prot	NA	Perm	NA	Perm	NA	Perm	NA	custom	Prot
Protected Phases	1	6	5	2	4	4	4	4	4	4	5	2
Permitted Phases	6										1	6
Actuated Green, G (s)	13.1	92.4	5.0	84.3	38.3	38.3	38.3	38.3	38.3	38.3	8	8
Effective Green, g (s)	12.6	91.9	4.5	83.8	37.8	37.8	37.8	37.8	37.8	37.8		
Actuated g/C Ratio	0.08	0.62	0.03	0.56	0.25	0.25	0.25	0.25	0.25	0.25		
Clearance Time (s)	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5		
Lane Gap Cap (vph)	149	3028	53	2789	196	310	262	401				
Vs Ratio Prot	0.10	0.50	0.01	0.43	0.19	0.01	0.28	0.07				
Vc Ratio Perm	1.15	0.81	0.49	0.77	0.77	0.04	1.13	0.27				
Uniform Delay, d1	68.3	22.1	71.2	25.2	51.6	42.0	55.7	44.6				
Progression Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Incremental Delay, d2	118.9	25	29.0	21	24.3	0.3	93.8	1.6				
Delay (s)	187.2	24.6	100.3	27.2	75.9	42.3	149.5	46.2				
Level of Service	F	C	F	C	E	D	F	D				
Approach Delay (s)	35.1	D	28.1	C	67.2	109.3	F					
Approach LOS					E							
Intersection Summary												
HCM 2000 Control Delay	40.0		HCM 2000 Level of Service	D								
HCM 2000 Volume to Capacity ratio	0.95											
Actuated Cycle Length (s)	149.2		Sum of lost time (s)	15.0								
Intersection Capacity Utilization	153.3%		ICU Level of Service	H								
Analysis Period (min)	15											
c Critical Lane Group												

2017 Without Project  
Weekday PM Peak

2017 With Project  
Weekday PM Peak

HCM 2000 Control Delay	78.5	HCM 2000 Level of Service	E
HCM 2000 Volume to Capacity ratio	0.97		
Actuated Cycle Length (s)	150.0	Sum of lost time (s)	25.0
Intersection Capacity Utilization	99.4%	ICU Level of Service	F
Analysis Period (min)	15	c Critical Lane Group	D

HCM Signalized Intersection Capacity Analysis  
1: Ala Moana Blvd & Ward Ave

6/8/2015

HCM Signalized Intersection Capacity Analysis  
2: Kewalo Basin Drwy & Ala Moana Blvd

6/8/2015

Movement	SBR	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations							
Volume (vph)	432	2334	250	0	2013	79	106
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)		7.0		7.0		4.5	4.5
Lane Util. Factor		0.91		0.91		1.00	1.00
Fpb, pedbikes		0.99		1.00		1.00	1.00
Fpb, pedbikes		1.00		1.00		1.00	1.00
Frt		0.99		1.00		1.00	0.85
Ft Protected		1.00		1.00		0.95	1.00
Satd. Flow (prot)	4897			5085	1755	1883	
Ft Permitted		1.00		1.00		0.95	1.00
Satd. Flow (perm)	4897			5085	1775	1583	
Peak-hour factor, PHF	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Adj. Flow (vph)	455	2457	263	0	2119	83	112
RTOR Reduction (vph)	0	8	0	0	0	0	10
Lane Group Flow (vph)		2712	0	2119	83	102	
Confli. Peds. (#/hr)	19		51	51		3	
Turn Type		NA		NA		NA	
Protected Phases		2		2		4	
Permitted Phases						4	
Actuated Green, G (s)		124.0		124.0		24.5	24.5
Effective Green, g (s)		124.0		124.0		24.5	24.5
Actuated g/C Ratio		0.78		0.78		0.15	0.15
Clearance Time (s)		7.0		7.0		4.5	4.5
Lane Grp Cap (vph)		3795		3940	268	242	
Vs Ratio Prot	c0.55			0.42		0.05	
Vs Ratio Perm		0.71		0.54		0.31	0.42
V/C Ratio		9.1		6.9		60.2	61.3
Uniform Delay, d1		1.00		1.00		1.00	1.00
Progression Factor		1.2		0.5		3.0	5.3
Incremental Delay, d2		10.3		7.5		63.2	66.6
Delay (s)				A		E	E
Level of Service		B		7.5		65.2	
Approach Delay (s)	10.3			A		E	
Approach LOS	B						
<b>Intersection Summary</b>							
HCM 2000 Control Delay		11.2		HCM 2000 Level of Service		B	
HCM 2000 Volume to Capacity ratio		0.67		Sum of lost time (s)		11.5	
Actualized Cycle length (s)		160.0		ICU Level of Service		C	
Intersection Capacity Utilization		67.2%		Analysis Period (min)		15	
c Critical Lane Group							

Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations						
Volume (vph)	432	2334	250	0	2013	79
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Total Lost time (s)		7.0		7.0		4.5
Lane Util. Factor		0.91		0.91		1.00
Fpb, pedbikes		0.99		1.00		1.00
Fpb, pedbikes		1.00		1.00		1.00
Frt		0.99		1.00		1.00
Ft Protected		1.00		1.00		0.95
Satd. Flow (prot)	4897			5085	1755	1883
Ft Permitted		1.00		1.00		0.95
Satd. Flow (perm)	4897			5085	1775	1583
Peak-hour factor, PHF	0.95	0.95	0.95	0.95	0.95	0.95
Adj. Flow (vph)	455	2457	263	0	2119	83
RTOR Reduction (vph)	0	8	0	0	0	0
Lane Group Flow (vph)		2712	0	2119	83	102
Confli. Peds. (#/hr)	19		51	51		3
Turn Type		NA		NA		NA
Protected Phases		2		2		4
Permitted Phases						4
Actuated Green, G (s)		124.0		124.0		24.5
Effective Green, g (s)		124.0		124.0		24.5
Actuated g/C Ratio		0.78		0.78		0.15
Clearance Time (s)		7.0		7.0		4.5
Lane Grp Cap (vph)		3795		3940	268	242
Vs Ratio Prot	c0.55			0.42		0.05
Vs Ratio Perm		0.71		0.54		0.31
V/C Ratio		9.1		6.9		60.2
Uniform Delay, d1		1.00		1.00		1.00
Progression Factor		1.2		0.5		3.0
Incremental Delay, d2		10.3		7.5		63.2
Delay (s)				A		E
Level of Service		B		7.5		65.2
Approach Delay (s)	10.3			A		E
Approach LOS	B					
<b>Intersection Summary</b>						
HCM 2000 Control Delay		11.2		HCM 2000 Level of Service		B
HCM 2000 Volume to Capacity ratio		0.67		Sum of lost time (s)		11.5
Actualized Cycle length (s)		160.0		ICU Level of Service		C
Intersection Capacity Utilization		67.2%		Analysis Period (min)		15
c Critical Lane Group						

HCM Signalized Intersection Capacity Analysis  
3: Ala Moana Blvd & Kamakee St

7/27/2015

Movement	EBL	E BT	EB R	W BL	W BT	W BR	N BL	N BT	N BR	S BL	S BT	S BR
Lane Configurations												
Traffic Volume (vph)	160	2089	191	24	1763	216	77	61	49	183	88	173
Future Volume (vph)	160	2089	191	24	1763	216	77	61	49	183	88	173
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Total Losttime (s)	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Lane Util. Factor	1.00	0.91	1.00	0.91	1.00	0.91	1.00	1.00	1.00	1.00	1.00	1.00
Fiph, per/pikes	1.00	0.98	1.00	0.99	1.00	0.98	1.00	0.80	1.00	1.00	1.00	1.00
Fiph, ped/pikes	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.91	1.00	1.00
Fit	1.00	0.99	1.00	0.98	1.00	0.95	1.00	0.85	1.00	0.85	1.00	0.85
Fit Protected	0.95	1.00	0.95	1.00	0.95	1.00	0.97	1.00	0.97	1.00	0.97	1.00
Satd. Flow (prot)	1770	4916	1770	4966	1770	4966	1812	1227	1618	1583		
Fit Permitted	0.95	1.00	0.95	1.00	0.95	1.00	0.95	1.00	0.95	1.00	0.95	1.00
Satd. Flow (perm)	1770	4916	1770	4966	1770	4966	1775	1227	1038	1583		
Peak-hour Factor, PHF	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Adj. Flow (vph)	174	2271	208	26	1916	235	84	66	53	199	96	188
R/TOR Reduction (vph)	0	7	0	0	10	0	0	0	40	0	0	81
Lane Group Flow (vph)	174	2472	0	26	241	0	0	150	13	0	295	107
Confil. Peds. (#/hr)	18	52	52	52	18	18	18	18	18	18	18	18
Turn Type	Prot	NA	Prot	NA	Prot	NA	Prot	NA	Prot	NA	Prot	NA
Protected Phases	1	6	6	5	2	4	4	4	4	4	4	8
Permitted Phases												
Actuated Green, G (s)	13.1	92.4	5.0	84.3			38.3	38.3			38.3	38.3
Effective Green, g (s)	12.6	91.9	4.5	83.8			37.8	37.8			37.8	37.8
Actuated GC Ratio	0.08	0.62	0.03	0.56			0.25	0.25			0.25	0.25
Clearance Time (s)	4.5	4.5	4.5	4.5			4.5	4.5			4.5	4.5
Lane Grp Cap (vph)	149	3028	53	2789			196	310			262	401
Vs Ratio Prot	0.10	0.50	0.01	0.43								
Vs Ratio Perm												
v/c Ratio	1.17	0.82	0.49	0.77			0.77	0.04			0.28	0.07
Uniform Delay, d1	68.3	22.1	71.2	25.2			51.6	42.0			11.3	0.27
Progression Factor	1.00	1.00	1.00	1.00			1.00	1.00			55.7	44.6
Incremental Delay, d2	125.9	2.6	29.0	2.1			24.3	0.3			1.00	1.00
Delay (s)	194.2	24.7	100.3	27.3			75.9	42.3			93.8	1.6
Level of Service	F	C	F	C			E	D			149.5	46.2
Approach Delay (s)	35.8		28.2				67.2				109.3	
Approach LOS	D		C				E				F	
<b>Intersection Summary</b>												
HCM 2000 Control Delay			40.4				HCM 2000 Level of Service	D				
HCM 2000 Volume to Capacity ratio			0.95									
Actuated Cycle Length (s)			149.2				Sum of lost time (s)	15.0				
Intersection Capacity Utilization			153.3%				ICU Level of Service	H				
Analysis Period (min)			15									
c Critical Lane Group												



**APPENDIX D:**  
**PRELIMINARY ENGINEERING REPORT**



# PRELIMINARY ENGINEERING REPORT

## KUPU GREEN JOB TRAINING CENTER RENOVATIONS

May 19, 2015

### Table of Contents

1	INTRODUCTION .....	1
1.1	Overview.....	1
1.2	Site Location.....	1
1.3	Purpose of Report.....	2
2	ROADWAYS AND WALKWAYS .....	2
2.1	Existing Infrastructure .....	2
2.2	Proposed Infrastructure .....	3
3	WATER.....	3
3.1	Existing Infrastructure .....	4
3.2	Water Demand Estimate.....	4
3.3	Proposed Infrastructure .....	6
4	WASTEWATER .....	7
4.1	Existing Infrastructure .....	7
4.2	Wastewater Demand Estimate.....	8
4.3	Proposed Infrastructure .....	8
5	DRAINAGE .....	10
5.1	Existing Topography and Drainage Patterns .....	10
5.2	Soils.....	10
5.3	Flood Hazards .....	10
5.4	Existing Hydrology .....	11
5.5	Existing Infrastructure .....	11
5.6	Stormwater Management.....	12
5.7	Proposed Hydrology .....	12
5.8	Proposed Infrastructure .....	13
6	ANTICIPATED APPROVALS AND PERMITS .....	13
6.1	State of Hawaii .....	13
6.2	City and County of Honolulu .....	13

Prepared for:

**Kupu**  
677 Ala Moana Blvd, Suite 1200  
Honolulu, HI 96813

Prepared by:

**GROUP70**  
INTERNATIONAL

Architecture • Civil Engineering • Planning • Interior Design • Environmental Services  
925 Bethel Street, 5th Floor, Honolulu, Hawaii 96813 (808) 523-5866



## LIST OF FIGURES

Figure 1 – Vicinity and Location Map

Figure 2 – Existing Conditions Plan

Figure 3A – Proposed Site and Landscape Plan

Figure 3B – Proposed Site Plan

Figure 4 – Proposed Conditions Plan

Figure 5 – Flood Hazard Assessment Maps

## **1 INTRODUCTION**

### **1.1 Overview**

Kupu is dedicated to training the next generation in natural resource management, renewable energy, energy conservation, and other green job skills. Through training of technical skills and imparting of knowledge, Kupu also is able to provide leadership and community service experience.

Kupu operates its training program out of an existing, converted, net shed structure along the border of Kewalo Basin, in Kakaako, Honolulu, Hawaii. The net shed is an open air structure, used for drying nets, but was converted decades ago to an educational use by the Hawaii Community Development Authority (HCDA), who is the lessor of the land. Kupu leases the net shed for its use in performing its mission.

This project includes renovations to the existing net shed building and appropriate site improvements, required to provide an adequate and contemporary space to Kupu for their use in their operations. Although the structure has been used for educational purposes for many years, the structure is dated, with open air ventilation, limited lighting, and minimal functionality. Kupu would like to utilize the net shed structure to its potential.

The overall project consists of full interior renovations, including a new kitchen, restrooms, office spaces, and educational spaces, within the entire structure which is approximately 8,000 square feet (sf). The project also includes an addition of 1,600 sf to the existing net shed building, through the installation of a mezzanine level.

### **1.2 Site Location**

The project site is located within the Kewalo Basin area, in Kakaako, Honolulu, Hawaii, on a lot owned by HCDA. This lot also contains the entirety of Kewalo Basin Harbor and Kewalo Basin Park which includes the adjacent park lands and parking lots. HCDA operates and maintains the park, while Howard Hughes Corporation (HHC) has an existing lease to operate the harbor, boat slips, and parking immediately adjacent to the harbor itself.

The net shed itself is located on two TMK parcels: 2-1-058: 131 and 2-1-058: 127. TMK 2-1-058: 131 consists of the majority of Kewalo Basin including Kewalo Basin Park and Kewalo Basin Harbor. TMK 2-1-058: 127 contains an existing and currently vacant facility that was formerly occupied by the National Oceanic and Atmospheric Administration (NOAA). The area around the net shed, currently utilized and leased by Kupu, is immediately adjacent to the NOAA site to the north and east, Kewalo Basin Park to the south and east, and the Kewalo Basin Harbor entrance channel to the west. **See Figure 1 – Vicinity and Location Map.**

Kupu expects to renegotiate their lease area around the net shed as part of this project. However, the project area analyzed in this report includes areas beyond the anticipated lease boundaries. The expected lease area includes the net shed and areas immediately adjacent to the structure, including:

- An asphalt parking area immediately adjacent to the net shed on the Diamond Head side;
  - An existing asphalt driveway on the Makai side of the net shed;
  - An existing asphalt delivery and staging area Ewa of the net shed between the net shed and the Kewalo Basin Harbor channel; and
  - A portion of a native plant garden adjacent to and Makai of the asphalt delivery and staging area.
- In addition, Kupu intends to fund some limited improvements adjacent to the lease area within the area of Kewalo Basin Park, between the net shed and the waterfront pedestrian promenade. The area will continue to be open to and accessible by the public. HCDA will continue to own and operate Kewalo Basin Park, which includes the waterfront access and surface asphalt parking lots.

### 1.3 Purpose of Report

The purpose of this report is to assess existing site infrastructure systems to determine the extent of proposed improvements that may be necessary to support the proposed project and development of the site.

## 2 ROADWAYS AND WALKWAYS

### 2.1 Existing Infrastructure

#### 2.1.1 Public Roads

The entirety of the Kewalo Basin area, including the harbor, the adjacent park, parking lots, net shed, and former NOAA facility, is fronted by Ala Moana Blvd. The main driveway access and entrance is located along Ala Moana Blvd., just west of its intersection with Kamakee Street and the entrance to the City & County of Honolulu's Ala Moana Beach Park. This driveway serves a system of on-site private roadways and surface parking lots which provide public access to the park, waterfront, and boat harbor. **See Figure 2 – Existing Conditions Plan.**

#### 2.1.2 Private Roads

The existing net shed building is located at the end of a private road providing public access to the waterfront. The roadway varies in width, but consists of one lane in each direction and crosses through or functions as an aisle within the existing parking lots in some locations, as it makes its way through the Kewalo Basin lands and to the net shed facility. The roadway is approximately 26 feet wide in most locations.

#### 2.1.3 Parking and Vehicular Access

Parking for the Kewalo Basin users, including the park, the harbor and boat slips, the net shed, and the other existing tenants and leases are provided through surface asphalt parking lots located throughout the basin area. The majority of parking is shared amongst the various users, though lessees have control over certain parking areas.

- Kupu currently uses 6 stalls on the Diamond Head side of the net shed. In addition, Kupu's current lease allows for parking on the Ewa side of the building.
- Also, an existing asphalt paved area is located on the Ewa side of the net shed, which is used by Kupu for deliveries and also where some of the educational activities are staged. The paved area is accessible through an approximately 12-foot wide asphalt driveway, with curb and gutter, which goes from the parking lot on the Diamond Head side to the paved area on the Ewa side of the net shed. The driveway is on the makai side of the structure. The existing asphalt areas are used by vehicles daily for deliveries and parking.

#### 2.1.4 Pedestrian Access

Pedestrian access for the Kupu net shed is through various concrete sidewalks located on site. Pedestrian access from the parking lot is also available to the neighboring park lands and to the harbor areas.

### 2.2 Proposed Infrastructure

#### 2.2.1 Public Roads

No improvements to public roadways, including Ala Moana Blvd., are anticipated to be required for the proposed project.

#### 2.2.2 Private Roads

No improvements are anticipated to be required to on-site private roadways.

#### 2.2.3 Parking and Vehicular Access

The addition of the mezzanine, with additional floor area, will require some additional parking stalls. Additional parking stalls may be required if determined during the building permit processes. Bicycle parking will also be provided near the net shed building entrance.

The existing 6 parking stalls that Kupu currently uses on the Diamond Head side of the net shed will be included in the Lease Area and reconfigured into 5 regular parking stalls plus one ADA accessible stall. The existing stalls will be removed, and the pavement will be restored and resurfaced. For any additional stalls that may be required, Kupu will work with HCDA, Howard Hughes (which has an existing lease to operate the harbor, boat slips, and parking immediately adjacent to the harbor), or an entity that may be awarded the use of the NOAA site, to provide for the remaining required parking, as well as event parking. The additional parking could be provided either closer to Ala Moana Boulevard, within the Howard Hughes lease area, or within the NOAA site. No stalls from the existing HCDA park lot, which consists of Kewalo Basin Park, will be used for any Kupu parking.

Improvements to the existing asphalt driveways and paved areas around the net shed will be made, including removal of the asphalt and curb and gutter and replacement with new concrete surfaces and landscaping, which would create a more inviting area for users and for outdoor educational spaces. **See Figure 3A – Proposed Site and Landscape Plan.**

**2.2.4 Pedestrian Access**  
Improvements to the existing pedestrian accesses to the park lands and harbor areas are not anticipated.

## 3 WATER

### 3.1 Existing Infrastructure

The net shed building is serviced by a 4" private domestic waterline main located within the existing adjacent parking lot. The size of the service line to the building is unknown, but as-builts and site investigation revealed the presence of a 3/4" submeter near the makai and Diamond Head corner of the building. The net shed building does not have fire sprinklers. See [Figure 2 – Existing Conditions Plan](#).

The 4" waterline within the parking lot continues to the north east through the existing private roadways and parking lots, and serves the existing comfort station and water fountains along the park beachfront. Near the sewer lift station closer to the harbor, the 4" waterline expands to an 8" private distribution main, currently used only for domestic service, which runs along the Kewalo Basin's main private roadways and parking lots towards Ala Moana Blvd.

The 8" private distribution main on HCDA property connects to a Board of Water Supply (BWS) 12" cast iron (CI) distribution main that runs along the mauka side of Ala Moana Blvd through a public 8" waterline lateral that crosses Ala Moana Blvd. A 3" compound master meter, located within the State's right-of-way (ROW) along Ala Moana Blvd services the entire Kewalo Basin area. An existing backflow preventer (BFP) device is located on HCDA property near the meter to prevent cross-contamination to BWS systems. The harbor uses, including the net shed, park, NOAA facility, boat slips, and other commercial facilities, are submetered.

There are no private fire hydrants located within the Kewalo Basin area, as the existing 8" private distribution main is used only for domestic water purposes. The nearest BWS fire hydrant, #M-1765, is located along the makai side Ala Moana Blvd., east of Ala Moana Park Dr. According to BWS, the hydrant has a static pressure of 76 pounds per square inch (psi) and a residual pressure of 51 psi at a flow rate of 4,000 gallons per minute (gpm). These numbers are based on a BWS model and do not represent the actual pressure in the field.

### 3.2 Water Demand Estimate

#### 3.2.1 Existing

The existing water demand is estimated from the net shed building's water supply fixture units (WSFU). The WSFU count is based off of record drawings of the net shed and Kewalo Basin Park construction plans. The WSFU assigned to each fixture type is defined by the Uniform Plumbing Code (UPC). The total existing WSFU count for the net shed building is as follows:

Existing Fixture Type	Qty	WSFU/Qty	Total WSFU
Water Closet	4	1.7	6.8
Urinal	2	1.7	3.4
Lavatory	3	0.6	1.8
Kitchen Sink	2	1.6	3.2
Showers	5	1.6	8
Hose Bibb – First	1	2.5	2.5
Hose Bibb - Additional	2	1	2
<b>Total</b>	<b>27.7</b>		

Existing water demand based off 27.7 WSFU's measured from the as-built is approximately 19 gpm. The capacity of the 3/4" water submeter specifically for Kupu is approximately 30 gpm.

#### 3.2.2 Proposed:

The proposed water demand for the improvements and renovations to the net shed is expected to minimally increase. This is due to the addition of a new commercial kitchen. However, the increase may generally be offset by the installation of new and efficient bathroom fixtures in the relocated restrooms inside the net shed. Based upon preliminary plans for the renovation, the expected fixture unit count is as follows:

Proposed Fixture Type	Qty	WSFU/Qty	Total WSFU
Water Closet	5	1.7	8.5
Urinal	1	1.7	1.7
Lavatory	6	0.6	3.6
Wash Sinks	1	1.6	1.6
Hand Sinks	1	0.6	0.6
Drinking Fountain	1	1	1
Ice Machine	1	1	1
Dishwasher	1	1.6	1.6
Coffee Machine	1	1	1
Prep Sinks	1	1.6	1.6
Showers	6	1.6	9.6
Hose Bibb – First	1	2.5	2.5
Hose Bibb - Additional	2	1	2
<b>Total</b>	<b>36.3</b>		

Proposed water demand based off 36.3 WSFU's measured from the preliminary plans is approximately 24 gpm. The capacity of the existing 3/4" water submeter specifically for Kupu is approximately 30 gpm.

The net shed will be designed and operated in conformance with all applicable fire protection requirements. The kitchen will have an independent fire-fighting system, and will not utilize water service.

### **3.3 Proposed Infrastructure**

#### **3.3.1 Potable Supply**

Improvements to the potable water supply to the net shed will include relocation of the service lines to the structure itself, including the existing 3/4" meter and service lateral from the existing 4" private waterline in the adjacent parking lot. The 4' private waterline from the existing 8" private distribution main on HCDA property is sufficient to serve the net shed and its improvements. Exterior service lines will need to be relocated or extended as the interior of the net shed is reconfigured and the restrooms are relocated and the kitchen is installed. **See Figure 4 – Proposed Conditions Plan.**

#### **3.3.2 Fire Protection**

The net shed will be designed and operated in conformance with all applicable fire protection requirements.

However, as part of overall and ongoing master planning efforts for the entirety of Kewalo Basin, fire water supplies and access will be required by adjacent developments. HCDA has shown interest in developing the adjacent site formerly occupied by NOAA with commercial, retail, and restaurant spaces. Such improvements would require improved fire protection, fire water service, and fire vehicle access be provided in the area and to the site formerly occupied by NOAA and could encompass the Kupu net shed and proposed Green Jobs Training Center.

Design of the fire water supply and fire water access for the adjacent improvements would, at minimum, be based upon the State Fire Code, National Fire Protection Agency (NFPA) 1, Uniform Fire Code, 2006 and all additional amendments as part of the Hawai'i Administrative Rules (HAR) Title 12, Subtitle 7, Chapter 45.2. Additional requirements are noted in the BWS Water System Standards dated 2002. Based upon the above referenced standards, the following criteria should be met in terms of adequate fire water supplies and fire access:

- Provide an adequate fire water supply, capable of supplying the required fire flow as determined by BWS Standards. On-site, private hydrants will be required for facilities where any portion of the structure is located more than 150-feet from a water supply on an approved fire apparatus access road.
- Provide 2,000 gpm for 2 hours with a residual pressure of 20 psi for on-site hydrants.
- Hydrant spacing at 250-feet (for public roadways, to be applied to private driveways).
- Fire Department Connections (FDCs) for sprinkler systems should be placed on the address side of the building and within 50 feet of an adequate water supply / fire hydrant.
- Road Width / Vertical Clearance = Unobstructed 20-foot wide and 13-foot, 6-inch clear.
- Surface = Capable supporting 73,000 lbs and constructed with an all-weather material.
- Turning Radius = 42-foot min. on outside front wheel. 28.4-foot min. on inside rear wheel.
- Dead Ends = Provide appropriate turnaround (cul-de-sac or hammerhead).

• Key Boxes = If fire access roadway is gated or locked at any time.

• Signage = Required for entire length of roadway.

- Further coordination with the Honolulu Fire Department (HFD) will be required as the design of the adjacent spaces progresses.

Based upon preliminary review of the on-site water infrastructure, the existing 8-inch private distribution main would be insufficient to supply 2,000 gpm at 20 psi residual pressure at the NOAA site or near the Kupu net shed. The 8-inch private main that serves the entirety of the Kewalo Basin area would need to be upsized to a 12-inch line from Ala Moana Blvd., along the main driveway, to a point around where the driveway bends towards the NOAA site and Kupu net shed. The connection to the 12-inch BWS system in Ala Moana Blvd. would be replaced and a new meter and new backflow preventer device would be required. Additionally, areas along the main private roadway from Ala Moana Blvd to the project site may need to be improved to provide adequate turning radii for fire vehicle access requirements, particularly in areas where the main driveway weaves around the existing parking lots and planter islands. Funding for design and installation of the fire protection systems, fire water supply, and fire vehicle access improvements may be from State funds, State grant in aide funds, or private funds. The cost for design and installation of the "off-site" fire protection systems, fire water supply, and fire vehicle access improvements is estimated to be approximately \$0.5 million. **See Figure 4 – Proposed Conditions Plan.**

## **4 WASTEWATER**

### **4.1 Existing Infrastructure**

The net shed building is serviced through an existing 6" private sewer lateral and line that gravity flows to a private sewer lift station located within the parking lot east of the former NOAA site. Wastewater is then pumped from the sewer lift station through a private 4" diameter sewer force main, running parallel with and along the basin's private roadway, and discharges into a receiving manhole located near the comfort station by the parking lot closest to Kewalo Basin's driveway on Ala Moana Blvd. From the receiving manhole, wastewater is then conveyed through an existing private 8" gravity line that runs through the parking lot, which then connects to an existing 8" public sewer lateral that discharges to an existing 6" public sewer main that runs along Ala Moana Blvd. **See Figure 2 – Existing Conditions Plan.**

#### **4.1.1 Sewer Lift Station**

Details and conditions of the existing sewer lift station were researched through Doonwood Engineering, Inc., who designed the lift station system and currently operates and maintains the station for HCDA.

The existing sewer lift station includes two Gorman-Rupp grinder pumps with motors located above ground, along with the necessary lift station features such as a below ground wet well, level sensors, ventilation, and an emergency by-pass connection. The wet well has a 60" diameter and is approximately 8.5' deep (effective depth). As builtis are available for the wet well.

According to Doonwood Engineering, the existing pumps, if functioning properly and within design capacity, would have sufficient capacity to serve the proposed improvements and minimal additional wastewater generated from the net shed.

## 4.2 Wastewater Demand Estimate

### 4.2.1 Existing

The existing wastewater demand was estimated based upon as-builts and fixture unit counts, and is approximately 760 gallons per day (gpd), or approximately 19 gpm at peak flow. Currently, the site consists of only a men's and women's restroom within the net shed. While the net shed is used for educational purposes, the facility is used sporadically and wastewater generation is not constant like a fully occupied office building or school as the classes are not conducted every day or to a set daily schedule.

### 4.2.2 Proposed

The proposed wastewater demand for the renovations to the net shed is expected to minimally increase. As part of the renovations, office areas used to support Kupu's educational programs will be provided and are expected to have regular use. Additionally, a commercial kitchen will be installed. Increases to wastewater generation may be offset by the replacement of existing restroom fixtures with new and efficient fixtures. Based upon preliminary plans for the renovation and the estimated proposed fixtures, the proposed demand is estimated to be approximately 960 gpd, or approximately 24 gpm at peak flow, an increase of 200 gpd or 5 gpm. For comparison, the wet well (60' diameter, 8.5' effective depth) can hold nearly 5,000 gallons, and the existing Gorman-Rupp pump can discharge 225 gpm. With the adjacent NOAA site vacant, and the comfort station similarly providing minimal wastewater flow, the increase in flow from the proposed project can be accommodated by the existing system with both the current volume and flow capacity of the lift station, as sufficient storage volume is provided to mitigate daily wastewater volume increases as well as the slight increase in peak wastewater discharges. Appropriate site hookups for a food truck may be included, but generated wastewater is expected to be negligible.

### 4.3 Proposed Infrastructure

Improvements to the existing sewer line serving the building are anticipated to include the relocation or extension of the service line to the new restroom locations as well as to the newly installed kitchen. A new, minimum 1,000 gallon, grease interceptor for the kitchen will also be installed at the exterior of the building. Other improvements may include the installation of new sewer hookups for a food truck, but will be minimal in size and demand.

As previously mentioned, Doonwood Engineering believes that the existing sewer lift station that currently serves the net shed has sufficient capacity to serve the project improvements as described. Additionally, the 6" lateral serving the net shed to the lift station is sufficient in size to convey the estimated sewer demands from the net shed. See **Figure 4 – Proposed Conditions Plan**.

However, as part of overall and ongoing master planning efforts for the entirety of Kewalo Basin, replacement of the existing lift station and sewer infrastructure will be required by adjacent developments. HCDA has expressed interest in developing the adjacent site formerly occupied by NOAA with commercial, retail, and food and beverage spaces, while Howard Hughes, who leases and operates the harbor, has expressed interest in installing sewer service for boaters. Such improvements will require sewer system improvements including a larger capacity lift station in a new location and sewer line upsizing.

The projected wastewater demand for the development of the NOAA site and the leased harbor is based upon the maximum Floor Area Ratio (FAR) of 0.20 for the NOAA site, allowed by HCDA, as well as a rough-estimate of potential demand from the harbor provided by Howard Hughes. For conservative estimating purposes, the FAR will be increased to 0.50 should FAR be allowed to exceed what is provided in the HCDA's Kakaako Makai Plan rules.

Program:	Lot Area (SF)	FAR <sub>1</sub>	Commercial (SF) <sup>2</sup>	Restaurant (SF) <sup>2</sup>	Employees <sup>3</sup>	Ave. Daily Flow (gpd) <sup>5,6,7</sup>	Design Peak Flow (gpm)
NOAA	60,681	0.50	7,800	30,341	911	96	110,045
Harbor					500		12,500
TOTAL:	<b>60,681</b>	<b>0.50</b>	<b>7,800</b>	<b>30,341</b>	<b>1,411</b>	<b>96</b>	<b>122,545</b>

1. FAR increased to 0.5 to account for potential overestimate of allowed FAR and ultimate build-out of the total.  
2. 10% of FAR assumed for restaurant, as most conservative estimate. 7,800 SF assumed for CJC Honolulu lifeguards and storage.  
3. Seats are calculated from 1 seat per 20 SF of front room area. Front of house area is estimated at 60% of total program space.  
4. Employees are calculated from 1 employee per 400 SF of total commercial + restaurant space.  
5. Employee flows are based on HAR Title 11, Chapter 62, Appendix F, at 20 gal per capita per day.  
6. Restaurant flows are based on HAR Title 11, Chapter 62, Appendix F, at 80 gal per capita per day.  
7. Harbor flows are calculated from a max. build-out of 250 slips, 2 people per slip. Harbor flows are based on 25 gal per capita per day.

Based upon preliminary review of the on-site sewer infrastructure serving the areas adjacent to the net shed, including the NOAA site, the harbor, and Kewalo Basin Park, the adjacent developments and the associated wastewater demands calculated above, the existing sewer system would be insufficient to serve the increased demand and improvements would be necessary.

First, a new lift station in a new location with a larger wet well and pumps would be required to provide more capacity. Then, the 4-inch sewer force main from the lift station to the existing receiving manhole located near the harbor comfort station near Ala Moana Blvd would need to be upsized to a 6-inch line. Finally, the main 8-inch gravity sewer line from the receiving manhole that connects to the City sewer in Ala Moana Blvd, and also serves the remaining Kewalo Basin areas downstream of the lift station and force main, would also likely require replacement and upgrade. Funding for design, and installation of the sewer improvements may be from State funds, State grant in aide funds, or private funds. The cost for design and installation of the "off-site" sewer improvements is estimated to be approximately \$0.7 to \$1.0 million, based on the replacement lift station design. See **Figure 4 – Proposed Conditions Plan**.

## 5 DRAINAGE

### 5.1 Existing Topography and Drainage Patterns

The general topography of the site consists of mild slopes and is relatively flat. The project site appears to be generally filled, up to the water front and sea walls surrounding the site, and appears to slope toward the north and mauka side of the site, towards the interior harbor.

Stormwater runoff from the site sheet flows towards the makai side of the site and is collected and conveyed via concentrated flow along an existing curb and gutter that runs along the entire makai end of the lease area. Runoff is conveyed along the curb and gutter to the west towards the Kewalo Basin entrance channel, where it is conveyed over the seawall and discharges via surface flow directly to the harbor waters.

Stormwater runoff from adjacent areas including the parking lot and vacant NOAA site discharges to other stormwater drainage facilities. Runoff from the vacant NOAA site mauka of the project site sheet flows into a trench drain that runs along mauka side of the building, that then discharging into an 18" reinforced concrete pipe (RCP). This 18" pipe discharges directly into the Kewalo Basin entrance channel. The majority of runoff from the parking area sheet flows north toward a concrete curb and gutter within the parking lot itself, where runoff is conveyed to the north and east, along the main private roadway, ultimately discharging to a separate trench drain system in the surface parking lot.

See Figure 2 – Existing Conditions Plan.

### 5.2 Soils

According to the National Conservation Resource Service (NRCS) web soil survey website, the soil under the project site is classified as fill land, mixed (map unit symbol FL). Historical research into the Kewalo Basin Harbor indicates that the entire portion where the park and net shed are located consists of fill land.

Fill land, mixed, 0 to 3 percent slopes (FL). This type of land consists of areas filled with material dredged from the ocean or hauled from nearby areas, garbage, and general material from other sources. (Data from Soil Survey of the Islands of Kauai, Oahu, Maui, Molokai and Lanai, State of Hawaii, by Soil Conservation Service, in cooperation with the University of Hawaii dated 1972.)

### 5.3 Flood Hazards

A flood zone assessment of the site is shown from the Flood Hazard Assessment Tool (FHAT). The net shed is located in Zone AE – with a base flood elevation of 10 feet. This indicates that the net shed is in a flood plain area, which are areas that will inundate under the indicated event, and the base flood elevation has been calculated to be 10 feet above mean sea level (MSL). See Figure 5 – Flood Hazard Assessment Maps.

As indicated on existing topographic maps of the area, the net shed is located at approximately elevation 7 feet above MSL. Renovations to the net shed will include three-foot high (minimum) flood-proofed concrete masonry unit or concrete sill walls around the building along with

removable flood barriers at door openings. The walls will either be newly constructed or part of the existing concrete masonry unit walls. The wall elevations will be certified by a licensed surveyor to ensure they meet the base flood elevation.

### 5.4 Existing Hydrology

On-site hydrologic calculations were performed using the City and County of Honolulu's *Rules Relating to Storm Drainage Standards, January 2000*. Calculations are based on the rational method because the drainage area is less than 100 acres. The rational method is defined by the following formula:

$$Q = C * I * A, \text{ where:}$$

$Q = \text{Flow Rate in cubic feet per second (cfs);}$

$C = \text{Runoff Coefficient;}$

$I = \text{Rainfall Intensity in inches per hour (in/hr); and}$

$A = \text{Drainage Area in acres (ac)}$

#### Runoff Coefficient, C:

Source: Table 2 of the Rules.

Business Area:  $C = 0.80$  to  $0.90$

$C = 0.80$

#### 1-hour Rainfall Intensity, I:

Source: (10-year, 1 hour storm); Plate 1 of the Rules.

$i_{10} = 2.5 \text{ in/hr}$

#### Existing Drainage for Lease Area

Area = 0.50 ac

Runoff Coefficient, C = 0.90

1-Hour Rainfall Intensity,  $i(10) = 2.5 \text{ in/hr}$

Time of Concentration,  $T_C = 9.3 \text{ minutes}$   
(Flow along concrete curb + discharge over paved asphalt)

Correction Factor, CF = 2.4

Rainfall Intensity,  $I = 2.5 * 2.4 = 6.0 \text{ in/hr}$

$$Q_{10} = 0.90 * 6.0 * 0.50 = 2.70 \text{ cfs}$$

It is expected that under a 10-year, 1-hour storm event, the lease area would generate a peak flow of  $2.70 \text{ cubic feet per second (cfs)}$  of stormwater runoff.

### 5.5 Existing Infrastructure

Existing drainage infrastructure is limited to the existing curb and gutter which appears to capture and convey runoff generated from the lease area for discharge directly into the Kewalo Basin entrance channel. The existing trench drain along north side of the building, 18' RCP,

and the existing curb and gutter along the entire mauka edge of the adjacent parking lot appears to pick up all stormwater flow from adjacent areas.

## 5.6 Stormwater Management

Stormwater management for during-construction and post-construction stormwater discharges from new construction projects are governed by the Storm Water Management Program Plan for Kewalo Basin Harbor, September 2012 (SWMP). NPDES Small MS4.

Kewalo Basin has its own Municipal Separate Storm Sewer (MS4) permit. NPDES Small MS4 Permit No. HI 03KB487

The expected project area is less than one (1) acre, and as such, the requirements to comply with the SWMP are the following:

- Construction BMP plan consisting primarily of the City and County of Honolulu's Construction BMP Plan Checklist
- Any construction of a new storm water connection will need to submit the "Kewalo Basin Private Drain Connection Permit Application".

Based upon the State's water quality maps, the project discharges into Class A marine waters.

## 5.7 Proposed Hydrology

Proposed hydrology and drainage patterns for the project site is expected to mimic existing conditions, but peak flows are expected to decrease as part of the project due to the increased landscaped areas, as well as the proposed installation of new Low Impact Development (LID) features. Asphalt pavement generally will be replaced with concrete and proposed grass or gravel bands will segment the pavement and allow for areas of stormwater infiltration.

General hydrology calculations are based upon the City and County of Honolulu, *Rules Relating To Storm Drainage Standards*, January 2000.

### Proposed Drainage for Lease Area

Area = 0.50 ac

Runoff Coefficient, C = 0.75  
(Increased pervious areas)

1-Hour Rainfall Intensity, I(10) = 2.5 in/hr

Time of Concentration, Tc = 20 minutes  
(Time over grass + flow through the vegetated swale)

Correction Factor, CF = 1.8

Rainfall Intensity, I = 2.5 \* 1.8 = 4.5 in/hr

$$Q_{10} = 0.75 * 4.5 * 0.50 = 1.69 \text{ cfs}$$

It is expected that under a 10-year, 1-hour storm event, the improved project lease area would generate a peak flow of 1.69 cubic feet per second (cfs) of stormwater runoff, which is less than existing conditions.

## 5.8 Proposed Infrastructure

Existing infrastructure will be replaced with new LID Integrated Management Plans (IMP) features to manage stormwater flow, though post construction stormwater management features are not technically required (See Kewalo Basin SWMP, 2012 for Kewalo Basin MS4). IMP's are expected to include a vegetated swale, in lieu of the existing concrete curb and gutter, which would follow the edge of the makai lease boundary and be located just outside of the lease area between the existing net shed and the pedestrian promenade along the ocean. The majority of runoff from the net shed and lease area will be directed to the vegetated swale and then to a concrete gutter that flows over the existing seawall and discharges into the Kewalo Basin entrance channel. The vegetated swale is expected to provide for infiltration as well as some level of bio-filtration and treatment of the stormwater. Additionally, planter boxes for rain gardens along the Kewalo Basin channel area may be installed to pick up additional sheetflow from areas directly Ewa of the net shed.

Additionally, the existing trench drain that is mauka of the net shed, which collects run-on from the adjacent NOAA site, will be removed. The area along the mauka edge of the building will be raised a few feet to match the existing building's finished floor elevation. Currently, there is about a 3 foot drop from the parking lot to the mauka side of the building. The trench drain will be replaced with drain inlets on the downhill side of the raised area along the net shed, and will collect runoff that is directed towards the net shed from the vacant NOAA site, mimicking existing conditions. The existing outlet for the trench drain, an 18" RCP, will continue to be used as the outlet for the relocated drain system and a tie-in connection will be made.

See Figure 3A and B – Proposed Site and Landscape Plans and Figure 4 – Proposed Conditions Plan.


## 6 ANTICIPATED APPROVALS AND PERMITS

### 6.1 State of Hawaii

- HCDA – Environmental Assessment (EA)
- HCDA – Lease Agreement and Right of Entry (ROE) Permits
- HCDA – Development Permit
- HCDA – Storm Drain Connection Application (if new connection is made)
- State Office of Planning (OP) – Special Management Area (SMA) Permit

### 6.2 City and County of Honolulu

- Grading Permit
- Building Permit
- Sewer Connection Application and Wastewater System Facilities Charges
- Water System Facilities Charges may be applicable



**FIGURE 1 - LOCATION MAP**

**FIGURE 2 - EXISTING CONDITIONS**

GROUP 70 INTERNATIONAL  
Civil Engineering

Kupu Net Shed Renovations  
Job # 211033-01


May 19, 2015

### FIGURE 3A - PROPOSED SITE AND LANDSCAPE PLAN

GROUP 70 INTERNATIONAL  
Civil Engineering

Kupu Net Shed Renovations  
Job # 211033-01

March 30, 2015



1" = 30'  
60' 30' 15' 0'

LANDSCAPING  
(SEE LANDSCAPING PLANS)  
SITE WALL  
(SEE STRUCTURAL PLANS)

CONCRETE

SAWCUT AND JOIN

ROOT BARRIER

KUPU GREEN JOBS TRAINING  
CENTER LEASE AREA  
EXISTING FENCE

EXISTING HCDA LOT LINE


PROJECT AREA

EXISTING HCDA LOT LINE

TOTAL PROJECT AREA

### LEGEND


### NOAA SITE (HCDA)



## FIGURE 4 - PROPOSED CONDITIONS


GROUP 70 INTERNATIONAL  
Civil Engineering

Kupu Net Shed Renovations  
Job # 211033-01  
May 19, 2015





# State of Hawaii FLOOD HAZARD ASSESSMENT REPORT



## NATIONAL FLOOD INSURANCE PROGRAM

### FLOOD ZONE DEFINITIONS

**SPECIAL FLOOD HAZARD AREAS SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD** – The 1% annual chance flood (100-year flood), also known as the base flood, is the flood that has a 1% chance of being equaled or exceeded in any given year. The Special Flood Hazard is the area subject to flooding by the 1% annual chance flood. Areas of Special Flood Hazard include Zone A, AE, AH, AO, V, and VE. The Base Flood Elevation (BFE) is the water-surface elevation of the 1% annual chance flood. Mandatory flood insurance purchase applies in these zones:

- Zone A: No BFE determined.
- Zone AE: BFE determined.
- Zone AH: Flood depths of 1 to 3 feet (usually areas of ponding); BFE determined.
- Zone AO: Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined.
- Zone V: Coastal flood zone with velocity hazard (wave action); no BFE determined.
- Zone VE: Coastal flood zone with velocity hazard (wave action); BFE determined.
- Zone AEF: Floodway areas in Zone AE. The floodway is the channel of stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without increasing the BFE.

**NON-SPECIAL FLOOD HAZARD AREA** – An area in a low-to-moderate risk flood zone. No mandatory flood insurance purchase requirements apply, but coverage is available in participating communities.

- Zone XS (X shaded): Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 1% annual chance flood.
- Zone X: Areas determined to be outside the 0.2% annual chance floodplain.

### OTHER FLOOD AREAS

- Zone D: Unstudied areas where flood hazards are undetermined, but flooding is possible. No mandatory flood insurance purchase requirements apply, but coverage is available in participating communities.

### PROPERTY INFORMATION

COUNTY: HONOLULU  
TMK NO: (1) 2-1-058-128  
PARCEL ADDRESS:  
  
FIRM INDEX DATE: NOVEMBER 05, 2014  
LETTER OF MAP CHANGE(S): NONE  
FEMA FIRM PANEL(S): 15003C0362G  
PANEL EFFECTIVE DATE: JANUARY 19, 2011

PARCEL DATA FROM: APRIL 2014  
IMAGERY DATA FROM: MAY 2006

### IMPORTANT PHONE NUMBERS

County NFIP Coordinator  
City and County of Honolulu  
Mario Siu-Li, CFM (808) 768-8098  
State NFIP Coordinator  
Carol Tyau-Beam, P.E., CFM (808) 587-0267


*Disclaimer: The Department of Land and Natural Resources (DLNR) assumes no responsibility arising from the use of the information contained in this report. Viewers/Users are responsible for verifying the accuracy of the information and agree to indemnify the DLNR from any liability, which may arise from its use.*

*If this map has been identified as 'PRELIMINARY' or 'UNOFFICIAL', please note that it is being provided for informational purposes and is not to be used for official/legal decisions, regulatory compliance, or flood insurance rating. Contact your county NFIP coordinator for flood zone determinations to be used for compliance with local floodplain management regulations.*

**FIGURE 5 - FLOOD HAZARD ASSESSMENT MAP (1 OF 2)**



State of Hawaii  
FLOOD HAZARD ASSESSMENT REPORT



**NATIONAL FLOOD INSURANCE PROGRAM**

**FLOOD ZONE DEFINITIONS**

**SPECIAL FLOOD HAZARD AREAS SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD** – The 1% annual chance flood (100-year flood), also known as the base flood, is the flood that has a 1% chance of being equaled or exceeded in any given year. The Special Flood Hazard is the area subject to flooding by the 1% annual chance flood. Areas of Special Flood Hazard include Zone A, AE, AH, AO, V, and VE. The Base Flood Elevation (BFE) is the water-surface elevation of the 1% annual chance flood. Mandatory flood insurance purchase applies in these zones:

- Zone A: No BFE determined.
- Zone AE: BFE determined.
- Zone AH: Flood depths of 1 to 3 feet (usually areas of ponding); BFE determined.
- Zone AO: Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined.
- Zone V: Coastal flood zone with velocity hazard (wave action); no BFE determined.
- Zone VE: Coastal flood zone with velocity hazard (wave action); BFE determined.
- Zone AEF: Floodway areas in Zone AE. The floodway is the channel of stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without increasing the BFE.

**NON-SPECIAL FLOOD HAZARD AREA** – An area in a low-to-moderate risk flood zone. No mandatory flood insurance purchase requirements apply, but coverage is available in participating communities.

- Zone XS (X shaded): Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 1% annual chance flood.

- Zone X: Areas determined to be outside the 0.2% annual chance floodplain.

**OTHER FLOOD AREAS**

- Zone D: Unstudied areas where flood hazards are undetermined, but flooding is possible. No mandatory flood insurance purchase requirements apply, but coverage is available in participating communities.

**PROPERTY INFORMATION**

COUNTY: HONOLULU  
TMK NO: (1) 2-1-058-127  
PARCEL ADDRESS:  
  
FIRM INDEX DATE: NOVEMBER 05, 2014  
LETTER OF MAP CHANGE(S): NONE  
FEMA FIRM PANEL(S): 15003C0362G  
PANEL EFFECTIVE DATE: JANUARY 19, 2011

PARCEL DATA FROM: APRIL 2014

IMAGERY DATA FROM: MAY 2006

**IMPORTANT PHONE NUMBERS**

County NFIP Coordinator

City and County of Honolulu  
Mario Siu-Li, CFM (808) 768-8098

State NFIP Coordinator

Carol Tyau-Beam, P.E., CFM (808) 587-0267

*Disclaimer: The Department of Land and Natural Resources (DLNR) assumes no responsibility arising from the use of the information contained in this report. Viewers/Users are responsible for verifying the accuracy of the information and agree to indemnify the DLNR from any liability, which may arise from its use.*

*If this map has been identified as 'PRELIMINARY' or 'UNOFFICIAL', please note that it is being provided for informational purposes and is not to be used for official/legal decisions, regulatory compliance, or flood insurance rating. Contact your county NFIP coordinator for flood zone determinations to be used for compliance with local floodplain management regulations.*

**FIGURE 5 - FLOOD HAZARD ASSESSMENT MAP (2 OF 2)**

