

Outlets/Switches	Missing	An outlet or switch is missing
	Missing/Broken Cover Plates	A cover plate is missing, which causes wires to be exposed
Patio/Porch/Balcony	Baluster/Side Railings Damaged	Any damaged or missing balusters or side rails that limit the safe use of an area
Smoke Detector	Missing/Inoperable	Smoke detector is missing or does not function as it should
Stairs	Broken/Damaged/Missing Steps	A step is missing or broken
	Broken/Missing Hand Railing	The hand rail for four or more stairs is missing, damaged, loose or otherwise unusable
Walls	Bulging/Buckling	Bulging, buckling or sagging walls or a lack of vertical alignment
	Damaged	Any hole in wall greater than 2 inches by 2 inches
	Damaged/Deteriorated Trim	10% or more of the wall trim is damaged
	Peeling/Needs Paint	10% or more of interior wall paint is peeling or missing
	Water Stains/Water Damage/Mold/Mildew	Evidence of a leak, mold or mildew covering a wall area greater than 1 square foot
Windows	Cracked/Broken/Missing Panes	Missing or cracked panes of glass
	Damaged Window Sill	The sill is damaged enough to expose the inside of the surrounding walls and compromise its weather tightness
	Missing/Deteriorated Caulking/Seals/Glazing Compound	There are missing or deteriorated caulk or seals--with evidence of leaks or damage to the window or surrounding structure
	Inoperable/Not Lockable	Any window that is not functioning or cannot be secured because lock is broken
	Peeling/Needs Paint	More than 10% of interior window paint is peeling or missing
	Security Bars Prevent Egress	The ability to exit through the window is limited by security bars that do not function properly and, therefore, pose safety risks